



# KENYA MEDICAL RESEARCH INSTITUTE (KEMRI)

# PROPOSED PHASE 1 CONSTRUCTION OF MULTI-PHASE LABORATORIES, TRAINING AND OFFICE FACILITY AT KENYA MEDICAL RESEARCH INSTITUTE (KEMRI) CMR-KNH

# TENDER DOCUMENT

# KEMRI/HQ/015/2023-2024

**PROJECT MANAGER** 

WORKS SECRETARY M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI

**QUANTITY SURVEYOR** 

CHIEF QUANTITY SURVEYOR M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI

**MECHANICAL ENGINEER** 

CHIEF ENGINEER MECHANICAL (BS) M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI

INTERIOR DESIGNER

CHIEF DESIGNER M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI **ARCHITECT** 

CHIEF ARCHITECT M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI

**ELECTRICAL ENGINEER** 

CHIEF ENGINEER ELECTRICAL M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI

**STRUCTURAL ENGINEER** 

CHIEF ENGINEER (STRUCTURAL) M.L.P.W.H.&U.D. P.O. BOX 30743-00100 NAIROBI



#### In Search of Better Health

# KENYA MEDICAL RESEARCH INSTITUTE

# PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL, NAIROBI COUNTY.

## PHASE I

# W.P. ITEM NO. D108 NB/NB/2021 JOB NO. 10939A

## TENDER DOCUMENTS

Co	nsisting		
A.	Contents page	e	(i)
B.	Signature and	Special notes page	(ii)
C.	Invitation to 7	Гender	(v)
D.	Standard Ten	der Documents for Procurement of Works	
	Section i.	Instructions to Tenderers	6-21
	Section ii.	Tender Data Sheets	22-25
	Section iii.	Evaluation and Qualifications Criteria	26-33
	Section iv.	Tendering Forms	34-65
	Section v.	Bills of Quantities	66-77
	Section vi.	Specifications	78-122
	Section vii.	Drawings	123
	Section viii.	General Conditions of Contract	125-178
	Section ix.	Special Conditions of Contract.	178-180
	Section x.	Contract Forms	182-195
E.	Particular Pre	liminaries	PP/1-PP/8
F.	General Prelin	minaries	GP/1-GP/9
G.	Preambles and	d Pricing Notes	PN/1-PN/3
Н.	Measured Wo	orks	
	Builder's Wo	rk	BWS/1
I.	Provisional S	ums	PS/1
J.	Grand Summa	ary	GS/1
K.	Appendix		



#### In Search of Better Health

#### KENYA MEDICAL RESEARCH INSTITUTE

# PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL **HOSPITAL, NAIROBI COUNTY**

#### PHASE I

TEND	DER DOCUMENTS
Supplied as part of the Invitation to Tender	(ITT) No
Contract No. W.P. ITEM N	NO. D108 NB/NB/2021 JOB NO. 10939A
Prepared by: -	
State Department for Public Works, Ministry of Lands, Public Works, Ho and Urban Development, P O Box 30743-00100, NAIROBI.	
undersigned refers to these Tender Documents	entered into this day of
THE CONTRACTOR	DIRECTOR GENERAL
	KENYA MEDICAL RESEARCH INSTITUTE
Date:	Date:

#### **SPECIAL NOTES**

The Contractor is required to check the numbers of the pages of these Bills of Quantities and should he find any missing or in duplicate or figures indistinct he must inform the Principal Secretary for State Department for Public Works, Head Office, Ngong Road, Nairobi at once and have the same rectified.

Should the Contractor be in doubt about the precise meaning of any item or figure for any reason whatsoever, he must inform the Principal Secretary, State Department for Public Works, Head Office in order that the correct meaning may be decided before the date for submission of tenders.

No liability will be admitted nor claim allowed in respect of errors in the Contractor's Tender due to mistakes in the specifications, which should have been rectified in the manner, described above.

#### SIGNATURE PAGE AND NOTES

# TABLE OF CONTENTS

INVI	TATION TOTENDER	4-5
1. <b>P</b> /	ART 1 - TENDERING PROCEDURES	6-65
	ART 2 - PROCUREMENT ENTITY'S REQUIREMENTS	
	ART 3 - CONDITIONS OF CONTRACT AND CONTRACT FORMS	
PART	T 1: TENDERING PROCEDURES	6-65
SECT	TION I - INSTRUCTIONS TO TENDERERS	6-21
A. G	ENERALPROVISIONS	6
1.0	Scope of tender	6
2.0	Fraud and corruption	
3.0	Eligible tenderers	
4.0	Eligible goods, equipment, and services	
5.0	Tenderer'sresponsibilities	8-9
В. С	ONTENTS OFTENDER DOCUMENTS	9
6.0	Sections of Tender Document	9
7.0	Clarification of Tender Document, Site Visit, Pre-tender Meeting	
8.0	Amendment of Tender Documents	10
C.	PREPARATION OF TENDERS	10-14
9.0	Cost of Tendering	10
10.0	Language of Tender	10
11.0	Documents Comprising the Tender	
12.0	Form of Tende rand Schedules	11
13.0	AlternativeTenders	11
14.0	Tender Pricesand Discounts	11-12
15.0	Currencies of Tender and Payment	12
16.0	Documents Comprising the Technical Proposal	12
17.0	Documents Establishing the Eligibility and Qualifications of TheTenderer	
18.0	Period of Validity of Tenders	
19.0	Tender Security	13-14
20.0	Format and Signing of Tender	14
D. SU	UBMISSION AND OPENING OF TENDERS	14-16
21.0	Sealing and Marking of Tenders	14-15
22.0	Deadline for Submission of Tenders	
23.0	Late Tenders	15
24.0	Withdrawal, Substitution, and Modification of Tenders	15
25.0	Tender Opening	15-16
E. EV	VALUATION AND COMPARISONOFTENDERS	16-20
26.0	Confidentiality	16
27.0	Clarification of Tenders	
28.0	Deviation, Reservation and Omission.	16-17
29.0	Determination of Responsiveness	
30.0	Non-material Non-conformities	
31.0	Arithmetical Errors	17
32.0	Conversion to Single Currency	17-18
33.0	Margin of Preferenc eand Reservations	
34.0	Nominated Subcontractors	18
35.0	Evaluation of Tenders	18
36.0	Comparison of tenders	19
37.0	Abnormally low tenders and abnormally high tenders	19

Abnor	mally Low lenders	19
Abnor	mally high tenders	19
38.0	Unbalanced and/or front-loaded tenders	19-20
39.0	Qualifications of the tenderer	20
40.0	Lowest evaluated tender	
41.0	Procuring entity's right to accept any tender, and to reject any oralltenders	20
F. AV	VARD OFCONTRACT	20-21
42.0	Award criteria	20
43.0	Notice of intention to enter into a contract	20
44.0	Standstill Period	20
45.0	Debriefing By TheProcuring Entity	21
46.0	Letter of Award	
47.0	Signing of Contract	
48.0	Performance Security	
49.0	Publication of Procurement Contract	
50.0	Procurement related Complaint and Administratrive Review	21
SECT	TON II - TENDER DATASHEET(TDS)	22-25
SECT	TON III - EVALUATION AND QUALIFICATION CRITERIA	26-33
1.	General Provisions	
2.	Preliminary examination for Determination of Responsiveness	26
3.	Tender Evaluation	26-30
4.	Multiple Contracts	30-31
5.	AlternativeTenders	31
6.	Margin of Preference	31
7.	Post qualification and Contract award	31-32
8.	QUALIFICATION FORM	32-33
SECT	TION IV -TENDERINGFORMS	34-65
1.	FOREIGN TENDERERS 40% RULE	
2.	Form EQU: EQUIPMENT	
3.		
4.		
5.	TENDERERS QUALIFICATION WITHOUT PRE-QUALIFICATION	
ОТНІ	ER FORMS	50-65
0 1111		
1.		
	a) TENDERER'S ELIGIBILITY- CONFIDENTIALBUSINESS QUESTIONNAIRE	53-55
	b) CERTIFICATE OF INDEPENDENT TENDER DETERMINATION	
	c) SELF-DECLARATION FORM - SELF DECLARATION OF THE TENDERER	57-59
	d) APPENDIX 1 - FRAUD AND CORRUPTION	
2.	FORM OF TENDER SECURITY – DEMAND BANK GUARANTEE	62
3.	FORM OF TENDER SECURITY (INSURANCE GUARANTEE)	
4.	FORM OF TENDER-SECURING DECLARATION.	
5.	APPENDIX TO TENDER	
SECT	TON V – BILLS OF QUANTITIES	66-77
1.	PREAMBLES	
2.	Bill No. 1 – Preliminary Items	
3.	•	
4.		

5. Bill No. 3: Schedule of Daywork Rates - Materials	76
6. Bill No. 3: Schedule of Daywork Rates - Contractor's Equipment	
7. Bill No. 3: Daywork Summary	
8. Bill No. 4: Provisional Sums	
9. GRAND SUMMARY	77
SECTION VI - SPECIFICATIONS	78-122
SECTION VII - DRAWINGS	123
SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)	125-178
1. General Provisions	125-131
2. The Procuring Entity	131-132
3. The Engineer	
4. The Contractor	134-141
5. Nominated Subcontractors	141-142
6. Staff and Labor.	142-145
7. Plant, Materials and Workmanship	145-147
8. Commencement, Delays and Suspension	147-150
9. Tests on Completion	150-151
10. Procuring Entity's Taking Over	
11. Defects Liability	152-154
12. Measurement and Evaluation	154-155
13. Variations and Adjustments	155-159
14. Contract Price and Payment	159-165
15. Termination by Procuring Entity	165-167
16. Suspension and Termination by Contractor	
17. Risk and Responsibility	168-170
18. Insurance	171-173
19. Force Majeure	
20. Settlement of Claims and Disputes	175-178
Section IX - Special Conditions of Contract	178-180
SECTION X – CONTRACT FORMS	182-195
FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD	182-184
FORM No. 2 –REQUEST FOR REVIEW	
FORM No. 3 – LETTER OF AWARD	
FORM No. 4 – CONTRACT AGREEMENT	
FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee] FORM No. 6- PERFORMANCE SECURITY [Option 2 - Performance Bond]	
FORM No. 7 – ADVANCE PAYMENT SECURITY	
FORM No. 8 – RETENTION MONEY SECURITY	
FORM No. 9 – BENEFICIAL OWNERSHIP DISCLOSURE FORM	



#### In Search of Better Health

PROCURING ENTITY: DIRECTOR GENERAL,

KENYA MEDICAL RESEARCH INSTITUTE,

P.O. BOX 58840-00200,

NAIROBI.

NAME OF TENDER: PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL, NAIROBI COUNTY-PHASE I

IDENTIFICATION OF TENDER: W.P. ITEM NO: D108 NB/NB/2021 JOB NO 10939A

TENDER DOCUMENTS FOR TENDER DOCUMENTS FOR PROCUREMENT OF WORKS (BUILDING AND ASSOCIATED CIVIL ENGINEERING WORKS)

1) NAME AND CONTACTADDRESSES OF PROCURING ENTITY

NAME: KENYA MEDICAL RESEARCH INSTITUTE, ADDRESS: P.O.BOX 58840-00200, NAIROBI. EMAIL ADDRESS: director@kemri.go.ke

- 2) Invitation to Tender (ITT) No.
- 3) Tender Name: PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL, NAIROBI COUNTY-PHASE I

# INVITATION TO TENDER

CONTRACT NAME AND DESCRIPTION: PROPOSED CONSTRUCTION OF LABORATORIES,

GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL

HOSPITAL, NAIROBI COUNTY-PHASE I

W.P. ITEM NO. D1081 NB/NB/2021 JOB NO. 10939A

TENDER No. ....

- 1. The KENYA MEDICAL RESEARCH INSTITUTE invites sealed tenders for the Proposed Construction of Laboratories, Graduate School and Office Block at KEMRI CMR/CPHR Site at Kenyatta National Hospital, Nairobi County-Phase I
- 2. Tendering will be conducted under Restricted Tendering using a standardized tender document. Tendering is open to <u>all qualified and interested Tenderers</u>.
- 3. Qualified and interested tenderers may obtain further information and inspect the Tender Documents during office hours **0800 to 1600 hours** at the address given below.
- 4. A complete set of tender documents may be purchased or obtained by interested tenders upon payment of a non-refundable fee of **Kshs. 1,000.00** in cash or Banker's Cheque and payable to the address given below. Tender documents may be obtained electronically from the Website (s) **www.kemri.go.ke**. Tender documents ontained electronically will be free of charge.
- 5. Tender documents may be viewed and downloaded for free from the website (www.kemri.go.ke) who download the tender document must forward their particulars immediately to (director@kemri.go.ke) to facilitate any further clarification or addendum.
- 6. Tenders shall be quoted be in Kenya Shillings and shall included all taxes. Tenders shall remain valid for **154 days** from the dateof opening of tenders.
- 7. All Tenders must be accompanied by tender security of **Kshs. 4,180,000.00**
- **8.** The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 9. Completed tenders must be delivered to the address below on and before (as per the tender advert). Eletronic Tenders will not be permitted.
- 10. Tenders will be opened immediately after the deadline date and time specified above or any dead line date and time specified later. Tenders will be publicly opened in the presence of the Tenderers' designated representatives who choose to attend at the address below
- 11. Late Tenders will be rejected.
- 12. The addresses referred to above are:

Δ	Address for	ohtaining fur	her informatio	n and for nu	rchasing tender	· documents
<b>△</b>	Auul Coo lul	optaining rui	aici muurmauu	ıı anu ıvı bu	i chasing ichuci	uocuments

- 1. Name of Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE
- 2. Physical address: KEMRI HEADQUARTERS, RAILA ODINGA WAY, NAIROBI
- 3. Postal address: **DIRECTOR GENERAL**,

KENYA MEDICAL RESEARCH INSTITUTE, P.O.BOX 54840-00200,

NAIROBI.

4. Insert name, telephone number and e-mail address of the officer to be contacted

Name: Head of Supply Chain Management Services

Telephone:....

Email:director@kemri.go.ke

## B. Address for Submission of Tenders.

- 1. Name of Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE
- 2. Postal address: **DIRECTOR GENERAL**,

KENYA MEDICAL RESEARCH INSTITUTE,

P.O.BOX 54840-00200,

NAIROBI.

3. Physical address: **KEMRI HEADQUARTERS**, **RAILA ODINGA WAY**, **NAIROBI** 

#### C. Address for Opening of Tenders.

- 1. Name of Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE
- 2. Postal address: **DIRECTOR GENERAL**,


KENYA MEDICAL RESEARCH INSTITUTE,

P.O.BOX 54840-00200,

NAIROBI.

3. Physical address: KEMRI HEADQUARTERS, RAILA ODINGA WAY, NAIROBI

[Authorized Official (name, designation, Signature and date)]
Name:
<u></u>
Signature
Date



#### **SECTION I - INSTRUCTIONS TO TENDERERS**

#### A GENERAL PROVISIONS

#### 1.0 Scope of tender

1.1 The Procuring Entity as defined in the Appendix to Conditions of Contract invites tenders for Works Contract as described in the tender documents. The name, identification, and number of lots (contracts) of this Tender Document are specified in the TDS.

#### 12 Throughout this tendering document:

- a) The term "inwriting" means communicated in written form (e.g. by mail, e-mail, fax, including if specified in the TDS, distributed or received through the electronic-procurement system used by the Procuring Entity) with proof of receipt;
- b) if the context so requires, "singular" means "plural" and vice versa;
- c) "Day" means calendar day, unless otherwise specified as "Business Day". A Business Day is any day that is an official working day of the Procuring Entity. It excludes official public holidays.

## 20 Fraud and corruption

- 21 The Procuring Entity requires compliance with the provisions of the Public Procurement and Asset Disposal Act, 2015, Section 62 "Declaration not to engage in corruption". The tender submitted by a person shall include a declaration that the person shall not engage in any corrupt or fraudulent practice and a declaration that the person or his or her sub-contractors are not debarred from participating in public procurement proceedings.
- The National Land Comission requires compliance with the provisions of the Competition Act 2010, regarding collusive practices in contracting. Any tenderer found to have engaged in collusive conduct shall be disqualified and criminal and/or civil sanctions may be imposed. To this effect, Tenders shall be required to complete and sign the "Certificate of Independent Tender Determination" annexed to the Form of Tender.
- 23 Tenderers shall permit and shall cause their agents (whether declared or not), subcontractors, sub-consultants, service providers, suppliers, and their personnel, to permit the Procuring Entity to inspect all accounts, records and other documents relating to any initial selection process, pre-qualification process, tender submission, proposal submission, and contract performance (in the case of award), and to have them audited by auditors appointed by the Procuring Entity.
- 24 Unfair Competitive Advantage Fairness and transparency in the tender process require that the firms or their Affiliates competing for a specific assignment do not derive a competitive advantage from having provided consulting services related to this tender. To that end, the Procuring Entity shall indicate in the Data Sheet and make available to all the firms together with this tender document all in formation that would in that respect give such firm any unfair competitive advantage over competing firms.

#### 3.0 Eligible tenderers

- A Tenderer may be a firm that is a private entity, a state-owned enterprise or institution subject to ITT 3.8, or an individual or any combination of such entities in the form of a joint venture (JV) under an existing agree mentor with the intent to enter in to such an agreement supported by a letter of intent. In the case of a joint venture, all members shall be jointly and severally liable for the execution of the entire Contract in accordance with the Contract terms. The JV shall nominate a Representative who shall have the authority to conduct all business for and on behalf of any and all the members of the JV during the tendering process and, in the event the JV is awarded the Contract, during contract execution. Members of a joint venture may not also make an individual tender, be a subcontractor in a separate tender or be part of another joint venture for the purposes of the same Tender. The maximum number of JV members shall be specified in the **TDS**.
- Public Officers of the Procuring Entity, their Spouses, Child, Parent, Brothers or Sister. Child, Parent, Brother or Sister of a Spouse, their business associates or agents and firms/organizations in which they have a substantial or controlling interest shall not be eligible to tender or be awarded a contract. Public Officers are also not allowed to participate in any procurement proceedings.
- A Tenderer shall not have a conflict of interest. Any tenderer found to have a conflict of interest shall be disqualified. A tenderer may be considered to have a conflict of interest for the purpose of this tendering process, if the tenderer:

- a) Directly or indirectly controls, is controlled by or is under common control with an other tenderer;
- b) Receives or has received any director indirect subsidy from another tenderer;
- c) Has the same legal representative as another tenderer.
- d) Has a relationship with another tenderer, directly or through common third parties, that puts it in a position to influence the tender of another tenderer, or influence the decisions of the Procuring Entity regarding this tendering process.
- e) Any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods or works that are the subject of the tender;
- f) Any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as a consultant for Contract implementation;
- g) Would be providing goods, works, or non-consulting services resulting from or directly related to consulting services for the preparation or implementation of the contract specified in this Tender Document:
- h) Has a close business or personal relationship with senior management or professional staff of the Procuring Entity who has the ability to influence the bidding process and:
  - i) Are directly or indirectly involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender evaluation process of such contract; or
  - ii) May be involved in the implementation or supervision of such Contract unless the conflicts temming from such relationship has been resolved in a manner acceptable to the Procuring Entity throughout the tendering process and execution of the Contract.
- 34 A tenderer shall not be involved in corrupt, coercive, obstructive or fraudulent practice. A tenderer that is proven to have been involved in any of these practices shall be automatically disqualified
- A Tenderer (either individually or as a JV member) shall not participate in more than one Tender, except for permitted alternative tenders. This includes participation as a subcontractor in other Tenders. Such participation shall result in the disqualification of all Tenders in which the firm is involved. Members of a joint venture may not also make an individual tender, be a sub-contractor in a separate tender or be part of another joint venture for the purposes of the same Tender. A firm that is not a tenderer or a JV member may participate as a subcontractor in more than one tender.
- A Tenderer may have the nationality of any country, subject to the restrictions pursuant to ITT3.9. ATenderer shall be deemed to have the nationality of a country if the Tenderer is constituted, incorporated or registered in and operates in conformity with the provisions of the laws of that country, as evidenced by its articles of incorporation (or equivalent documents of constitution or association) and its registration documents, as the case may be. This criterion also shall apply to the determination of the nationality of proposed sub-contractors or sub-consultants for any part of the Contract including related Services.
- 3.7 A Tenderer that has been debarred from participating in public procurement shall be ineligible to tender or be awarded a contract. The list of debarred firms and individuals is available from the website of PPRA www.ppra.go.ke.
- A Tenderer that is a state-owned enterprise or a public institution in Kenya may be eligible to tender and be awarded Contract(s) only if it is determined by the Procuring Entity to meet the following conditions, i.e. if it is:
  - i) A legal public entity of Government and/or public administration,
  - ii) financially autonomous and not receiving any significant subsidies or budget support from any public entity or Government, and;
  - (iii) operating under commercial law and vested with legal rights and liabilities similar to any commercial enterprise to enableit compete with firms in the private sector on an equal basis.
- **39** Firms and individuals shall be ineligible if their countries of origin are:
  - (a) As a matter of law or official regulations, Kenya prohibits commercial relations with that country;
  - (b) byanactofcompliancewith a decision of the United Nations Security Council taken under Chapter VII of the Charterof the United Nations, Kenya prohibits any import of goods or contracting of works or services from that country, or any payments to any country, person, or entity in that country.

A tenderer shall provide such documentary evidence of eligibility satisfactory to the Procuring Entity, as the Procuring Entity shall reasonably request.

- **3.10** Foreign tenderers are required to source at least forty (40%) percent of their contract inputs (in supplies, local sub-contracts and labor) from citizen suppliers and contractors. To this end, a foreign tenderer shall provide in its tender documentary evidence that this requirement is met. Foreign tenderers not meeting this criterion will be automatically disqualified. Information required to enable the Procuring Entity determine if this condition is met shall be provided for this purpose in "SECTIONI II EVALUATION AND QUALIFICATION CRITERIA, Item 9".
- 3.11 Pursuant to the eligibility requirements of ITT 3.10, a tender is considered a foreign tenderer, If it is registered in Kenya and has less than 51 percent ownership by nationals of Kenya and if it does not subcontract to foreign firms or individuals more than 10 percent of the contract price, excluding provisional sums. JVs are considered as foreign tenderers if the individual member firms registered in Kenya have less 51 percent ownership by nationals of Kenya. The JV shall not subcontract to foreign firms more than 10 percent of the contract price, excluding provisional sums.
- 3.12 The National Construction Authority Act of Kenya requires that all local and foreign contractors be registered with the National Construction Authority and be issued with a Registration Certificate before they can undertake any construction works in Kenya. Registration shall not be a condition for tender, but it shall be a condition of contract award and signature. A selected tenderer shall be given opportunity to register before such award and signature of contract. Application for registration with National Construction Authority may be accessed from the website <a href="https://www.nca.go.ke">www.nca.go.ke</a>.
- 3.13 The Competition Act of Kenya requires that firms wishing to tender as Joint Venture undertakings which may prevent, distort or lessen competition in provision of services are prohibited unless they are exempt in accordance with the provisions of Section 25 of the Competition Act, 2010. JVs will be required to seek for exemption from the Competition Authority. Exemption shall not be a condition for tender, but it shall be a condition of contract award and signature. A JV tenderer shall be given opportunity to seek such exemption as a condition of award and signature of contract. Application for exemption from the Competition Authority of Kenya may be accessed from the website <a href="https://www.cak.go.ke">www.cak.go.ke</a>.
- 4.14 A kenyan tenderer shall be eligible to tender if it provides evidence of having fulfilled his/her tax obligations by producing valid tax compliance certificate or tax exemption certificate issued by the Kenya Revenue Authority.

#### 40 Eligible goods, equipment, and services

- Goods, equipment and services to be supplied under the Contract may have their origin in any country that is not ineligible under ITT 3.9. At the Procuring Entity's request, Tenderers may be required to provide evidence of the origin of Goods, equipment and services.
- 42 Any goods, works and production processes with characteristics that have been declared by the relevant national environmental protection agency or by other competent authority as harmful to human beings and to the environment shall not be eligible for procurement.

#### 5.0 Tenderer's responsibilities

- 5.1 The tenderer shall bear all costs associated with the preparation and submission of his/her tender, and the Procuring Entity will in no case be responsible or liable for those costs.
- 52 The tenderer, at the tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the Site of the Works and its surroundings and obtain all information that may be necessary for preparing the tender and entering into a contract for construction of the Works. The costs of visiting the Site shall beat the tenderer's own expense.
- 53 The Tenderer and any of its personnel or agents will be granted permission by the Procuring Entity to enter upon its premises and lands for the purpose of such visit. The Tenderer shall indemnify the Procuring Entity again stall liability arising from death or personal injury, loss of or damage to property, and any other losses and expenses incurred as a result of the examination and inspection.

54 The tenderer shall provide in the Form of Tender and Qualification Information, a preliminary description of the proposed work method and schedule, including charts, as necessary or required.

# B. <u>CONTENTS OF TENDER DOCUMENTS</u>

#### **60** Sections of Tender Document

The tender document consists of Parts 1, 2, and 3, which includes all the sections specified below, and which should be read in conjunction with any Addenda issued in accordance with ITT 10.

#### **PART 1: Tendering Procedures**

Section I – Instructions to Tenderers Section II – Tender Data Sheet (TDS) Section III- Evaluation and Qualification Criteria Section IV – Tendering Forms

#### **PART 2: Works' Requirements**

Section V - Bills of Quantities Section VI - Specifications Section VII - Drawings

# **PART 3: Conditions of Contract and Contract Forms**

**Section VIII - General Conditions (GCC)** 

Section IX - Special Conditions of Contract

Section X- Contract Forms

- The Invitation to Tender Notice issued by the Procuring Entity is not part of the Contract documents. Unless obtained directly from the Procuring Entity, the Procuring Entity is not responsible for the completeness of the Tender document, responses to requests for clarification, the minutes of a pre-arranged site visit and those of the pre-Tender meeting (if any), or Addenda to the Tender document in accordance with ITT 10. Incase of any contradiction, documents obtained directly from the Procuring Entity shall prevail.
- 63 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the Tender Document and to furnish with its Tender all information and documentation as is required by the Tender document.

#### 7.0 Clarification of Tender Document, Site Visit, Pre-tender Meeting

- A Tenderer requiring any clarification of the Tender Document shall contact the Procuring Entity in writing at the Procuring Entity's address specified in the **TDS** or raise its enquiries during the pre-Tender meeting if provided for in accordance with ITT 7.2. The Procuring Entity will respond in writing to any request for clarification, provided that such request is received no later than the period specified in the **TDS** prior to the deadline for submission of tenders. The Procuring Entity shall forward copies of its response to all tenderers who have acquired the Tender documents in accordance with ITT 7.4, including a description of the inquiry but without identifying its source. If so specified in the **TDS**, the Procuring Entity shall also promptly publish its response at the web page identified in the **TDS**. Should the clarification result in changes to the essential elements of the Tender Documents, the Procuring Entity shall amend the Tender Documents following the procedure under ITT 8 and ITT 22.2.
- The Tenderer, at the Tenderer's own responsibility and risk, is encouraged to visit and examine and inspect the site(s) of the required contracts and obtain all information that may be necessary for preparing a tender. The costs of visiting the Site shall be at the Tenderer's own expense. The Procuring Entity shall specify in the **TDS** if a pre-arranged Site visit and or a pre-tender meeting will be held, when and where. The Tenderer's designated representative is invited to attend a pre-arranged site visit and a pre-tender meeting, as the case may be. The purpose of the site visit and the pre-tender meeting will be to clarify issues and to answer questions on any matter that may be raised at that stage.
- 73 The Tenderer is requested to submit any questions in writing, to reach the Procuring Entity not later than the period specified in the **TDS** before the meeting.
- 74 Minutes of a pre-arranged site visit and those of the pre-tender meeting, if applicable, including the text of the

questions asked by Tenderers and the responses given, together with any responses prepared after the meeting, will be transmitted promptly to all Tenderers who have acquired the Tender Documents. Minutes shall not identify the source of the questions asked.

The Procuring Entity shall also promptly publish anonymized (*no names*) Minutes of the pre-arranged site visit and those of the pre-tender meeting at the web page identified in the **TDS**. Any modification to the Tender Documents that may become necessary as a result of the pre-arranged site visit and those of the pre-tender meeting shall be made by the Procuring Entity exclusively through the issue of an Addendum pursuant to ITT 8 and not through the minutes of the pre-Tender meeting. Non-attendance at the pre-arranged site visit and the pre-tender meeting will not be a cause for disqualification of a Tenderer.

#### **80** Amendment of Tender Documents

- At any time prior to the deadline for submission of Tenders, the Procuring Entity may amend the Tender Documents by issuing addenda.
- Any addendum issued shall be part of the Tender Documents and shall be communicated in writing to all who have obtained the Tender Documents from the Procuring Entity. The Procuring Entity shall also promptly publish the addendum on the Procuring Entity's website in accordance with ITT 7.5.
- To give Tenderers reasonable time in which to take an addendum into account in preparing their Tenders, the Procuring Entity should extend the dead line for the submission of Tenders, pursuant to ITT 22.2.

#### C. PREPARATION OF TENDERS

#### 9. Cost of Tendering

The Tenderer shall bear all costs associated with the preparation and submission of its Tender, and the Procuring Entity shall not be responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

#### 10.0 Language of Tender

The Tender, as well as all correspondence and documents relating to the tender exchanged by the tenderer and the Procuring Entity, shall be written in the English Language. Supporting documents and printed literature that are part of the Tender may be in another language provided they are accompanied by an accurate and notarized translation of the relevant passages into the English Language, in which case, for purposes of interpretation of the Tender, such translation shall govern.

#### 11.0 Documents Comprising the Tender

- **11.1** The Tender shall comprise the following:
  - a) Form of Tender prepared in accordance with ITT 12;
  - b) Schedules including priced Bill of Quantities, completed in accordance with ITT 12 and ITT 14;
  - c) Tender Security or Tender-Securing Declaration, in accordance with ITT 19.1;
  - d) Alternative Tender, if permissible, in accordance with ITT 13;
  - e) *Authorization*: written confirmation authorizing the signatory of the Tender to commit the Tenderer, in accordancewithITT20.3;
  - f) *Qualifications*: documentary evidence in accordance with ITT 17 establishing the Tenderer's qualifications to per form the Contract if its Tender is accepted;
  - g) Conformity: a technical proposal in accordance with ITT 16;
  - h) Any other document required in the **TDS**.
- In addition to the requirements under ITT 11.1, Tenders submitted by a JV shall include a copy of the Joint Venture Agreement entered into by all members. Alternatively, a letter of intent to execute a Joint Venture Agreement in the event of a successful Tender shall be signed by all members and submitted with the Tender, together with a copy of the proposed JV Agreement. Change of membership and conditions of the JV prior to contract signature will render the tenderliable for disqualification.

#### 12.0 Form of Tender and Schedules

- 12.1 The Form of Tender and Schedules, including the Bill of Quantities, shall be prepared using the relevant forms furnished in Section IV, Tendering Forms. The forms must be completed with out any alterations to the text, and no substitutes shall be accepted except as provided under ITT 20.3. All blank spaces shall be filled in with the information requested. The Tenderer shall chronologically serialize all pages of the tender documents submitted.
- 12.2 The Tenderer shall furnish in the Form of Tender information on commissions and gratuities, if any, paid or to be paid to agents or any other party relating to this Tender.

#### 13. Alternative Tenders

- 13.1 Unless otherwise specified in the TDS, alternative Tenders shall not be considered.
- When alternative times for completion are explicitly invited, a statement to that effect will be included in the **TDS**, and the method of evaluating different alternative times for completion will be described in Section III, Evaluation and Qualification Criteria.
- 133 Except as provided under ITT 13.4 below, Tenderers wishing to offer technical alternatives to the requirements of the Tender Documents must first price the Procuring Entity's design as described in the Tender Documents and shall further provide all information necessary for a complete evaluation of the alternative by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, and proposed construction methodology and other relevant details. Only the technical alternatives, if any, of the Tenderer with the Winning Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.
- When specified in the **TDS**, Tenderers are permitted to submit alternative technical solutions for specified parts of the Works, and such parts will be identified in the **TDS**, as will the method for their evaluating, and described in Section VII, Works' Requirements.

#### 140 Tender Prices and Discounts

- 14.1 The prices and discounts (including any price reduction) quoted by the Tenderer in the Form of Tender and in the Billof Quantities shall conform to the requirements specified below.
- The Tenderer shall fill in rates and prices for all items of the Works described in the Bill of Quantities. Items against which no rate or price is entered by the Tenderer shall be deemed covered by the rates for other items in the Bill of Quantities and will not be paid for separately by the Procuring Entity. An item not listed in the priced Bill of Quantities shall be assumed to be not included in the Tender, and provided that the Tender is determined substantially responsive notwithstanding this omission, the average price of the item quoted by substantially responsive Tenderers will be added to the Tender price and the equivalent total cost of the Tender so determined will be used for price comparison.
- The price to be quoted in the Form of Tender, in accordance with ITT 12.1, shall be the total price of the Tender, including any discounts offered.
- 144 The Tenderer shall quote any discounts and the methodology for their application in the Form of Tender, in accordance with ITT 12.1.
- It will be specified in the **TDS** if the rates and prices quoted by the Tenderer are or are not subject to adjustment during the performance of the Contract in accordance with the provisions of the Conditions of Contract, except incases where the contract is subject to fluctuations and adjustments, not fixed price. In such a case, the Tenderer shall furnish the indices and weightings for the price adjustment formulae in the Schedule of Adjustment Data and the Procuring Entity may require the Tenderer to justify its proposed indices and weightings.
- Where tenders are being invited for individual lots (contracts) or for any combination of lots (packages), tenderers wishing to offer discounts for the award of more than one Contract shall specify in their Tender the price reductions applicable to each package, or alternatively, to individual Contracts within the package. Discounts shall be submitted in accordance with ITT 14.4, provided the Tenders for all lots (contracts) are opened at the sametime.

All duties, taxes, and other levies payable by the Contractor under the Contract, or for any other cause, as of the date 30 days prior to the deadline for submission of Tenders, shall be included in the rates and prices and the total Tender Price submitted by the Tenderer.

#### 15.0 Currencies of Tender and Payment

- 15.1 The currency(ies) of the Tender and the currency(ies) of payments shall be the same.
- 152 Tenderers shall quote entirely in Kenya Shillings. The unit rates and the prices shall be quoted by the Tenderer in the Bill of Quantities, entirely in Kenya shillings.
  - a) A Tenderer expecting to incur expenditures in other currencies for inputs to the Works supplied from outside Kenya (referred to as "the foreign currency requirements") shall (if so allowed in the TDS) indicate in the Appendix to Tender the percentage(s) of the Tender Price (excluding Provisional Sums), needed by the Tenderer for the payment of such foreign currency requirements, limited to no more than two foreign currencies.
  - b) The rates of exchange to be used by the Tenderer in arriving at the local currency equivalent and the percentage(s) mentioned in (a) above shall be specified by the Tenderer in the Appendix to Tender and shall be based on the exchange rate provided by the Central Bank of Kenya on the date 30 days prior to the actual date of tender opening. Such exchange rate shall apply for all foreign payments under the Contract.
- 153 Tenderers may be required by the Procuring Entity to justify, to the Procuring Entity's satisfaction, their local and foreign currency requirements, and to substantiate that the amounts included in the unit rates and prices and shown in the Schedule of Adjustment Data in the Appendix to Tender are reasonable, in which case a detailed break down of the foreign currency requirements shall be provided by Tenderers.

#### 16.0 Documents Comprising the Technical Proposal

The Tenderer shall furnish a technical proposal including a statement of work methods, equipment, personnel, schedule and any other information as stipulated in Section IV, Tender Forms, insufficient detail to demonstrate the adequacy of the Tenderer's proposal to meet the work's requirements and the completion time.

#### 17.0 Documents Establishing the Eligibility and Qualifications of the Tenderer

- 17.1 Tenderers shall complete the Form of Tender, included in Section IV, Tender Forms, to establish Tenderer's eligibility in accordance with ITT 4.
- In accordance with Section III, Evaluation and Qualification Criteria, to establish its qualifications to perform the Contract the Tenderer shall provide the information requested in the corresponding information sheets included in Section IV, Tender Forms.
- 173 If a marg in of preference applies as specified in accordance with ITT 33.1, nation al tenderers, individually or in joint ventures, applying for eligibility for national preference shall supply all information required to satisfy the criteria for eligibility specified in accordance with ITT 33.1.
- 17.4 Tenderers shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference. Further the information will enable the Procuring Entity identify any actual or potential conflict of interest in relation to the procurement and/or contract management processes, or a possibility of collusion between tenderers, and thereby help to prevent any corrupt influence in relation to the procurement process or contract management.
- 175 The purpose of the information described in ITT 17.4 above overrides any claims to confidentiality which a tenderer may have. There can be no circumstances in which it would be justified for a tenderer to keep information relating to its ownership and control confidential where it is tendering to undertake public sector work and receive public sector funds. Thus, confidentiality will not be accepted by the Procuring Entity as a justification for a Tenderer's failure to disclose, or failure to provide required information on its ownership and control.
- 17.6 The Tenderer shall provide further documentary proof, information or authorizations that the Procuring Entity may request in relation to owner ship and control which in formation on any changes to the information which was provided by the tenderer under ITT 6.4. The obligations to require this information shall continue for the duration of the procurement process and contract performance and after completion of the contract, if any change to the information previously provided may reveal a conflict of interest in relation to the award or management of the contract.
- 17.7 All information provided by the tenderer pursuant to these requirements must be complete, current and accurate

as at the date of provision to the Procuring Entity. In submitting the information required pursuant to these requirements, the Tenderer shall warrant that the information submitted is complete, current and accurate as at the date of submission to the Procuring Entity.

- 178 If a tenderer fails to submit the information required by these requirements, its tender will be rejected. Similarly, ifthe Procuring Entity is unable, after taking reasonable steps, to verify to a reasonable degree the information submitted by a tenderer pursuant to these requirements, then the tender will be rejected.
- 179 If information submitted by a tenderer pursuant to these requirements, or obtained by the Procuring Entity (whether through its own enquiries, through notification by the public or otherwise), shows any conflict of interest which could materially and improperly benefit the tenderer in relation to the procurement or contract management process, then:
  - i) If the procurement process is still ongoing, the tenderer will bed is qualified from the procurement process,
  - ii) if the contract has been awarded to that tenderer, the contract award will be set as idepending the outcome of (iii),
  - iii) the tenderer will be referred to the relevant law enforcement authorities for investigation of whether the tenderer or any other person shave committed any criminal offence.
- 17.10 If a tenderer submits information pursuant to these requirements that is in complete, in accurate or out-of-date, or attempts to obstruct the verification process, then the consequences ITT 17.8 will ensue unless the tenderer can show to the reasonable satisfaction of the Procuring Entity that any such act was not material, or was due to genuine error which was not attributable to the intentional act, negligence or recklessness of the tender.

#### 18.0 Period of Validity of Tenders

- 18.1. Tenders shall remain valid for the Tender Validity period specified in the **TDS**. The Tender Validity period starts from the date fixed for the Tender submission deadline (as prescribed by the Procuring Entity in accordance with ITT 22). At ender valid for a shorter period shall be rejected by the Procuring Entity as non-responsive.
- 18.2 In exceptional circumstances, prior to the expiration of the Tender validity period, the Procuring Entity may requestTendererstoextendtheperiodofvalidityoftheirTenders. Therequestandtheresponsesshallbemadein writing. If a Tender Security is requested in accordance with ITT 19, it shall also be extended for thirty (30) days beyond the deadline of the extended validity period. A Tenderer may refuse the request without forfeiting its Tendersecurity. ATenderergranting the requests hall not be required or permitted to modify its Tender.

#### 19.0 Tender Security

- 19.1 The Tenderer shall furnish as part of its Tender, either a Tender-Securing Declaration or a Tender Security as specified in the **TDS**, in original form and, in the case of a Tender Security, in the amount and currency **specified** in the **TDS**. A Tender-Securing Declaration shall use the form included in Section IV, Tender Forms.
- 192 If a Tender Security is specified pursuant to ITT 19.1, the Tender Security shall be a demand guarantee in any of the following forms at the Tenderer's option:
  - I) cash;
  - ii) a bank guarantee;
  - iii) a guarantee by an insurance company registered and licensed by the Insurance Regulatory Authority listed by the Authority;
  - (iv) a guarantee issued by a financial institution approved and licensed by the Central Bank of Kenya, from a reputable source, and an eligible country.
- 193 If an unconditional bank guarantee is issued by a bank located outside Kenya, the issuing bank shall have a correspondent bank located in Kenya to make it enforceable. The Tender Security shall be valid for thirty (30) days beyond the original validity period of the Tender, or beyond any period of extension if requested under ITT 18.2.
- 194 If a Tender Security or Tender-Securing Declaration is specified pursuant to ITT 19.1, any Tender not accompanied by a substantially responsive Tender Security or Tender-Securing Declaration shall be rejected by the Procuring Entity as non-responsive.
- If a Tender Security is specified pursuant to ITT 19.1, the Tender Security of unsuccessful Tenderers shall be returned as promptly as possible upon the successful Tenderer's signing the Contract and furnishing the Performance Security and any other documents required in the TDS. The Procuring Entity shall also promptly

- return the tender security to the tenderers where the procurement proceedings are terminated, all tenders were determined non-responsive or a bidder declines to extend tender validity period.
- The Tender Security of the successful Tenderer shall be returned as promptly as possible once the successful Tenderer has signed the Contract and furnished the required Performance Security, and any other documents required in the TDS.
- 19.7 The Tender Security may be forfeited or the Tender-Securing Declaration executed:
  - a) if a Tenderer withdraws its Tender during the period of Tender validity specified by the Tenderer on the Form of Tender, or any extension there to provided by the Tenderer; or
  - b) if the successful Tenderer fails to:
    - i) signthe Contract in accordance with ITT47; or
    - ii) furnish a Performance Security and if required in the TDS, and any other documents required in the TDS.
- Where tender securing declaration is executed, the Procuring Entity shall recommend to the PPRA to debars the Tenderer from participating in public procurement as provided in the law.
- The Tender Security or the Tender-Securing Declaration of a JV shall be in the name of the JV that submits the Tender. If the JV has not been legally constituted into a legally enforceable JV at the time of tendering, the Tender Security or the Tender-Securing Declaration shall be in the names of all future members as named in the letter of intent referred to in ITT 4.1 and ITT 11.2.
- **19.10** A tenderer shall not issue a tender security to guarantee itself.

#### 200 Format and Signing of Tender

- The Tenderer shall prepare one original of the documents comprising the Tender as described in ITT 11 and clearly mark it "ORIGINAL." Alternative Tenders, if permitted in accordance with ITT 13, shall be clearly marked "ALTERNATIVE." In addition, the Tenderer shall submit copies of the Tender, in the number specified in the **TDS** and clearly mark them "COPY." In the event of any discrepancy between the origin a landthe copies, the original shall prevail.
- 202 Tenderers shall mark as "CONFIDENTIAL" all information in their Tenders which is confidential to their business. This may include proprietary information, trade secrets, or commercial or financially sensitive information.
- 203 The original and all copies of the Tender shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Tenderer. This authorization shall consist of a written confirmation as specified in the **TDS** and shall be attached to the Tender. The name and position held by each person signing the authorization must be typed or printed below the signature. All pages of the Tender where entries or amendments have been made shall be signed or initialed by the person signing the Tender.
- Incase the Tenderer is a JV, the Tender shall be signed by an authorized representative of the JV on behalf of the JV, and so as to be legally binding on all the members as evidenced by a power of attorney signed by their legally authorized representatives.
- Any inter-lineation, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Tender.

## D. SUBMISSION AND OPENING OF TENDERS

#### 21.0 Sealingand Marking of Tenders

- The Tenderer shall deliver the Tender in a single sealed envelope, or in a single sealed package, or in a single sealed container bearing the name and Reference number of the Tender, addressed to the Procuring Entity and a warning not to open before the time and date for Tender opening date. Within the single envelope, package or container, the Tenderer shall place the following separate, sealed envelopes:
  - a) in an envelope or package or container marked "ORIGINAL", all documents comprising the Tender, as described in ITT 11; and
  - b) in a nenvelope or package or container marked "COPIES", all required copies of the Tender; and
  - c) if alternative Tenders are permitted in accordance with ITT 13, and if relevant:

- i) in an envelope or package or container marked "ORIGINAL -ALTERNATIVE TENDER", the alternative Tender; and
- ii) in the envelope or package or container marked "COPIES- ALTERNATIVE TENDER", all required copies of the alternative Tender.

The inner envelopes or packages or containers shall:

- a) bear the name and address of the Procuring Entity,
- b) bear the name and address of the Tenderer; and
- c) bear the name and Reference number of the Tender.
- If an envelope or package or container is not sealed and marked as required, the *Procuring Entity* will assume no responsibility for the misplacement or premature opening of the Tender. Tenders misplaced or opened prematurely will not be accepted.

#### 22.0 Deadline for Submission of Tenders

- Tenders must be received by the Procuring Entity at the address specified in the **TDS** and no later than the date and timeals ospecified in the **TDS**. When so specified in the **TDS**, tenderers shall have the option of submitting their Tenders electronically. Tenderers submitting Tenders electronically shall follow the electronic Tender submission procedures specified in the **TDS**.
- The Procuring Entity may, at its discretion, extend the deadline for the submission of Tenders by amending the TenderDocumentsinaccordance with ITT 8, in which case all rights and obligations of the Procuring Entity and Tenderers previously subject to the deadline shall there after be subject to the deadline as extended.

#### 23.0 Late Tenders

The Procuring Entity shall not consider any Tender that arrives after the deadline for submission of tenders, in accordance with ITT 22. Any Tender received by the Procuring Entity after the deadline for submission of Tenders shall be declared late, rejected, and returned unopened to the Tenderer.

#### 240 Withdrawal, Substitution, and Modification of Tenders

- A Tenderer may withdraw, substitute, or modify its Tenderafterith as been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITT 20.3, (except that withdrawal notices do not require copies). The corresponding substitution or modification of the Tender must accompany the respective written notice. All notices must be:
  - a) prepared and submitted in accordance with ITT 20 and ITT 21 (except that withdrawals notices do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
  - b) received by the Procuring Entity prior to the deadline prescribed for submission of Tenders, in accordance with ITT 22.
- 242 Tenders requested to be withdrawn in accordance with ITT 24.1 shall be returned unopened to the Tenderers.
- No Tender may be withdrawn, substituted, or modified in the interval between the deadline for submission of Tenders and the expiration of the period of Tender validity specified by the Tenderer on the Form of Tender or any extension thereof.

# 25. Tender Opening

- Except in the cases specified in ITT 23 and ITT 24.2, the Procuring Entity shall publicly open and read out all Tenders received by the deadline, at the date, time and place specified **in the TDS**, in the presence of Tenderers' designated representatives who chooses to attend. Any specific electronic Tender opening procedures required if electronic Tendering is permitted in accordance with ITT 22.1, shall be as specified in the **TDS**.
- 252 First, envelopes marked "WITHDRAWAL" shall be opened and read out and the envelopes with the corresponding Tender shall not be opened but returned to the Tenderer. No Tender withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at Tender opening.
- Next, envelopes marked "SUBSTITUTION" shall be opened and read out and exchanged with the corresponding Tender being substituted, and the substituted Tender shall not be opened, but returned to the

Tenderer. No Tender substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out at Tender opening.

- Next, envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Tender. No Tender modification shall be permitted unless the corresponding modification notice contains a valid authorizationtorequestthemodificationandisreadoutatTenderopening.
- Next, all remaining envelopes shall be opened one at a time, reading out: the name of the Tenderer and whether there is a modification; the total Tender Price, per lot (contract) if applicable, including any discounts and alternative Tenders; the presence or absence of a Tender Security or Tender-Securing Declaration, if required; and any other details as the Procuring Entity may consider appropriate.
- Only Tenders, alternative Tenders and discounts that are opened and read out at Tender opening shall be considered further for evaluation. The Form of Tender and pages of the Bill of Quantities (to be decided on by the tender opening committee) are to be initialed by the members of the tender opening committee attending the opening.
- 25.7 At the Tender Opening, the Procuring Entitys hall neither discuss the merits of any Tender nor reject any Tender (except for late Tenders, in accordance with ITT 23.1).
- 258 The Procuring Entity shall prepare minutes of the Tender Opening that shall include, as a minimum:
  - a) the name of the Tenderer and whether there is a withdrawal, substitution, or modification;
  - b) the Tender Price, per lot (contract) if applicable, including any discounts;
  - c) any alternative Tenders;
  - d) the presence or absence of a Tender Security, if new as required;
  - e) number of pages of each tender document submitted.
- The Tenderers' representatives who are present shall be requested to sign the minutes. The omission of a Tenderer's signature on the minutes shall not invalidate the contents and effect of the minutes. A copy of the tender opening register shall be distributed to all Tenderers.

## E. EVALUATION AND COMPARISON OF TENDERS

### 26. Confidentiality

- Information relating to the evaluation of Tenders and recommendation of contract award shall not be disclosed to Tenderersorany other persons not officially concerned with the Tender process until information on Intention to Award the Contract is transmitted to all Tenderers in accordance with ITT 43.
- Any effort by a Tenderer to influence the Procuring Entity in the evaluation of the Tenders or Contract award decisions may result in the rejection of its tender.
- Not withstanding ITT 26.2, from the time of tender opening to the time of contract award, if a tenderer wishes to contact the Procuring Entity on any matter related to the tendering process, it shall do so in writing.

#### 27.0 Clarification of Tenders

- **27.1** To assist in the examination, evaluation, and comparison of the tenders, and qualification of the tenderers, the Procuring Entity may, at its discretion, ask any tenderer for a clarification of its tender, given a reasonable time for aresponse. Any clarification submitted by a tenderer that is not in response to a request by the Procuring Entity shallnot be considered. The Procuring Entity's request for clarification and the response shall be in writing. No change, including any voluntary increase or decrease, in the prices or substance of the tender shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Procuring Entity in the evaluation of the tenders, in accordance with ITT 31.
- If a tenderer does not provide clarifications of its tender by the date and time set in the Procuring Entity's request for clarification, its Tender may be rejected.

#### 28.0 Deviations, Reservations, and Omissions

- 28.1 During the evaluation of tenders, the following definitions apply:
  - a) "Deviation" is a departure from the requirements specified in the tender document;

- b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the tender document; and
- c) "Omission" is the failure to submit part or all of the information or documentation required in the Tender document.

#### 29.0 Determination of Responsiveness

- 29.1 The Procuring Entity's determination of a Tender's responsiveness is to be based on the contents of the tender itself, as defined in ITT 11.
- A substantially responsive Tender is one that meets the requirements of the Tender document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that, if accepted, would:
  - a) Affect in any substantial way the scope, quality, or performance of the Works specified in the Contract;
  - b) limit in any substantial way, inconsistent with the tender document, the Procuring Entity's rights or the tenderer's obligations under the proposed contract;
  - c) if rectified, would unfairly affect the competitive position of other tenderers presenting substantially responsive tenders.
- 29.3 The Procuring Entity shall examine the technical aspects of the tender submitted in accordance with ITT 16, to confirm that all requirements of Section VII, Works' Requirements have been met without any material deviation, reservation or omission.
- 29.4 If a tender is not substantially responsive to the requirements of the tender document, it shall be rejected by the Procuring Entity and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

#### 30.0 Non-material Non-conformities

- **30.1** Provided that a tender is substantially responsive, the Procuring Entity may waive any non-conformities in the tender.
- 30.2 Provided that a Tender is substantially responsive, the Procuring Entity may request that the tenderer submit the necessary information or documentation, within a reasonable period of time, to rectify non-material non-conformities in the tender related to documentation requirements. Requesting information or documentation on such non-conformities shall not be related to any aspect of the price of the tender. Failure of the tenderer to comply with the request may result in the rejection of its tender.
- 30.3 Provided that a tender is substantially responsive, the Procuring Entity shall rectify quantifiable non-material non-conformities related to the Tender Price. To this effect, the Tender Price shall be adjusted, for comparison purposes only, to reflect the price of a missing or non-conforming item or component in the manner specified in the TDS.

#### 31.0 Arithmetical Errors

- 31.1 The tender sum as submitted and read out during the tender opening shall be absolute and final and shall not be the subject of correction, adjustment or amendment in any way by any person or entity.
- 312 Provided that the Tender is substantially responsive, the Procuring Entity shall handle errors on the following basis:
  - a) Any error detected if considered a major deviation that affects the substance of the tender, shall lead to disqualification of the tender as non-responsive.
  - b) Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bidpriceshallbe considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive. and
  - c) if there is a discrepancy between words and figures, the amount in words shall prevail
- 313 Tenderers shall be notified of any error detected in their bid during the notification of award.

#### 32.0 Conversion to Single Currency

For evaluation and comparison purposes, the currency(ies) of the Tender shall be converted in to a single

currency asspecified in the TDS.

### 33.0 Margin of Preference and Reservations

- 33.1 A margin of preference may be allowed only when the contract is open to international competitive tendering where foreign contractors are expected to participate in the tendering process and where the contract exceeds the value/threshold specified in the Regulations.
- 332 A margin of preference shall not be allowed unless it is specified so in the **TDS**.
- 333 Contracts procured on basis of international competitive tendering shall not be subject to reservations exclusive to specific groups as provided in ITT 33.4.
- Where it is intended to reserve a contract to as pecific group of businesses (these groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be), and who are appropriately registered as such by the authority to be specified in the **TDS**, a procuring entity shall ensure that the invitation to tender specifically indicates that only businesses or firms belonging to the specified group are eligible to tender. No tender shall be reserved to more than one group. If not so stated in the Invitation to Tender and in the Tender documents, the invitation to tender will be open to all interested tenderers.

#### **34.0** Nominated Subcontractors

- 34.1 Unless otherwise stated in the **TDS**, the Procuring Entity does not intend to execute any specific elements of the Works by subcontractors selected/nominated by the Procuring Entity. Incase the ProcuringEntity nominates a subcontractor, the subcontract agreement shall be signed by the Subcontractor and the Procuring Entity. The main contract shall specify the working arrangements between the main contractor and the nominated subcontractor.
- 34.2 Tenderers may propose sub-contracting up to the percentage of total value of contracts or the volume of works as specified in the **TDS**. Subcontractors proposed by the Tenderer shall be fully qualified for their parts of the Works.
- 34.3 Domestic subcontractor's qualifications shall not be used by the Tenderer to qualify for the Works unless their specialized parts of the Works were previously designated so by the Procuring Entity in the **TDS** a scan be met by subcontractors referred to hereafter as 'Specialized Subcontractors', in which case, the qualifications of the Specialized Subcontractorsproposed by the Tenderer may be added to the qualifications of the Tenderer.

#### 35. Evaluation of Tenders

- 35.1 The Procuring Entity shall use the criteria and methodologies listed in this ITT and Section III, Evaluation and Qualification Criteria No other evaluation criteria or methodologies shall be permitted. By applying the criteria and methodologies the Procuring Entity shall determine the Lowest Evaluated Tender in accordance with ITT 40.
- 352 To evaluate a Tender, the Procuring Entity shall consider the following:
  - a) priceadjustment in accordance with ITT 31.1 (iii); excluding provisional sums and contingencies, if any, but including Daywork items, where priced competitively;
  - b) price adjustment due to discounts offered in accordance with ITT 14.4;
  - c) converting the amount resulting from applying (a) and (b) above, if relevant, to a single currency in accordance with ITT 32:
  - d) price djustment due to quantifiable non materialnon-conformities in accordance with ITT 30.3; and
  - e) any additional evaluation factors specified in the **TDS** and Section III, Evaluation and Qualification Criteria.
- 353 The estimated effect of the price adjustment provisions of the Conditions of Contract, applied over the period of execution of the Contract, shall not be considered in Tender evaluation.
- Where the tender involves multiple lots or contracts, the tenderer will be allowed to tender for one or more lots (contracts). Each lot or contract will be evaluated in accordance with ITT 35.2. The methodology to determine the lowest evaluated tenderer or tenderers base done lot (contract) or based on a combination of lots (contracts), will be specified in Section III, Evaluation and Qualification Criteria. In the case of multiple lots or contracts, tenderer will be will be required to prepare the Eligibility and Qualification Criteria Form for each Lot.

#### **36.0** Comparison of tenders

The Procuring Entity shall compare the evaluated costs of all substantially responsive Tenders established in accordance with ITT 35.2 to determine the Tender that has the lowest evaluated cost.

#### 37.0 Abnormally low tenders and abnormally high tenders

### **Abnormally LowTenders**

- 37.1 An Abnormally Low Tender is one where the Tender price, in combination with other elements of the Tender, appears so low that it raises material concerns as to the capability of the Tenderer in regards to the Tenderer's ability to perform the Contract for the offered Tender Price or that genuine competition between Tenderersis compromised.
- In the event of identification of a potentially Abnormally Low Tender, the Procuring Entity shall seek written clarifications from the Tenderer, including detailed price analyses of its Tender price in relation to the subject matter of the contract, scope, proposed methodology, schedule, allocation of risks and responsibilities and any other requirements of the Tender document.
- 373 After evaluation of the price analyses, in the event that the Procuring Entity determines that the Tenderer has failed to demonstrate its capability to perform the Contract for the offered Tender Price, the Procuring Entity shall reject the Tender.

#### Abnormally high tenders

- 37.4 Anabnormally high tender price is one where the tender price, in combination with other constituent elements of the Tender, appears unreasonably too high to the extent that the Procuring Entity is concerned that it (the Procuring Entity) may not be getting value for money or it may be paying too high a price for the contract compared with market prices or that genuine competition between Tenderers is compromised.
- 375 Incase of a nab normally high price, the Procuring Entity shall make a survey of the market prices, check if the estimated cost of the contract is correct and review the Tender Documents to check if the specifications, scope of work and conditions of contract are contributory to the abnormally high tenders. The Procuring Entity may also seek written clarification from the tenderer on the reason for the high tender price. The Procuring Entity shall proceed as follows:
  - i) If the tender price is abnormally high based on wrong estimated cost of the contract, the Procuring Entity may accept or not a ccept the tender depending on the Procuring Entity's budget considerations.
  - ii) If specifications, scope of work and/or conditions of contract are contributory to the abnormally high tender prices, the Procuring Entity shall reject all tenders and may retender for the contract based on revised estimates, specifications, scope of work and conditions of contract, as the case may be.
- 37.6 If the Procuring Entity determines that the Tender Price is abnormally too high because genuine competition between tenderers is compromised (often due to collusion, corruption or other manipulations), the Procuring Entity shall reject all Tenders and shall institute or cause competent Government Agencies to institute an investigation on the cause of the compromise, before retendering.

#### 380 Unbalanced and/ or front-loaded tenders

- 38.1 If in the Procuring Entity's opinion, the Tender that is evaluated as the lowest evaluated price is seriously unbalanced and/or frontloaded, the Procuring Entity may require the Tenderer to provide written clarifications. Clarifications may include detailed price analyses to demonstrate the consistency of the tender prices with the scope of works, proposed methodology, schedule and any other requirements of the Tender document.
- 382 After the evaluation of the information and detailed price analyses presented by the Tenderer, the Procuring Entity may as appropriate:
  - a) accept the Tender;
  - b) require that the total amount of the Performance Security be increased at the expense of the Tenderer to a level not exceeding a 30% of the Contract Price;
  - c) agree on a payment mode that eliminates the inherent risk of the Procuring Entity paying too much for undelivered works;

d) reject the Tender,

#### 39.0 Qualifications of the tenderer

- 39.1 The Procuring Entity shall determine to its satisfaction whether the eligible Tenderer that is selected as having submitted the lowest evaluated cost and substantially responsive Tender, meets the qualifying criteria specified in Section III, Evaluation and Qualification Criteria.
- 39.2 The determination shall be based upon an examination of the documentary evidence of the Tenderer's qualifications submitted by the Tenderer, pursuant to ITT 17. The determination shall not take into consideration the qualifications of other firms such as the Tenderer's subsidiaries, parent entities, affiliates, subcontractors (other than Specialized Sub-contractors if permitted in the Tender document), or any other firm(s) different from the Tenderer.
- 393 An affirmative determination shall be a prerequisite for award of the Contract to the Tenderer. A negative determination shall result in disqualification of the Tender, in which event the ProcuringEntityshallproceedto the Tenderer who offers a substantially responsive Tender with the next lowest evaluated price to make a similar determination of that Tenderer's qualifications to perform satisfactorily.

#### 40.0 Lowest evaluated tender

Having compared the evaluated prices of Tenders, the Procuring Entity shall determine the Lowest Evaluated Tender. The Lowest Evaluated Tender is the Tender of the Tenderer that meets the Qualification Criteria and whose Tender has been determined to be:

- a) Mostresponsive to the Tender document; and
- b) the lowest evaluated price.

#### 41.0 Procuring entity's right to accept any tender, and to reject any or all tenders.

The Procuring Entity reserves the right to accept or reject any Tender and to annul the Tender process and reject all Tenders at any time prior to Contract Award, without there by incurring any liability to Tenderers. Incase of annulment, all Tenders submitted and specifically, Tender securities, shall be promptly returned to the Tenderers.

#### F. AWARD OF CONTRACT

#### 42.0 Award criteria

The Procuring Entity shall award the Contract to the successful tenderer whose tender has been determined to be the Lowest Evaluated Tender.

#### 430 Notice of Intention to Enter into a Contract/Notification of Award

Uponaward of the contract and Prior to the expiry of the Tender Validity Period the Procuring Entity shall issue a Notification of Intention to Enter into a Contract/Notification of award to all tenderers which shall contain, at a minimum, the following information:

- a) the name and address of the Tenderer submitting the successful tender;
- b) the Contract price of the successful tender;
- c) a statement of the reason(s) the tender of the unsuccessful tenderer to whom the letter is addressed was unsuccessful, unless the price information in (c) above already reveals the reason;
- d) the expiry date of the Standstill Period; and
- e) instruction son how to request a debriefing and/ or submit a complaint during the stand still period;

#### 44.0 Stand still Period

- **44.1** The Contract shall not be signed earlier than the expiry of a Standstill Period of 14 days to allow any dissatisfied tender to launch a complaint. Where only one Tender is submitted, the Standstill Period shall not apply.
- **44.2** Where a Standstill Period applies, it shall commence when the Procuring Entity has transmitted to each Tenderer the Notification of Intention to Enter into a Contract with the successful Tenderer.

#### 45.0 Debriefing by The Procuring Entity

- 45.1 On receipt of the Procuring Entity's Notification of Intention to Enter into a Contract referred to in ITT 43, an unsuccessful tenderer may make a written request to the Procuring Entity for a debriefing on specific issues or concerns regarding their tender. The Procuring Entity shall provide the debriefing within five days of receipt of the request.
- Debriefings of unsuccessful Tenderers may be done in writing or verbally. The Tenderer shall bear its own costs of attending such a debriefing meeting.

#### 46.0 Letter of Award

Prior to the expiry of the Tender Validity Period and upon expiry of the Standstill Period specified in ITT 42.1, upon addressing a complaint that has been filed with in the Standstill Period, the Procuring Entity shall transmit the Letter of Award to the successful Tenderer. The letter of award shall request the successful tenderer to furnish the Performance Security within 21 days of the date of the letter.

#### 47.0 Signing of Contract

- 47.1 Upon the expiry of the fourteen days of the Notification of Intention to enter in to contract and upon the parties meeting their respective statutory requirements, the Procuring Entity shall send the successful Tenderer the Contract Agreement.
- Within fourteen (14) days of receipt of the Contract Agreement, the successful Tenderer shall sign, date, and returnittotheProcuringEntity.
- 47.3 The written contract shall be entered into within the period specified in the notification of award and before expiry of the tender validity period.

#### 48.0 Performance Security

- 48.1 Within twenty-one (21) days of the receipt of the Letter of Award from the Procuring Entity, the successful Tenderer shall furnish the Performance Security and, any other documents required in the TDS, in accordance with the General Conditions of Contract, subject to ITT 38.2 (b), using the Performance Security and other Forms included in Section X, Contract Forms, or another form acceptable to the Procuring Entity. A foreign institution providing a bank guarantee shall have a correspondent financial institution located in Kenya, unless the Procuring Entity has agreed in writing that a correspondent bank is not required.
- Failure of the successful Tenderer to submit the above-mentioned Performance Security and otherdocuments required in the **TDS** or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Tender Security. In that event the Procuring Entity may award the Contract to the Tenderer offering the next Best Evaluated Tender.
- Performance security shall not be required for contracts estimated to cost less than the amount specified in the Regulations.

#### 49.0 Publication of Procurement Contract

Within fourteen days after signing the contract, the Procuring Entity shall publish the awarded contract at its notice boards and websites; and on the Website of the Authority. At the minimum, the notice shall contain the following information:

- a) name and address of the Procuring Entity;
- b) name and reference number of the contract being awarded, a summary of its scope and the selection method used:
- c) the name of the successful Tenderer, the final total contract price, the contract duration;
- d) dates of signature, commencement and completion of contract;
- e) names of all Tenderers that submitted Tenders, and their Tender prices as readout at Tender opening.

#### 50.0 Procurement related Complaints and Administrative Review

- 50.1 The procedures for making Procurement-related Complaints are as specified in the **TDS**.
- 50.2 A request for administrative review shall be made in the form provided under contract forms.

# **Section II - Tender Data Sheet (TDS)**

The following specific data shall complement, supplement, or amend the provisions in the Instructions to Tenderers (ITT). Whenever there is a conflict, the provisions herein shall prevail over those in ITT.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
A. General	
ITT 1.1	The name of the contract is: PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL, NAIROBI COUNTY-PHASE I
	The reference number of the Contract is <b>KEMR/HQ/015/2023-2024</b>
ITT 2.4	The Information made available on competing firms is as follows:
	1. Standard tender documents
	2. Bills of Quantities
TIPITE A 4	3. Drawings
ITT 2.4	The firms that provided consulting services for the contract being tendered for are:
	STATE DEPARTMENT FOR PUBLIC WORKS
	P. O. BOX 30743-00100, NAIROBI The firm shall provide the following consultants:
	Project Manager: Works Secretary.
	Project Architect: Chief Architect.
	Project Quantity Surveyor: Chief Quantity Surveyor.
	<b>Project Mechanical Engineer:</b> Chief Engineer Mechanical, (BS).
	Project Electrical Engineer: Chief Engineer Electrical.
	Project Structural/Civil engineer: Chief Engineer Structural/Civil.
	<u>Project Interior &amp; Graphic Designer:</u> Chief Designer.
ITT 3.1	Maximum number of members in the Joint Venture (JV) shall be :NOT ALLOWED
B. Contents of	Tender Document
ITT 7.1	The Tenderer will submit any request for clarifications in writing at the Address <b>DIRECTOR GENERAL</b> ,
	KENYA MEDICAL RESEARCH INSTITUTE,
	P.O.BOX 54840-00200,
	NAIROBI.
	to reach the Procuring Entity not later than the date and time indicated in the tender advertisement notice
	(ii) The Procuring Entity shall publish its response at the website: www.kemri.go.ke
ITT 7.2	(A) A pre-arranged pretender site visit <i>shall</i> take place at the following date, time and place:
	Date: AS INDICATED IN THE TENDER ADVERTISEMENT NOTICE Time: AS INDICATED IN THE TENDER ADVERTISEMENT NOTICE Place: KEMRI HEADQUARTERS, RAILA ODINGA WAY, NAIROBI
	(B) Pre-Tender meeting AS INDICATED IN THE TENDER ADVESRTISMENT NOTICE

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
ITT 7.3	The Tenderer will submit any questions in writing, to reach the Procuring Entity not later than <i>Five Working Days</i> after the tender opening date.
ITT 7.5	The Procuring Entity's website where Minutes of the pre-Tender meeting and the pre-arranged pre-tender site visit will be published is: www.kemri.go.ke
ITT 9.1	For Clarification of Tender purposes, for obtaining further information and for purchasing tender documents, the Procuring Entity's address is:
	DIRECTOR GENERAL, KENYA MEDICAL RESEARCH INSTITUTE, P.O.BOX 54840-00200, NAIROBI.
C. Preparation	n of Tenders
ITT 11.1 (h)	<ol> <li>The Tenderer shall submit the following additional documents in its Tender:</li> <li>Evidence of Personnel, Academic &amp; Professional Qualifications</li> <li>Evidence of completed projects of similar nature, complexity or magnitude</li> <li>Proof/Evidence of ownership for all the relevant equipment and transport</li> <li>Audited Finacial Reports for the last (3) years (2020,2021 &amp; 2022)</li> <li>Evidence of Financial resources (Cash in hand, lines of credit, overdraft etc)</li> </ol>
ITT 13.1	Alternative SHALL NOT BE considered.
ITT 13.2	Alternative times for completion <b>SHALL NOT BE</b> permitted.
ITT 13.4	Alternative technical solutions for the following parts of the Works: <b>SHALL NOT BE PERMITTED</b>
ITT 14.5	The prices quoted by the Tenderer shall be: SUBJECT TO ADJUSTMENT
ITT 15.2 (a)	Foreign currency requirements <b>NOT ALLOWED.</b>
ITT 18.1	The Tender validity period shall be <b>154 DAYS</b>
ITT 18.3	(a) The Number of days beyond the expiry of the initial tender validity period will be <b>30</b> days.
	(b) The Tender price shall be adjusted by the following percentages of the tender price:
	(i) By <i>Not Applicable</i> % of the local currency portion of the Contract price adjusted to reflect local inflation during the period of extension.  and
	(ii) By <b>Not Applicable</b> % the foreign currency portion of the Contract price adjusted to reflect the international inflation during the period of extension.
ITT 19.1	Tender shall provide a <b>Tender Security</b> . The type of Tender security shall be a <i>guarantee from a reputable local bank or insurance company approved by PPRA of Kshs. 4,180,000.00 that is valid for 154 days from tender opening date.</i>
ITT 20.1	In addition to the original of the Tender, the number of copies is: <b>ONE</b>
ITT 20.3	The written confirmation of authorization to sign on behalf of the Tenderer shall consist of a <b>Written Power of Attorney/Authorization letter</b>
D. Submission	and Opening of Tenders
ITT 22.1	(A) For Tender submission purposes only, the Procuring Entity's address is:  (1) Name of Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE  (2) Postal Address: DIRECTOR GENERAL,  KENYA MEDICAL RESEARCH INSTITUTE,  P.O.BOX 54840-00200,  NAIROBI.

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	(3) Physical address for hand Courier Delivery to an office or Tender Box : <b>KEMRI HEADQUARTERS</b> , <b>RAILA ODINGA WAY</b> , <b>NAIROBI</b> .
	(4) Date and time for submission of Tenders:
ITT 25.1	The Tender opening shall take place at the time and the address for Opening of Tenders provided below:
	(1) Name of Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE (2) Postal Address: DIRECTOR GENERAL, KENYA MEDICAL RESEARCH INSTITUTE, P.O.BOX 54840-00200, NAIROBI.
	(3) Physical address for hand Courier Delivery to an office or Tender Box : <b>KEMRI HEADQUARTERS</b> , <b>RAILA ODINGA WAY</b> , <b>NAIROBI</b> .
	(4) Date and time for submission of Tenders:
ITT 25.1	If Tenderers are allowed to submit Tenders electronically, they shall follow the electronic tender submission procedures ${\bf N}{\bf A}$
E. Evaluation	, and Comparison of Tenders
ITT 30.1	A margin of preference <b>SHALL NOT</b> apply.
ITT 30.2	The invitation to tender is extended to the following group that qualify for Reservations
	N/A
	(These groups are Small and Medium Enterprises, Women Enterprises, Youth Enterprises and Enterprises of persons living with disability, as the case may be; describe precisely which group qualifies).
ITT 30.3	The adjustment shall be based on the <i>average</i> price of the item or component as quoted in other substantially responsive Tenders. If the price of the item or component cannot be derived from the price of other substantially responsive Tenders, Kenya Biovax Insitute Limited shall use its best estimate.
ITT 34.1	At this time, The Procuring Entity <b>DOES INTEND</b> to execute certain specific parts of the Works by subcontractors selected in advance.
ITT 34.2	Contractor's may propose subcontracting: Maximum percentage of subcontracting permitted is <b>TEN PERCENT</b> (10%) of the total contract amount. Tenderers planning to subcontract more than 10% of total volume of work shall specify, in the Form of Tender, the activity (ies) or parts of the Works to be subcontracted along with complete details of the subcontractors and their qualification and experience.
ITT 34.3	The parts of the Works for which the Procuring Entity permits Tenderers to propose Specialized Subcontractors are designated as follows:  a. Electrical Works b. Mechanical Works For the above-designated parts of the Works that may require Specialized Subcontractors, the relevant qualifications of the proposed Specialized Subcontractors will be added to the qualifications of the Tenderer for the purpose of evaluation.
ITT 35.2 (e)	Additional requirements apply. These are detailed in the evaluation criteria in Section III, Evaluation and Qualification Criteria.
ITT 48.1	
ITT 50.1	The procedures for making a Procurement-related Complaint are detailed in the "Notice of Intention to Award the Contract" herein and are also available from the PPRA Website <a href="www.ppra.go.ke">www.ppra.go.ke</a> or email <a href="complaints@ppra.go.ke">complaints@ppra.go.ke</a> .
4	

Reference to ITC Clause	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
	If a Tenderer wishes to make a Procurement-related Complaint, the Tenderer should submit its complaint following these procedures, in writing (by the quickest means available, that is either by hand delivery or email to:
	For the attention:  Title/position: DIRECTOR GENERAL  Procuring Entity: KENYA MEDICAL RESEARCH INSTITUTE
	Email address: director@kemri.go,ke In summary, a Procurement-related Complaint may challenge any of the following (among others): (i) the terms of the Tender Documents; and (ii) Kenya Medical Research Institute's decision to award the contract.

#### SECTION III - EVALUATION AND QUALIFICATION CRITERIA

#### 10 GENERAL PROVISIONS

- This section contains the criteria that the Employer shall use to evaluate tender and qualify tenderers. No other factors, methods or criteria shall be used other than specified in this tender document. The Tenderer shall provide all the information requested in the forms included in Section IV, Tendering Forms. The Procuring Entity shall use **the Standard Tender Evaluation Document for Goods and Works** for evaluating Tenders.
- Wherever a Tenderer is required to state a monetary amount, Tenderers should indicate the Kenya Shilling equivalent using the rate of exchange determined as follows:
  - a) For construction turnover or financial data required for each year Exchange rate prevailing on the last day of the respective calendar year (in which the amounts for that year is to be converted) was originally established.
  - b) Value of single contract Exchange rate prevailing on the date of the contract signature.
  - (c) Exchange rates shall be taken from the publicly available source identified in the ITT 14.3. Any error in determining the exchange rates in the Tender may be corrected by the Procuring Entity.

#### **Evaluation and contract award Criteria**

The Procuring Entity shall use the criteria and methodologies listed in this Section to evaluate tenders and arrive at the Lowest Evaluated Tender. The tender that (i) meets the qualification criteria, (ii) has been determined to be substantially responsive to the Tender Documents, and (iii) is determined to have the Lowest Evaluated Tender price shall be selected for award of contract.

- (1) Preliminary Evaluation
- (2) Technical Evaluation
- (3) Financial Evaluation
- (4) Due diligence

#### 2. Preliminary examination for Determination of Responsiveness

The Procuring Entity will start by examining all tenders to ensure they meet in all respects the eligibility criteria and other requirements in the ITT, and that the tender is complete in all aspects in meeting the requirements of "Part 2 – Procuring Entity's Works Requirements", including checking for tenders with unacceptable errors, abnormally low tenders, abnormally high tenders and tenders that are front loaded. The Standard Tender Evaluation Report Document for Goods and Works for evaluating Tenders provides very clear guide on how to deal with review of these requirements. Tenders that do not pass the Preliminary Examination will be considered irresponsive and will not be considered further.

#### **STAGE 1: PRELIMINARY EVALUATION**

ITEM	MANDATORY REQUIREMENT (MR) – MAIN CONTRACTOR
MR1	Certificate of Incorporation / Registration from the Registrar of Companies /
	Businesses;
MR2	Certified Copy of recent CR12/CR13 Form issued not earlier than <b>6 Months</b> from
	Tender advertisement date.
MR3	Current Category of Registration with National Construction Authority (NCA) in the
	relevant trade; (NCA 3 and above for Building Works)
MR4	Contractor's Annual Practicing License from NCA for the current year
MR5	The Bid has been submitted in the format required by the procuring entity - the
	tender document to be <b>TAPE BOUND</b> and returned in the order and pages
	provided in the advertisement to tender and paginated in sequence including attachments
	attachments

MR6	Provision of a tender Security/Bid Bond of <b>Kshs. 4,180,000.00</b> to the procuring entity that is in the required format addressed and bound to the Client from a reputable bank or any Insurance company approved by PPRA and that is valid for <b>154 days</b> from the date of tender opening;
MR7	Fully filled, Signed and Stamped Form of Tender;
MR8	Valid copy of Trading / Business Permit;
MR9	Valid Tax Compliance Certificates;
MR10	Fully filled, Signed and Stamped Confidential Business Questionnaire;
MR11	Power of attorney (If Tender signatory if not a director)
MR12	Ligation history of the company (both court and arbitration)
MR13	Dully filled and signed declaration and commitment to the code of ethics
MR14	Dully filled, signed, dated and stamped self-declaration form SD1 (Non-debarment form)
MR15	Dully filled, signed, dated and stamped form SD2(Anti-corruption form)
MR 16	Dully filled, signed and stamped beneficial disclosure ownership form
MR 17	Pretender site visit at KEMRI-CMR-KNH centre on 21st March 2024 at 12;30pm

#### Note:

The employer/procuring entity may seek further clarification/confirmation, if necessary, to confirm Authenticity/compliance of any condition of the tender. Furthermore, in case of a discrepancy between the amounts Stated in the appendix to instruction to tenderers and the one stated in the advertisement or invitation letter. The bid security shall be taken as the amount in the advertisement/letter of invitation.

The bidders who do not satisfy any of the above requirements shall be considered non-responsive and their tenders will not be evaluated further

#### **STAGE 2: TECHNICAL EVALUATION**

Assessment for eligibility

The tender document shall be examined based on *Clause 3* of the Instruction to Tenderers.

The tenderers will be required to provide evidence for eligibility of the award of the tender by satisfying the employer of their eligibility and their capability and adequacy of resources to effectively carry out the subject contract.

The tenderers shall be required;

(a) To fill the Standard Forms provided in the bid document for the purposes of providing the required Information. The tenderers may also attach the required information if they so desire;

#### A.) TECHNICAL EVALUATION

The eligibility criteria to be considered in this section shall be as shown below;

# <u>PARAMETER</u> <u>REMARKS</u>

(i) Confidential Tender Questionnaire	PASS/FAIL
(ii) Key Personnel	PASS/FAIL
(iii) Contract Completed in the last Five years (5)	PASS/FAIL
(iv) Schedules of contractor's equipment	PASS/FAIL
(v) Audited Financial Report for the last 3 years (2020, 2021 & 2022	2). PASS/FAIL

(vi) Evidence of Financial Resources	PASS/FAIL		
(vii) Name, Address and Telephone of Bank (Contractor to provide	e) PASS/FAIL		
(viii) Litigation History	PASS/FAIL		

# **OVERALL REMARKS**

# PASS/FAIL

The detailed scoring plan shall be as shown in table 1.

Item	Description	Remarks
1	<ul><li>Confidential Tender Questionnaire</li><li>Dully filled, signed and stamped form</li></ul>	PASS/FAIL
2	Key Personnel (Attach evidence)	PASS/FAIL
·	<ul><li>a) Director of the firm</li><li>Holder of a General Degree</li></ul>	PASS/FAIL
	<ul> <li>b) At least 1No. Degree of key personnel in relevant construction field (Construction, Architecture, Civil &amp; Structural Engineering and Quantity Surveying)</li> <li>With over 5 years relevant experience, attached CV and certificate currently dated and signed by the holder.</li> </ul>	PASS/FAIL
	At least 1No. Diploma of key personnel in relevant construction field (Construction, Architecture, Civil & Structural Engineering and Quantity Surveying)  • With over 5 years relevant experience, attached CV and certificate currently dated and signed by the holder.	PASS/FAIL
	At least 1No. Certificate of key personnel in relevant construction field (Construction, Architecture, Civil & Structural Engineering and Quantity Surveying)  • With over 5 years relevant experience, attached CV and certificate currently dated and signed by the holder.	PASS/FAIL
	<ul> <li>d) At least 2No artisan (trade test certificate in relevant field)</li> <li>• With over 5 years relevant experience, attached CV and certificate currently dated and signed by the holder.</li> </ul>	PASS/FAIL
3	Contracts completed in the last five (5) years-Provide Evidence of (Contract Award, Contract agreement and Completion Certificate)  a) 3 No. Projects of similar nature, complexity or magnitude	PASS/FAIL

4	Schedule of contractor's equipment and transport (proof or evidence of ownership/Lease)  • At least 5 no. relevant equipment for work being tendered (Scaffolding, Concrete Mixer, Tipper truck, Water bowser and Concrete Vibrator)	PASS/FAIL
5	Financial report	
·	<ul> <li>a) Audited financial Accounts for the last three (3) years -2020, 2021 and 2022 (Signed and stamped by auditors)</li> <li>• Must have an Average Annual Turn-over of 70% and above of the cost of the project</li> </ul>	PASS/FAIL
	<ul> <li>b) Evidence of Financial Resources (cash in hand, Bank Balances, Lines of credit, over draft facility etc.)</li> <li>Bank/Creditors/Letter of access to credit specific for this tender</li> </ul>	PASS/FAIL
6	Attach dated, signed and stamped bank details with the bank contact person	PASS/FAIL
7	Litigation History	PASS/FAIL
	Duly Filled, signed and stamped form	
	REMARKS	

Any bidder who FAILS in any of the above requirements shall not be evaluated further

# **STAGE 3 - FINANCIAL EVALUATION**

Upon completion of the technical evaluation a detailed financial evaluation for the bidder shall follow. (The financial evaluation shall proceed in the manner described in the Public Procurement and Disposal Act 2015(Revised Edition 2022) of the laws of Kenya and Public Procurement and Disposal Regulations 2022

The evaluation shall be in three stages

- a) Correction, revision, adjustment and amendment of tender.
- b) Comparison of Rates for the bidder
- c) Consistency of the Rates for the bidder
- A) Correction, revision, adjustment and amendment of tender

Tender sum will be corrected by the Procuring Entity as follows to Clause 82(i) of PPADA 2015 (Revised Edition 2022) and Clause 31(a) of Standard Tender Document for Procurement for Procurement of Small Works.

- i) In the event of a discrepancy between the tender amount as stated in the form of Tender and the corrected tender figure in the Main summary of the Bills of Quantities, the amount as stated in the Form of tender shall prevail.
- ii) Pursuant to section 82 the Public Procurement and Asset Disposal Act 2015(Revised Edition 2022), the tender sum as submitted and read out during tender opening shall be absolute and final and shall not be subject correction, adjustment or amendment in any way by any person or entity.
- iii) The Tenders with arithmetic errors shall be disqualified as per Clauses 33.2(b) of the Standard Tender Document for Procurement of Small Works.

Any errors in the submitted tender arising from a miscalculation of unit price, quantity, subtotal and total bid price shall be considered as a major deviation that affects the substance of the tender and shall lead to disqualification of the tender as non-responsive."

#### B) Comparison of rates for the bidder

The evaluation committee will compare the rates with major components of the works and make note.

#### C) Consistency of the Rates

The evaluation committee will compare the consistency of rates for similar items and note all Inconsistencies of the rates of similar items.

#### STAGE 4 - DUE DILIGENCE & RECOMMENDATION FOR AWARD

Particulars of post – qualification if applicable. **The Evaluation Committee may inspect the premises and conduct due diligence** to seek further clarification/confirmation, if necessary, to confirm authenticity/compliance of any condition of the tender/qualifications of the tenderer in line with **Section 83 (1) of the Public Procurement and Asset Disposal Act,2015(Revised Edition 2022)** 

#### **STAGE 5: RECOMMENDATION FOR AWARD**

Award Criteria:

The firm achieving the lowest evaluated price will be awarded the contract in line with Section 86(1) of the Public Procurement and Disposal Act, 2015(Revised Edition 2022)

30 TENDER EVALUATION (ITT 3
-----------------------------

Price evaluation	n: in	addition	to the	criteria	listed in	ITT	35.2	(a) –	(d)	the	following	criteria	shall	appl	y:

- (i) Alternative Completion Times, if permitted under ITT13.2, will be evaluated as follows:
- (ii) Alternative Technical Solutions for specified parts of the Works, if permitted under ITT 13.4, will be evaluated as follows:
- (iii) Other Criteria; if permitted under ITT 35.2(j):

#### 4.0 MULTIPLE CONTRACTS

4.1 Multiple contracts will be permitted in accordance with ITT 35.4. Tenderers are evaluated on basis of Lots and a lowest evaluated tenderer identified for each Lot. The Procuring Entity will select one Option of the two Options listed below for award of Contracts.

#### **OPTION 1**

(i) If a tenderer wins only one Lot, the tenderer will be awarded a contract for that Lot, provided the tenderer meets the Eligibility and Qualification Criteria for that Lot.

(ii) Ifatenderer wins more than one Lot, the tender will be awarded a contract for all won Lots, provided the tenderer meetstheaggregate Eligibility and Qualification Criteria for all the won Lots. The tenderer will be awarded only the combinations for which the tenderer qualifies and the others will be considered for award to second lowest the tenderers.

#### **OPTION2**

The Procuring Entity will consider all possible combinations of won Lots [contract(s)] and determine the combination with the lowest evaluated price. Tenders will then be awarded to the Tenderer or Tenderers in the combination provided the tenderer meets the aggregate Eligibility and Qualification Criteria for all the won Lots.

#### 5.0 ALTERNATIVE TENDERS (ITT 13.1)

#### **Alternative Tenders (ITT 13.1)**

Analternative if permitted under ITT 3.1, will be evaluated as follows:

The Procuring Entity shall consider Tenders offered for alternatives as specified in Part 2 - Works requirements. Only the technical alternatives, if any, of the Tenderer with the Best Evaluated Tender conforming to the basic technical requirements shall be considered by the Procuring Entity.

#### 60 MARGIN OF PREFERENCE

- If the TDS so specifies, the Procuring Entity will grant a margin of preference of fifteen percent (15%) to be loaded on evaluated prices of the foreign tenderers, where the percentage of share holding of Kenyan citizensis less than fifty- one percent (51%).
- Contractors shall be asked to provide, as part of the data for qualification, such information, including details of ownership, as shall be required to determine whether, according to the classification established by the Procuring Entity, a particular contractor or group of contractors qualifies for a margin of preference.
- After Tenders have been received and reviewed by the Procuring Entity, responsive Tenders shall be assessed to ascertain their percentage of shareholding of Kenyan citizens. Responsive tenders shall be classified into the following groups:
  - i) *Group A*: tenders offered by Kenyan Contractors and other Tenderers where Kenyan citizens hold shares of over fifty one percent (51%).
  - ii) *Group B:* tenders offered by foreign Contractors and other Tenderers where Kenyan citizens hold shares of less than fifty one percent (51%).
- All evaluated tenders in each group shall, as a first evaluation step, be compared to determine the lowest tender, and the lowest evaluated tender in each group shall be further compared with each other. If, as a result of this comparison, a tender from Group A is the lowest, it shall be selected for the award of contract. If a tender from Group B is the lowest, an amount equal to the percentage indicated in Item 6.1 of the respective tender price, including unconditional discounts and excluding provisional sums and the cost of day works, if any, shall be added to the evaluated price offered in each tender from Group B. All tenders shall then be compared using new prices with added prices to Group B and the lowest evaluated tender from Group A. If the tender from Group A is still the lowest tender, it shall be selected foraward. If not, the lowest evaluated tender from Group B based on the first evaluation price shall be selected.

#### 7. Post qualification and Contract ward (ITT 39), more specifically,

- a) In case the tender <u>was subject to post-qualification</u>, the contract shall be awarded to the lowest evaluated tenderer, subject to confirmation of pre-qualification data, if so required.
- b) Incase the tender <u>was not subject to post-qualification</u>, the tender that has been determined to be the lowest evaluated tenderer shall be considered for contract award, subject to <u>meeting each of the following</u> conditions.
  - i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow of Kenya Shillings 125,000,000.00
  - ii) Minimum <u>average</u> annual construction turnover of Kenya Shillings 500,000,000.00, equivalent calculated as total certified payments received for contracts in progress and/or completed within the last 3 years.

- iii) Atleast 3 contract(s) of a similar nature executed within Kenya, or the East African Community or a broad, that have been satisfactorily and substantially completed as a prime contractor, or joint venture member or sub-contractor each of minimum value Kenya shillings 150,000,000.00 or equivalent.
- iv) Contractor's Representative and Key Personnel, which are specified as (above)
- v) Contractors key equipment listed on the table "Contractor's Equipment" below and more specifically listed as [specify requirements for each lot as applicable](above)
- iv) Other conditions depending on their seriousness.

#### a) History of non-performing contracts:

Tenderer and each member of JV in case the Tenderer is a JV, shall demonstrate that Non-performance of a contract did not occur because of the default of the Tenderer, or the member of a JV in the last \_\_\_\_\_\_(specify years). The required information shall be furnished in the appropriate form.

### b) Pending Litigation

Financialpositionandprospectivelong-termprofit ability of the Single Tenderer, and in the case the Tenderer is a JV, of each member of the JV, shall remain sound according to criteria established with respect to Financial Capability under Paragraph (i) above if all pending litigation will be resolved against the Tenderer. Tenderer shall provide information on pending litigations in the appropriate form.

### c) LitigationHistory

There shall be no consistent history of court/arbitral award decisions against the Tenderer, in the last \_\_\_\_\_\_(specify years). All parties to the contract shall furnish the information in the appropriate form about any litigation or arbitration resulting from contracts completed or on going unde rits execution over the years specified. A consistent history of awards against the Tenderer or any member of a JV may result in rejection of the tender.

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
1	Nationality	Nationality in accordance with ITT 3.6	Forms ELI – 1.1 and 1.2, with attachments	
2	Tax Obligations for Kenyan Tenderers	Has produced a current tax clearance certificate or tax exemption certificate issued by Kenya Revenue Authority in accordance with ITT 3.14.	Attachment	
3	Conflict of Interest	No conflicts of interest in accordance with ITT 3.3	Form of Tender	
4	PPRA Eligibility	Not having been declared ineligible by the PPRA as described in ITT 3.7	Form of Tender	
5	State- owned Enterprise	Meets conditions of ITT 3.8	Forms ELI – 1.1 and 1.2, with attachments	
6	Goods, equipment and services to be supplied under the contract	To have their origin in any country that is not determined ineligible under ITT 4.1	Forms ELI – 1.1 and 1.2, with attachments	
7	History of Non- Performing Contracts	Non-performance of a contract did not occur as a result of contractor default since 1 <sup>st</sup> January [].	Form CON-2	
8	Suspension Based on Execution of Tender/Proposal Securing Declaration by the Procuring Entity	Not under suspension based on- execution of a Tender/Proposal Securing Declaration pursuant to ITT 19.9	Form of Tender	
9	Pending Litigation	Tender's financial position and prospective long-term profitability still sound according to criteria established in 3.1 and assuming that all pending litigation will NOT be resolved against the Tenderer.	Form CON – 2	
10	Litigation History	No consistent history of court/arbitral award decisions against the Tenderer since 1 <sup>st</sup> January [insert year].	Form CON – 2	
	Financial Capabilities	(i) The Tenderer shall demonstrate that it has access to, or has available, liquid assets, unencumbered real assets, lines of credit, and other financial means (independent of any contractual advance payment) sufficient to meet the construction cash flow requirements estimated as Kenya Shillings [125,000,000] equivalent for the subject contract(s) net of the Tenderer's other commitments.  (ii) The Tenderers shall also demonstrate, to the satisfaction of the Procuring Entity, that it has adequate sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.  (iii) The audited balance sheets or, if not required by the laws of the Tenderer's country, other financial statements acceptable to the Procuring Entity, for the last [3] years shall be submitted and must demonstrate the current soundness of the Tenderer's financial position and indicate its prospective long-	Form FIN – 3.1, with attachments	

1	2	3	4	5
Item No.	Qualification Subject	Qualification Requirement	Document To be Completed by Tenderer	For Procuring Entity's Use (Qualification met or Not Met)
12	Average Annual Construction Turnover	Minimum average annual construction turnover of Kenya Shillings [500,0000,000], equivalent calculated as total certified payments received for contracts in progress and/or completed within the last [3] years, divided by [3] years	Form FIN – 3.2	
13	General Construction Experience	Experience under construction contracts in the role of prime contractor, JV member, subcontractor, or management contractor for at least the last [3] years, starting 1st January [2020].	Form EXP – 4.1	
14	Specific Construction & Contract Management Experience	A minimum number of [3] similar contracts specified below that have been satisfactorily and substantially completed as a prime contractor, joint venture member, management contractor or sub-contractor between 1st January [2020] and tender submission deadline i.e (number) contracts, each of minimum value Kenya shillings equivalent. [In case the Works are to be tender as individual contracts under multiple contract procedure, the minimum number of contracts required for purposes of evaluating qualification shall be selected from the options mentioned in ITT 35.4]  The similarity of the contracts shall be based on the following: [Based on Section VII, Scope of Works, specify the minimum key requirements in terms of physical size, complexity, construction method, technology and/or other characteristics including part of the requirements that may be met by specialized subcontractors, if permitted in accordance with ITT 34.3]	Form EXP 4.2(a)	

# SECTION IV - TENDERING FORMS

### **QUALIFICATION FORMS**

### 1. FOREIGN TENDERERS 40% RULE

Pursuant to ITT 3.9, a foreign tenderer must complete this form to demonstrate that the tender fulfils this condition.

ITEM	Description of Work Item	Describe location of Source	COST in K. shillings	Comments, if any	
A	Local Labor				
1					
2					
3					
4 5					
5					
В	Sub contracts from Local source	es			
1					
2					
3					
4					
5					
С	Local materials				
1					
2					
3 4 5					
4					
D	Use of Local Plant and Equipment				
1					
2					
3					
4					
5					
E	Add any other items				
1					
2					
3					
2 3 4 5					
6					
	TOTAL COST LOCAL CONTI		XXXXX		
	PERCENTAGE OF CONTRAC	CT PRICE			

### 2. FORM EQU: EQUIPMENT

Telephone

Agreements

The Tenderer shall provide adequate information to demonstrate clearly that it has the capability to meet the requirements for the key equipment listed in Section III, Evaluation and Qualification Criteria. A separate Form shall be prepared for each item of equipment listed, or fo ralternative equipment proposed by the Tenderer.

Equipment information	Name of manufactu	urer	<u> </u>	Model and power rating
	Capacity			Year of manufacture
Current status	Current location			
	Details of current c	commitments	S	
Source	Indicate source of t	the equipmen	nt	
	☐ Owned	☐ Rented	☐ Leased	☐ Specially manufactured

Details of rental / lease / manufacture agreements specific to the project

Contact name and title

Telex

### 3. <u>FORM PER -1</u>

### **Contractor's Representative and Key Personnel Schedule**

Tenderers should provide the names and details of the suitably qualified Contractor's Re presentative and Key Personnel to perform the Contract. The data on their experience should be supplied using the Form PER-2 below for each candidate.

### **Contractor' Representative and Key Personnel**

1.	Title of position: Contractor's Representative				
	Name of candidate:				
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be			
	appointment:	engaged]			
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this			
	this position:	position]			
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level			
	for this position:	Gantt chart]			
2.	Title of position: []				
	Name of candidate:				
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be			
	appointment:	engaged]			
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this			
	this position:	position]			
	Expected time schedule	[insert the expected time schedule for this position (e.g. attach high level			
	for this position:	Gantt chart]			
3.	Title of position: [	]			
	Name of candidate:				
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be			
	appointment:	engaged]			
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this			
	this position:	position]			
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level			
	for this position:	Gantt chart]			
4.	Title of position: []				
	Name of candidate:				
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be			
	appointment:	engaged]			
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this			
	this position:	position]			
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level			
	for this position:	Gantt chart]			
5.	<b>Title of position:</b> [insert title	[e]			
	Name of candidate				
	<b>Duration of</b>	[insert the whole period (start and end dates) for which this position will be			
	appointment:	engaged]			
	Time commitment: for	[insert the number of days/week/months/ that has been scheduled for this			
	this position:	position]			
	<b>Expected time schedule</b>	[insert the expected time schedule for this position (e.g. attach high level			
	for this position:	Gantt chart]			

### 4. **FORM PER - 2:**

Resume and Declaration - Contractor's Representative and Key Personnel.

Name of Tend	lerer		
Position [#1]:	[title of position from Form PE	R-1]	
Personnel information	Name:	Date of birth:	
	Address:	E-mail:	
	Professional qualifications:		
	Academic qualifications:		
	Language proficiency: [language]	uage and levels of speaking, reading and writing skills]	
Details			
	Address of Procuring Entity		
	Telephone:	Contact (manager / personnel officer):	
	Fax:		
	Job title:	Years with present Procuring Entity:	

Summarize professional experience in reverse chronological order. Indicate particular technical and managerial experience relevant to the project.

Project	Role	Duration of involvement	Relevant experience
[main project details]	[role and responsibilities on the project]	[time in role]	[describe the experience relevant to this position]

### **Declaration**

I, the undersigned *[insert either "Contractor's Representative" or "Key Personnel" as applicable]*, certify that to the best of my knowledge and belief, the information contained in this Form PER-2 correctly describes myself, my qualifications and my experience.

I confirm that I am available as certified in the following table and throughout the expected time schedule for this position as provided in the Tender:

Commitment	Details
Commitment to duration of contract:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]
Time commitment:	[insert period (start and end dates) for which this
	Contractor's Representative or Key Personnel is available
	to work on this contract]

I understand that any misrepresentation or omission in this Form may:

- (a) be taken into consideration during Tender evaluation;
- (b) result in my disqualification from participating in the Tender;
- (c) result in my dismissal from the contract.

Name of Contractor's Representative or Key Personnel: [insert name]	
Signature:	
Date: (day month year):	
Countersignature of authorized representative of the Tenderer:	
Signature:	
Date: (day month year):	

# 5. TENDERERS QUALIFICATION WITHOUT PREQUALIFICATION

To establish its qualifications to perform the contract in accordance with Section III, Evaluation and Qualification Criteria the Tenderer shall provide the information requested in the corresponding Information Sheets included hereunder.

### 5.1 FORM ELI -1.1

Tenderer InformationForm
Date:
ITT No. and title:
Tenderer's name
In case of Joint Venture (JV), name of each member:
Tenderer's actual or intended country of registration:
[indicate country of Constitution]
Tenderer's actual or intended year of incorporation:
Tenderer's legal address [in country of registration]:
Tenderer's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
1. Attached are copies of original documents of
Articles of Incorporation (or equivalent documents of constitution or association), and/or
documents of registration of the legal entity named above, in accordance with ITT 3.6
☐ In case of JV, letter of intent to form JV or JV agreement, in accordance with ITT 3.5
□In case of state-owned enterprise or institution, in accordance with ITT 3.8, documents establishing:
Legal and financial autonomy
Operation under commercial law
1. Establishing that the Tenderer is not under the supervision of the Procuring Entity
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

# 52 FORM ELI -1.2

# Tenderer's JV Information Form (to be completed for each member of Tenderer's JV)

Date:
ITT No. andtitle:
Tenderer's JV name:
JV member's name:
JV member's country of registration:
JV member's year of constitution:
JV member's legal address in country of constitution:
JV member's authorized representative information
Name:
Address:
Telephone/Fax numbers:
E-mail address:
<ol> <li>Attached are copies of original documents of</li> <li>☐ Articles of Incorporation (or equivalent documents of constitution or association), and/or registration documents of the legal entity named above, in accordance with ITT 3.6.</li> <li>☐ In case of a state-owned enterprise or institution, documents establishing legal and financial autonomy, operation in accordance with commercial law, and that they are not under the supervision of the Procuring Entity, in accordance with ITT 3.5.</li> </ol>
2. Included are the organizational chart, a list of Board of Directors, and the beneficial ownership.

### 53 **FORM CON –2**

indicated below.

# Historical Contract Non-Performance, Pending Litigation and Litigation History

	er's l						
Date: _	1						
III No	o. and	i title: _					
Non-Pe					ith Section III, Evaluation and Qualification (		
□ □					occur since 1st January [insert year] specified	in Section III, Evaluation and	
Qualific	catioi	n Criteri	a, Sub-Fac	ctor 2.1.			
П	Cor	ntract(s)	) not perfo	rmed since 1s	January [insert year] specified in Section III.	Evaluation and Qualification	
— Criteria		uiremei		Timed since T	suitary [uservyear] specified in Section III;	Evaration and Quantication	
	.,1						
				n since 1st Jar	nuary [insert year] specified in Section III, Ev	aluation and Qualification	
Criteria				0 4 411	, e ga , e		
Year				Contract Ide	entification	Total Contract Amount	
	-	portion contrac				(current value, currency, exchange rate and Kenya	
	•	contrac	·L			Shilling equivalent)	
[insert		insert a	ımount	Contract Ider	ntification: [indicate complete contract name/	[insert amount]	
year]			centage]		any other identification]	[ and continued	
, <b>,</b>					curing Entity: [insert full name]		
					rocuring Entity: [insert street/city/country]		
					nonperformance: [indicate main reason(s)]		
Pending	g Liti	gation, i	in accordai	nce with Section	on III, Evaluation and Qualification Criteria		
					with Section III, Evaluation and Qualificati	*	
		_	igation in a	accordance wit	h Section III, Evaluation and Qualification Cr	iteria, Sub-Factor 2.3 as	
indicate	ed be	low.					
Year	· of		Amount	in dispute	Contract Identification	<b>Total Contract Amount</b>	
dispu			(currence		Contract Identification	(currency), Kenya	
•				, ,		Shilling Equivalent	
						(exchange rate)	
					Contract Identification:		
					Name of Procuring Entity:	_	
					Address of Procuring Entity:	-	
					Matter in dispute:		
					Party who initiated the dispute:		
					Status of dispute: Contract Identification:		
					Name of Procuring Entity:		
					Address of Procuring Entity:		
Matter in dispute:							
Party who initiated the dispute:							
					Status of dispute:		
Litio	atio	n Histor	rv in acco	rdance with S	ection III, Evaluation and Qualification Crit	eria	
					lance with Section III, Evaluation and Qualif		
2.4.		2	•	•	,	,	
	I	Litigatio	on History	in accordance	e with Section III, Evaluation and Qualificati	on Criteria, Sub-Factor 2.4 as	

Year of dispute	Amount in dispute (currency)	Contract Identification	Total Contract Amount (currency), Kenya Shilling Equivalent (exchange rate)
[insert [i	i i i i i i i i i i i i i i i i i i i	Contract Identification: [indicate complete contract name, number, and any other dentification] Name of Procuring Entity: [insert full name] Address of Procuring Entity: [insert street/city/country] Matter in dispute: [indicate main issues in dispute] Party who initiated the dispute: [indicate "Procuring Entity" or "Contractor"] Reason(s) for Litigation and award decision indicate main reason(s)]	[insert amount]

Include details relating to potential bid-rigging practices such as previous occasions where tenders were withdrawn, joint bids with competitors, subcontracting work to unsuccessful tenderers, etc.

# 5.4 **FORM FIN – 3.1:**

# **Financial Situation and Performance**

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

### 5.4.1. Financial Data

Historic in	Historic information for previousyears,				
(amount i	(amount in currency, currency, exchange rate*, USD equivalent)				
Year 1	Year 2	Year 3	Year 4	Year 5	
nformation from	m Balance She	eet)			
nt					
ies					
	Year 1  Information from	Year 1 Year 2 Information from Balance Sho	Year 1 Year 2 Year 3 Information from Balance Sheet)  Int	(amount in currency, currency, exchange rate*, User 1	

<sup>\*</sup>Refer to ITT 15 for the exchange rate

#### **5.4.2** Sources of Finance

Specify sources of finance to meet the cash flow requirements on works currently in progress and for future contract commitments.

No.	Source of finance	Amount (Kenya Shilling equivalent)
1		
2		
3		

#### **5.4.3** Financial documents

- (a) reflect the financial situation of the Tenderer or in case of JV member, and not an affiliated entity (such as parent company or group member).
- (b) be independently audited or certified in accordance with local legislation.
- (c) be complete, including all notes to the financial statements.
- (d) correspond to accounting periods already completed and audited.
- Attached are copies of financial statements<sup>1</sup> for the \_\_\_\_\_\_ years required above; and complying with the requirements

<sup>&</sup>lt;sup>1</sup> If the most recent set of financial statements is for a period earlier than 12 months from the date of Tender, the reason for this should be justified.

### 5.5 FORM FIN - 3.2:

### **Average Annual Construction Turnover**

Tenderer's Name:	
Date:	
JV Member's Name	
ITT No. and title:	

Annual turnover data (construction only)					
Year	Amount	Exchange rate	Kenya Shilling equivalent		
	Currency				
[indicate year]	[insert amount and indicate				
	currency]				
Average					
Annual					
Construction					
Turnover *					

<sup>\*</sup> See Section III, Evaluation and Qualification Criteria, Sub-Factor 3.2.

### 5.6 **FORM FIN – 3.3:**

#### **Financial Resources**

Specify proposed sources of financing, such as liquid assets, unencumbered real assets, lines of credit, and other financial means, net of current commitments, available to meet the total construction cash flow demands of the subject contract or contracts as specified in Section III, Evaluation and Qualification Criteria

Fina	Financial Resources				
No.	Source of financing	Amount (Kenya Shilling equivalent)			
1					
2					
3					

### 5.7 **FORM FIN – 3.4:**

### **Current Contract Commitments / Works in Progress**

Tenderers and each member to a JV should provide information on their current commitments on all contracts that have been awarded, or for which a letter of intent or acceptance has been received, or for contracts approaching completion, but for which an unqualified, full completion certificate has yet to be issued.

Current Contract Commitments						
No.	Name of Contract	Procuring Entity's Contact Address, Tel,	Value of Outstanding Work [Current Kenya Shilling/month Equivalent]	Estimated Completion Date	Average Monthly Invoicing Over Last Six Months [Kenya Shilling /month)]	
1						
2						
3						
4						
5						

# 5.8 **FORM EXP - 4.1**

# **General Construction Experience**

Tenderer's Na	me:	
Date:		
JV Member's		
ITT No. and ti	tle:	
Page	of	pages

Starting	Ending	Contract Identification	Role of
	Year		Tenderer
Year			
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	
		Contract name:	
		Brief Description of the Works performed by the	
		Tenderer:	
		Amount of contract:	
		Name of Procuring Entity:	
		Address:	

# 5.9 **FORM EXP - 4.2(a)**

# **Specific Construction and Contract Management Experience**

Tenderer's Name:				
Date:				
JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub- contractor
Total Contract Amount If member in a JV or sub-contractor, specify participation in total Contract amount			Kenya Shilling	
Procuring Entity's Name: Address: Telephone/fax number E-mail:				
Specific Construction and Contract Manual Tenderer's Name: Date: JV Member's Name				
ITT No. and title:				
Similar Contract No.	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub- contractor
Total Contract Amount If member in a JV or sub-contractor, specify participation in total Contract amount			Kenya Shilling	
Procuring Entity's Name: Address: Telephone/fax number E-mail:				

# 5.9 **FORM EXP - 4.2 (a) (cont.)**

# **Specific Construction and Contract Management Experience (cont.)**

Simila	r Contract No.	Information
Descri	ption of the similarity in accordance	
with S	ub-Factor 4.2(a) of Section III:	
1.	Amount	
2.	Physical size of required works	
items	_	
3.	Complexity	
4.	Methods/Technology	
5.	Construction rate for key activities	
6.	Other Characteristics	

#### 5.10 **FORM EXP - 4.2(b)**

# **Construction Experience in Key Activities**

Tenderer's Name:				
Date: Tenderer's JV Member Name:				
Sub-contractor's Name <sup>2</sup> (as per ITT 34):				
ITT No. and title:		_		
All Sub-contractors for key activities mu Evaluation and Qualification Criteria, S	-	e information i	in this form as	per ITT 34 and
1. Key Activity No One: _				
	Information			
Contract Identification				
Award date				
Completion date				
Role in Contract	Prime Contractor □	Member in JV □	Management Contractor □	Sub-contractor
Total Contract Amount			Kenya Shillin	g
Quantity (Volume, number or rate of production, as applicable) performed under the contract per year or part of the year	Total quantity the contract (i)	in Percentag participati (ii)		Actual Quantity Performed (i) x (ii)
Year 1				
Year 2				
Year 3				
Year 4				
Procuring Entity's Name:				
Address: Telephone/fax number E-mail:				

<sup>&</sup>lt;sup>2</sup> If applicable

Information

2. Ac	ctivity	No.	Two
2			

3. .....

### **OTHER FORMS**

### 6. FORM OF TENDER

### (Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

### INSTRUCTIONS TO TENDERERS

- i) All italicized text is to help the Tenderer in preparing this form.
- ii) The Tenderer must prepare this Form of Tender on stationery with its letterhead clearly showing the Tenderer's complete name and business address. Tenderers are reminded that this is a mandatory requirement.
- iii) Tenderer must complete and sign CERTIFICATE OF INDEPENDENT TENDER DETERMINATION and the SELF DECLARATION FORMS OF THE TENDERER as listed under (xxii) below.

Date	of this Tender submission:[insert date (as day, month and year) of Tender submission] Tender
Namo	and Identification:[insert identification] Alternative
No.:	[insert identification No if this is a Tender for an alternative]
То:	[Insert complete name of Procuring Entity]
for [ins	e of this Tender submission: [insert date (as day, month and year) of Tender submission] Request Tender No.: [insert identification] Name and description of Tender [Insert as per ITT) Alternative No.: ert identification No if this is a Tender for an alternative]
	[insert complete name of Procuring Entity]
Dea	· Sirs,
1.	In accordance with the Conditions of Contract, Specifications, Drawings and Bills of Quantities for the execution of the above named Works, we, the undersigned offer to construct and complete the Works and remedy any defects therein for the sum <sup>3</sup> of Kenya Shillings [[Amount in figures]
	The above amount includes foreign currency <sup>4</sup> amount (s) of [state figure or a percentage and currency] [figures] [words]
2.	We undertake, if our tender is accepted, to commence the Works as soon as is reasonably possible after the receipt of the Architect notice to commence, and to complete the whole of the Works comprised in the Contract within the time stated in the Special Conditions of Contract.
3.	We agree to adhereby this tender until[Insert date], and it shall remain binding upon us and may be accepted at any time before that date.
4.	We understand that you are not bound to accept the lowest or any tender you may receive.
5.	We, the under signed, further declare that:
	i) No reservations: We have examined and have no reservations to the tender document, including Addenda issuedinaccordance with ITT 28;
	ii) Eligibility: We meet the eligibility requirements and have no conflict of interest in accordance with ITT 3

<sup>&</sup>lt;sup>3</sup> This sum should be carried forward from the Summary of the Bills of Quantities.

<sup>&</sup>lt;sup>4</sup> The percentage quoted above should not include provisional sums, and not more than two foreign currencies are allowed.

and 4;

- iii) <u>Tender Securing Declaration</u>: We have not been suspended nor declared ineligible by the Procuring Entity based on execution of a Tender-Securing or Proposal-Securing Declaration in the Procuring Entity's Country in accordance with ITT 19.8;
- *Conformity*: We offer to execute in conformity with the tendering documents and in accordance with the implementation and completion specified in the construction schedule, the following Works: [insert a brief description of the Works];
- v) <u>Tender Price:</u> The total price of our Tender, excluding any discounts offered in item 1 above is: [Insert one of the options below as appropriate]
- vi Option 1, incase of one lot: Total priceis: [insert the total price of the Tender in words and figures, indicating the various amounts and the respective currencies]; or

Option2, in case of multiple lots:

- (a) Total price of each lot [insert the total price of each lot in words and figures, indicating the various amounts and the respective currencies]; and
- (b) <u>Total price of all lots</u> (sum of all lots) [insert the total price of all lots in words and figures, indicating the various amounts and the respective currencies];
- vii) <u>Discounts:</u> The discounts offered and the methodology for their application are:
- viii) The discounts offered are: [Specify in detail each discount offered.]
- ix) The exact method of calculations to determine the net price after application of discounts is shown below: [Specify in detail the method that shall be used to apply the discounts];
- x) <u>Tender Validity Period</u>: Our Tender shall be valid for the period specified in TDS 18.1 (as amended, if applicable) from the date fixed for the Tender submission deadline specified in TDS 22.1 (as amended, if applicable), and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- xi) <u>Performance Security:</u> If our Tender is accepted, we commit to obtain Performance Security in accordance with the Tendering document;
- xii) One Tender Per Tender: Weare not submitting any other Tender(s) as an individual Tender, and we are not participating in any other Tender(s) as a Joint Venture member or as a sub-contractor, and meet the requirements of ITT 3.4, other than alternative Tenders submitted in accordance with ITT 13.3;
- xiii) <u>Suspension and Debarment</u>: We, along with any of our subcontractors, suppliers, Engineer, manufacturers, or service providers for any part of the contract, are not subject to, and not controlled by any entity or individual that is subject to, a temporary suspension or a debarment imposed by the Public Procurement Regulatory Authority or any other entity of the Government of Kenya, or any international organization.
- xiv) <u>State-owned enterprise or institution:</u> [select the appropriate option and delete the other] [We are not a state-owned enterprise or institution]/[We are a state-owned enterprise or institution but meet the requirements of ITT3.8];
- xv) Commissions, gratuities, fees: We have paid, or will pay the following commissions, gratuities, or fees with respect to the tender process or execution of the Contract: [insert complete name of each Recipient, its full address, the reason for which each commission or gratuity was paid and the amount and currency of each such commission or gratuity].

Name of Recipient	Address	Reason	Amount

(If none has been paid or is to be paid, indicate "none.")

- xvi) <u>Binding Contract:</u> We understand that this Tender, together with your written acceptance there of included in your Letter of Acceptance, shall constitute a binding contract between us, until a formal contract is prepared and executed;
- xvii) Not Bound to Accept: We understand that you are not bound to accept the lowest evaluated cost Tender, the Most Advantageous Tender or any other Tender that you may receive;
- xviii) <u>Fraud and Corruption:</u> We here by certify that we have taken steps to ensure that no personacting for us or on our behalf engages in any type of Fraud and Corruption; and
- xix) <u>Collusive practices:</u> We hereby certify and confirm that the tender is genuine, non-collusive and made with the intention of accepting the contract if awarded. To this effect we have signed the "Certificate of Independent Tender Determination" attached below.
- we undertake to adhere by the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal, copy available from \_\_\_\_\_\_(specify website) during the procurement process and the execution of any resulting contract.
- xxi) **Beneficial Ownership Information:** We commit to provide to the procuring entity the Beneficial Ownership Information in conformity with the Beneficial Ownership Disclosure Form upon receipt of notification of intention to enter into a contract in the event we are the successful tenderer in this subject procurement proceeding.
- xxii) We, the Tenderer, have duly completed, signed and stamped the following Forms as part of our Tender:
  - a) Tenderer's Eligibility; Confidential Business Questionnaire to establish we are no tin any conflict to interest.
  - (b) Certificate of Independent Tender Determination to declare that we completed the tender without colluding with other tenderers.
  - (a) Self-Declaration of the Tenderer to declare that we will, if awarded a contract, not engage in any form of fraud and corruption.
  - (d) Declaration and commitment to the Code of Ethics for Persons Participating in Public Procurement and Asset Disposal.

Further, we confirm that we have read and understood the full content and scope of fraud and corruption as informed in "Appendix 1 - Fraud and Corruption" attached to the Form of Tender.

**Name of the Tenderer:** \*[insert complete name of person signing the Tender]

Name of the person duly authorized to sign the Tender on behalf of the Tenderer: \*\*[insert complete name of person duly authorized to sign the Tender]

**Title of the person signing the Tender**: [insert complete title of the person signing the Tender]

**Signature of the person named above**: [insert signature of person whose name and capacity are shown above]

Date signed [insert date of signing] day of [insert i	month], [insert year]	
Datesigned	_dayof,	

#### Notes

<sup>\*</sup> In the case of the Tender submitted by joint venture specify the name of the Joint Venture as Tenderer.

\*\*Person signing the Tender shall have the power of attorney given by the Tenderer to be attached with the Tender.

### (a) TENDERER'S ELIGIBILITY-CONFIDENTIAL BUSINESS QUESTIONNAIRE

### **Instruction to Tenderer**

Tender is in structed to complete the particulars required in this Form, *one form for each entity if Tender is a JV*. Tenderer isfurtherreminded that it is an offence to give false information on this Form.

#### (a) Tenderer'sdetails

	ITEM	DESCRIPTION
1	Name of the Procuring Entity	
2	Reference Number of the Tender	
3	Date and Time of Tender Opening	
4	Name of the Tenderer	
5	Full Address and Contact Details of the Tenderer.	<ol> <li>Country</li> <li>City</li> <li>Location</li> <li>Building</li> <li>Floor</li> <li>Postal Address</li> <li>Name and email of contact person.</li> </ol>
6	Current Trade License Registration Number and Expiring date	
7	Name, country and full address (postal and physical addresses, email, and telephone number) of Registering Body/Agency	
8	Description of Nature of Business	
9	Maximum value of business which the Tenderer handles.	
10	State if Tenders Company is listed in stock exchange, give name and full address (postal and physical addresses, email, and telephone number) of state which stock exchange	

### **General and Specific Details**

**(b)** 

I)

Name in full_	_Age
Nationality	Country of Origin

Citizenship\_\_\_\_\_

(c) **Partnership,** provide the following details.

**Sole Proprietor,** provide the following details.

Private or public Company \_\_\_\_\_

	Names of Partners	Nationality	Citizenship	% Shares owned
1				
2				
3				

(d)	Registered Company, provide the following details.

ii) State the nominal and issued capital of the Company\_\_\_\_\_

	Names of Director Nati	onality	Citizensh	ip % Shares owned
		•		
<del>)</del>	DISCLOSURE OF INTEREST - In	terest of the F	irm in the I	Procuring Entity.
	i) Are there any person/persons in interest or relationship in this fi			e of Procuring Entity) who has/hav
	-		• • • • • • • • • • • • • • • • • • • •	
	If yes, provide details as follow			
	Names of Person	Designation Procuring E		Interest or Relationship with Tenderer
)	Conflict of interest disclosure  Type of Conflict	Disclosure YES OR NO	If YES pr Tenderer	ovide details of the relationship wit
	Tenderer is directly or indirectly			
	controls, is controlled by or is under			
	common control with another tenderer.			
	Tenderer receives or has received			
	any direct or indirect subsidy from another tenderer.			
	Tenderer has the same legal			
	representative as another tenderer			
	Tender has a relationship with			
	another tenderer, directly or through			
	common third parties, that puts it in a			
	position to influence the tender of another tenderer, or influence the			
	decisions of the Procuring Entity			
	regarding this tendering process.			
	Any of the Tenderer's affiliates			
	participated as a consultant in the			
	preparation of the design or technical			
	specifications of the works that are			
	the subject of the tender.  Tenderer would be providing goods,			
	works, non-consulting services or			
	consulting services during			
	implementation of the contract			
	specified in this Tender Document.			
	Tenderer has a close business or			
	family relationship with a			
	professional staff of the Procuring Entity who are directly or indirectly			

involved in the preparation of the Tender document or specifications of the Contract, and/or the Tender

	Type of Conflict	Disclosure	If YES provide details of the relationship with
		YES OR NO	Tenderer
	evaluation process of such contract.		
8	Tenderer has a close business or		
	family relationship with a		
	professional staff of the Procuring		
	Entity who would be involved in		
	the implementation or supervision		
	of the such Contract.		
9	Has the conflict stemming from		
	such relationship stated in item 7		
	and 8 above been resolved in a		
	manner acceptable to the Procuring		
	Entity throughout the tendering		
	process and execution of the		
	Contract.		

# Certification

On behalf of the Tenderer, I certify that the information given abov submission.	e is complete, current and accurate as at	the date of
Full Name		
Titleor Designation		
(Signature)	(Date)	

### b) <u>CERTIFICATE OF INDEPENDENT TENDER DETERMINATION</u>

I, t	he ur	indersigned, in submitting the accompanying Letter of Tender to the	
			[Name of Procuring Entity] for: [Name and number of tender] in
res	pons	se to the request for tenders made by:	[Name of Tenderer] do hereby
		he following statements that I certify to be true and complete in every re-	-
Ice	rtify,	y, on behalf of	[NameofTenderer]that:
1.	I ha	nave read and I understand the contents of this Certificate;	
2.		understand that the Tender will be disqualified if this Certificate is found spect;	I not to be true and complete in every
3.		mthe authorized representative of the Tenderer with authority to sign the ender on behalf of the Tenderer;	is Certificate, and to submit the
4.		or the purposes of this Certificate and the Tender, I understand that the wedividual or organization, other than the Tenderer, whether or not affiliate	
	a) b)	Has been requested to submit a Tender in response to this request for could potentially submit a tender in response to this request for tende abilities or experience;	
5.	The	neTenderer discloses that [check one of the following, as applicable]:	
	a)	The Tenderer has arrived at the Tender independently from, and with agreement or arrangement with, any competitor;	out consultation, communication,
	b)	theTenderer has entered into consultations, communications, agreemed competitors regarding this request for tenders, and the Tenderer di complete details thereof, including the names of the competitors and consultations, communications, agreements or arrangements;	scloses, in the attached document(s),
6.		particular, without limiting the generality of paragraphs (5)(a) or(5)(b) as mmunication, agreement or arrangement with any competitor regarding	
	<ul><li>a)</li><li>b)</li><li>c)</li><li>d)</li></ul>	the intentiono r decision to submit, or not to submit, a tender; or	he request for Tenders; except as
7.	reg for	addition, there has been no consultation, communication, agreement garding the quality, quantity, specifications or delivery particulars of the r tenders relates, except as specifically authorized by the procuring insuant toparagraph(5)(b) above;	works or services to which this request
8.	to a	netermsofthe Tender have not been, and will not be, knowingly disclosed any competitor, prior to the date and time of the official tender openin hichevercomesfirst, unless otherwise required byl aw or as specifically ove.	g, or of the awarding of the Contract,
Na Tit	me le		

[Name, title and signature of authorized agent of Tenderer and Date]

### (c) SELF- DECLARATION FORMS

### FORM SD1

# SELF DECLARATION THAT THE PERSON/TENDERER IS NOT DEBARRED IN THE MATTER OF THE PUBLIC PROCUREMENT AND ASSET DISPOSAL ACT 2015.

	, of Post Office Box being a residen full statement as the control of the Republic of
	llows: -
1.	THAT I am the Company Secretary/ Chief Executive/Managing Director/Principal Officer/Direct or of
2.	THAT the aforesaid Bidder, its Directors and subcontractors have not been debarred from participating in procurement proceeding under Part IV of the Act.
3.	THAT what is deponed to here in above is true to the best of my knowledge, information and belief.
	(Title) (Signature) (Date)
	Bidder Official Stamp

### FORM SD2

# SELF DECLARATION THAT THE PERSON/TENDERER WILL NOT ENGAGE IN ANY CORRUPT OR FRAUDULENT PRACTICE.

	of P.O. Box being a resident of
•••	
1.	THAT I am the Chief Executive/Managing Director/Principal Officer/Director of
2.	THAT theafore said Bidder, its servants and/oragents/subcontractorswillnotengageinanycorruptorfraudulent practice and has not been requested to pay any inducement to any member of the Board, Management, Staff and/or employees and/or agents of (insert name of the Procuring entity) which is the procuring entity.
3.	THAT the aforesaid Bidder, its servants and/or agents /subcontractors have not offered any inducement to any member of the Board, Management, Staff and/or employees and/or agents of
4.	THAT the aforesaid Bidder will not engage /has not engaged in any corrosive practice with other bidders participating in the subject tender
5.	THAT what is deponed to here in above is true to the best of my knowledge information and belief.
	(Title) (Signature) (Date)
	Bidder's Official Stamp

# DECLARATION AND COMMITMENT TO THE CODE OF ETHICS

I (person) on behalf of (Name of the Business/ Company/Firm)
declare that I have read and fully understood the contents of the
Public Procurement & Asset Disposal Act, 2015, Regulations and the Code of Ethics for persons participating in
Public Procurementand Asset Disposal and my responsibilities under the Code.
I do here by commit to abide by the provisions of the Code of Ethics for persons participating in Public Procurement
and Asset Disposal.
Name of Authorized signatory
Traine of Flauroffice signatory
Sign
Position
om 11
Office address
E-mail
Name of the Firm/Company
Trume of the Trime Company
Date
(Company Seal/ Rubber Stamp where applicable)
Witness
Name
Name
Sign
6
Date

#### (d) APPENDIX 1 - FRAUD AND CORRUPTION

(Appendix 1 shall not be modified)

#### 1. Purpose

1.1 The Government of Kenya's Anti-Corruption and Economic Crime laws and their sanction's policies and procedures, Public Procurement and Asset Disposal Act (no. 33 of 2015) and its Regulation, and any other Kenya's Acts or Regulations related to Fraud and Corruption, and similar offences, shall apply with respect to Public Procurement Processes and Contracts that are governed by the laws of Kenya.

### 2. Requirements

- 21 The Government of Kenya requires that all parties including Procuring Entities, Tenderers, (applicants/proposers), Consultants, Contractors and Suppliers; any Sub-contractors, Sub-consultants, Service providers or Suppliers; any Agents (whether declared or not); and any of their Personnel, involved and engaged in procurement under Kenya's Laws and Regulation, observe the highest standard of ethics during the procurement process, selection and contract execution of all contracts, and refrain from Fraud and Corruption and fully comply with Kenya's laws and Regulations as per paragraphs 1.1 above.
- 22 Kenya's public procurement and asset disposal act (no. 33 of 2015) under Section 66 describes rules to be followed and actions to be taken in dealing with Corrupt, Coercive, Obstructive, Collusive or Fraudulent practices, and Conflicts of Interest in procurement including consequences for offences committed. A few of the provisions noted below highlight Kenya's policy of no tolerance for such practices and behavior:
  - 1) A person to whom this Act applies shall not be involved in any corrupt, coercive, obstructive, collusive or fraudulent practice; or conflicts of interest in any procurement or as set disposal proceeding;
  - 2) A person referred to under subsection (1) who contravenes the provisions of that sub-section commits an offence;
  - 3) Without limiting the generality of the subsection (1) and (2), the person shall be:
    - a) disqualified from entering into a contract for a procurement or asset disposal proceeding; or
    - b) if a contract has already been entered into with the person, the contract shall be voidable;
  - 4) The voiding of a contract by the procuring entity under subsection (7) does not limit any legal remedy the procuring entity may have;
  - 5) An employee or agent of the procuring entity or a member of the Board or committee of the procuring entity whohas a conflict of interest with respect to a procurement:
    - a) Shall not take part in the procurement proceedings;
    - b) shall not, after a procurement contract has been entered in to, take part in any decision relating to the procurement or contract; and
    - c) shall not be a subcontract or for the tender to whom was awarded contract, or a member of the group of tenderers to whom the contract was awarded, but the subcontractor appointed shall meet all the requirements of this Act.
  - 6) An employee, agent or member described in subsection (1) who refrains from doing anything prohibited under that subsection, but for that subsection, would have been within his or her duties shall disclose the conflictofinteresttotheprocuringentity;
  - 7) If a person contravenes subsection (1) with respect to a conflict of interest described in subsection (5)(a) and the contract is awarded to the person or his relative or to another person in whom one of them had a direct or indirect pecuniary interest, the contract shall be terminated and all costs incurred by the public entity shall be made good by the awarding officer. Etc.
- 3. In compliance with Kenya's laws, regulations and policies mentioned above, the Procuring Entity:

- a) Defines broadly, for the purposes of the above provisions, the terms setf orth below as follows:
  - i) "corrupt practice" is the offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence improperly the actions of another party;
  - ii) "fraudulent practice" is any act or omission, including is representation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain financial or other benefit or to avoid an obligation;
  - iii) "collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including to influence improperly the actions of another party; "coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - iv) "obstructive practice" is:
    - Deliberately destroying, falsifying, altering, or concealing of evidence material to the investigation or making false statements to investigators in order to materially impede investigation by Public Procurement Regulatory Authority (PPRA) or any other appropriate authority appointed by Government of Kenya into allegations of a corrupt, fraudulent, coercive, or collusive practice; and/or threatening, harassing, or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the investigation or from pursuing the investigation; or
    - acts intended to materially impede the exercise of the PPRA's or the appointed authority's inspection and audit rights provided for under paragraph 2.3 e. below.
- b) Defines more specifically, in accordance with the above procurement Act provisions set forth for fraudulent and collusive practices as follows:
  - "fraudulent practice" includes a misrepresentation of fact in order to influence a procurement or disposal processorthe exercise of a contract to the detriment of the procuring entity or the tenderer or the contractor, and includes collusive practices amongst tenderers prior to or after tender submission designed to establish tender prices at artificial non-competitive levels and to deprive the procuring entity of the benefits of free and open competition.
- c) Rejects a proposal for award of a contract if PPRA determines that the firm or individual recommended for award, any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/ or their employees, has, directly or indirectly, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices in competing for the contract in question;
- d) Pursuant to the Kenya's above stated Acts and Regulations, may recommend to appropriate authority(ies) for sanctioning and debarment of a firm or individual, as applicable under the Acts and Regulations;
- Requires that a clause be included in Tender documents and Request for Proposal documents requiring(i) Tenderers (applicants/proposers), Consultants, Contractors, and Suppliers, and their Sub-contractors, Sub-consultants, Service providers, Suppliers, Agents personnel, permit the PPRA or any other appropriate authority appointed by Government of Kenya to inspect<sup>2</sup> all accounts, records and other documents relating to the procurement process, selection and/or contract execution, and to have them audited by auditors appointed by the PPRA or any other appropriate authority appointed by Government of Kenya; and
- f) Pursuant to Section 62 of the above Act, requires Applicants/Tenderers to submit along with their Applications/Tenders/Proposals a "Self-Declaration Form" as included in the procurement document declaring that they and all parties involved in the procurement process and contract execution have not engaged/will not engage in any corrupt or fraudulent practices.

<sup>&</sup>lt;sup>1</sup>For the avoidance of doubt, a party's in eligibility to be awarded a contract shall includee, without limitation, (i) applying for pre-qualification, expressing interest in a consultancy, and tendering, either directly or as a nominated sub-contractor, nominated consultant, nominated manufacturer or supplier, or nominated service provider, in respect of such contract, and (ii) entering into an addendum or amendment introducing a material modification to any existing contract.

<sup>&</sup>lt;sup>2</sup> Inspections in this context usually are investigative (i.e., forensic) in nature. They involve fact-finding activities undertaken by the Investigating Authority or persons appointed by the Procuring Entity to address specific matters related to investigations/audits, suc has evaluating the veracity of an allegation of possible Fraud and Corruption, through the appropriate mechanisms. Such activity includes but is not limited to: accessing and examining a firm's or individual's financial records and information, and making copies thereof as relevant; accessing and examining any other documents, data and information (whether in hard copyor electronic format) deemed relevant for th einvestigation/audit, and making copies there of as relevant; interviewing staff and other relevant individuals; performing physical inspections and site visits; and obtaining third party verification of information.

# FORM OF TENDER SECURITY-[Option 1-Demand Bank Guarantee]

Bei	neficiary:
	quest forTenders No:
Da	te:
TE	NDER GUARANTEE No.:
Gu	arantor:
1.	We have been informed that(here inafter called "the Applicant") has submitted or will submit to the Beneficiary its Tender (here inafter called" the Tender") for the execution ofunder Request for Tenders No("the ITT").
2.	Furthermore, we understand that, according to the Beneficiary's conditions, Tenders must be supported by a Tender guarantee.
3.	At the request of the Applicant, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of() upon receipt by us of the Beneficiary's complying demand, supported by the Beneficiary's statement, whether in the demand itself or a separate signed document accompanying or identifying the demand, stating that either the Applicant:
(a)	has withdrawn its Tender during the period of Tender validity set forth in the Applicant's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Applicant; or
b)	having been notified of the acceptance of its Tender by the Beneficiary during the Tender Validity Period or any extension there to provided by the Applicant, (i) has failed to execute the contract agreement, or (ii) has failed to furnish the Performance.
4.	This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii) thirty days after the end of the Tender Validity Period.
5.	Consequently, any demand for payment under this guarantee must be received by us at the office indicated above onor before that date.
	[signature(s)]

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

### **FORMAT OF TENDER SECURITY [Option 2–Insurance Guarantee]**

TENI	TENDER GUARANTEE No.:		
1.	Whereas [Name of the tenderer] (hereinafter called "the tenderer") has submitted its tender dated [Date of submission of tender] for the		
2.	KNOW ALL PEOPLE by these presents that WE		
3.	NOW, THEREFORE, THE CONDITION OF THIS OBLIGATION is such that if the Applicant:		
	a) has withdrawn its Tender during the period of Tender validity set forth in the Principal's Letter of Tender ("the Tender Validity Period"), or any extension thereto provided by the Principal; or		
	b) having been notified of the acceptance of its Tender by the Procuring Entity during the Tender Validity Period or any extension thereto provided by the Principal; (i) failed to execute the Contract agreement; or (ii) has failed to furnish the Performance Security, in accordance with the Instructions to tenderers ("ITT") of the Procuring Entity's Tendering document then the guarantee undertakes to immediately pay to the Procuring Entity up to the above amount upon receipt of the Procuring Entity's first written demand, without the Procuring Entity having to substantiate its demand, provided that in its demand the Procuring Entity shall state that the demand arises from the occurrence of any of the above events, specifying which event(s) has occurred.		
4.	This guarantee will expire: (a) if the Applicant is the successful Tenderer, upon our receipt of copies of the contract agreement signed by the Applicant and the Performance Security and, or (b) if the Applicant is not the successful Tenderer, upon the earlier of (i) our receipt of a copy of the Beneficiary's notification to the Applicant of the results of the Tendering process; or (ii)twenty-eight days after the end of the Tender Validity Period.		
5.	Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.		
	[Date ] [Signature of the Guarantor]		
	[Witness] [Seal]		

Note: All italicized text is for use in preparing this form and shall be deleted from the final product.

# FORM OF TENDER - SECURING DECLARATION

[T	[The Bidder shall complete this Form in acco	rdance with the instructions indicated]
Da	Date:[insert	t date (as day, month and year) of Tender Submission]
Te	Tender No.:	[insert number of tendering process]
То	To:[insert c	omplete name of Purchaser] I/We, the undersigned, declare that:
1.	1. I/We understand that, according to your c	onditions, bids must be supported by a Tender-Securing Declaration.
2.	Purchaser for the period of time of [insert of ourobligation(s) under the bid condition tender validity specified by us in the Ten Bid by the Purchaser during the period of	be suspended from being eligible for tendering in any contract with the number of months or years] starting on [insert date], if we are in breach tons, because we—(a) have withdrawn our tender during the period of dering Data Sheet; or (b) having been notified of the acceptance of our of bid validity, (i) fail or refuse to execute the Contract, if required, or nee Security, in accordance with the instructions to tenders.
3.	the earlier of:	g Declaration shall expire if we are not the successful Tenderer(s), upon ation of the name of the successful Tenderer; or r Tender.
4.	the Joint Venture that submits the bid, and	Joint Venture, the Tender Securing Declaration must be in the name of the Joint Venture has not been legally constituted at the time of bidding, in the names of all future partners as named in the letter of intent.
Sig	Signed:	
sol	sole proprietor, etc.)	
Na	Name:	
bid	bid for and on behalf of: [insert complete nan	ne of Tenderer]
Da	Dated on day of	, [Insert date of signing] Seal orstamp

# Appendix to Tender

# **Schedule of Currency requirements**

Summary of currencies of the Tender for	[insert name of S	ection of the Works]
Name of currency	Amounts payable	
Local currency:		
Foreign currency #1:		
Foreign currency #2:		
Foreign currency #3:		
Provisional sums expressed in local currency	[To be entered by the Procuring Entity]	



# **SECTION V - BILLS OF QUANTITIES**

# A. Notes and Sample Items for Preparing a Bill of Quantities

- 1. These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Tender Documents. Priced Bills of Quantities shall be part and parcel of the Contract Documents.
- 2. The objectives and purpose of the Bills of Quantities are to provide sufficient information on the specifications, descriptions and quantities of Works to be performed to enable tenders to be prepared efficiently and accurately and when a contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed. Inorder to attain these objectives, Works should be itemized in the Bill of Quantities insufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried outin different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and clear as possible.
- 3. The Bills of Quantities should be divided generally into the following sections:
  - a) Preambles
  - b) Preliminary items
  - c) Work Items
  - c) Daywork Schedule; and
  - d) Provisionalitems
  - e) Summary.

### 4. NOTES TO PREPARING PREAMBLES

- 4.1 The Preambles should include only those items that constitute the cost of the works but would not be priced separately as they are expected to be included in the unit prices. Care should be taken to ensure that these items are not are petition of the conditions of contract. The Preambles should indicate the inclusiveness of the unit prices and should state the methods of measurement that have been adopted in the preparation of the Bill of Quantities, that are to be used for the measurement of any part of the Works. The units of measurement and abbreviations should be defined and any mandatory national units defined and described. The methods of and procedure for re- measurement should be described in the Preambles.
- 42 Units of Measurement The following units of measurement and abbreviations shall be used, unless other national units are mandatory in Kenya.

Unit	Abbreviation	Unit	Abbreviation
cubic meter	m³ or cu m	millimetre	mm
hectare	ha	month	mon
hour	h	number	nr
kilogram	kg	square meter	$m^2 or sq m$
lump sum	ls	square millimeter	mm <sup>2</sup> or sq mm
meter	m	week	wk
metric ton	t		

- The Bills of Quantities shall be read in conjunction with the Instructions to Tenders, General and Special Conditions of Contract, Technical Specifications, and Drawings.
- 44. The quantities given in the Bills of Quantities are estimated and partly provisional and are given to provide a common basis for tendering. The basis of payment will be the actual quantities of work ordered and carried out, as measured by the Contractor and verified by the Architect and valued at the rates and prices tender in the priced

Bills of Quantities, where applicable, and otherwise at such rates and prices as the Architect may fix within the terms of the Contract.

- 45. The rates and prices tender in the priced Bills of Quantities shall, except in so far as it is otherwise provided under the Contract, include all Constructional Plant, labour, supervision, materials, erection, maintenance, insurance, profit, taxes, and duties, together with all general risks, liabilities, and obligations set out or implied in the Contract.
- 46. Arate or price shall be entered against each item in the priced Bill of Quantities, whether quantities are stated or not. The cost of Items against which the Contractor has failed to enter a rate or price shall be deemed to be covered by other rates and prices entered in the Bill of Quantities.
- 4.7. The whole cost of complying with the provisions of the Contract shall be included in the Items provided in the priced Bills of Quantities, and where no Items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related Items of Work.
- 48. General directions and descriptions of work and materials are not necessarily repeated nor summarized in the Bills of Quantities. References to the relevant sections of the Contract documents shall be made before entering prices against each item in the priced Bills of Quantities.
- 49 Provisional Sums and contingency sums included and so designated in the Bills of Quantities shall be expended in whole or in part at the direction and discretion of the Architect in accordance with Sub-Clause 13.5 and Clause 13.6 of the General Conditions of contract.
- In preparing the Bills of Quantities, notes should be removed as they are intended to guide the person preparing the Tender Documents. The Contractor must allow in his rates for any costs associated with and complying with the requirements in the Preambles.
- 4.11 Should a tenderer/contractor not price any item in any section of the Bills of Quantities including Preliminary items, it will be assumed that he/she has spread its cost in other areas that he/she will have priced. Therefore, the itemor items will be executed without any additional costs or without being treated like variations.

### 5. NOTES ON PREPARING BILLS OF QUANTITIES

- 5.1 The <u>Preliminary Items</u> should be limited to tangible items that should be priced by the tenderer, are identifiable and can be priced separately and included in the interim valuations precisely. Such items may include such items as site office, notice boards, and other temporary works, otherwise items such as security for the Works which are primarily part of the Contractor's obligations should be included in the Contractor's rates.
- The work items in the Bills of Quantities should be grouped into sections to distinguish between those parts of the Works which by nature, location, access, timing, or any other special characteristics may give rise to different methods of construction, or phasing of the Works, or considerations of cost. Such groups could be ground excavations, structures, external works, services, etc. General items common to all parts of the Works may be grouped as a separate section in the Bill of Quantities.
- Quantities should be computed net from the Drawings, unless directed otherwise in the Contract, and no allowance should be made for bulking, shrinkage or waste. Quantities should be rounded upwhere appropriate.
- Where the measured items a redeemed not to be exact because of the likelihood that the scope can change during the execution of the works, such items could be subject to re-measurement, the word "provisional" should be used to identify such cases. Where whole sections of the work items fall in this class, for example foundations, they should be labelled "Provisional Quantities" or "Provisional Items" so that the Tenderer/Contractor is advised up front that such items are subject to re-measurement to done before such work is cover-up.
- All items that have not been measured and therefore not subject tot enders pricing should be listed in the Bills of Quantities as **Provisional Sums** for particular item or class of Work, which may be subject to a nominated subcontract or separate measurements at a later date during the execution of the works. For example, if it is deemed not possible to measure electrical works before going to tender because detail designs are not ready, a provisional sum can be allowed in the Bills of Quantities for "Installation of Electrical Works" to be executed later when actual design details are completed. To the extent not covered above, there should be in the Bills of Quantities a general provision for physical and financial contingencies made as a "Provisional Sum for

- Contingencies" and "Provisional Sum for Fluctuations". The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises.
- 5.6 Provisional sums to cover specialized works normally carried out by Nominated Sub Contractors should be avoided and instead Bills of Quantities of the specialized Works should be included as a section of the main Bills of Quantities to be priced by the Main Contractor. The Main Contractor should be required to indicate the name(s) of the specialized firms he proposes to engage to carry out the specialized Works as his approved domestic sub-contractors. Only provisional sums to cover specialized Works by statutory authorities should be included in the Bills of Quantities.
- 5.7 A Daywork Schedule should be included if the probability of unforeseen work, outside the items included in the Bill of Quantities, is relatively high. To facilitate checking by the Procuring Entity of the realism of rates quoted by the tenderers, the Daywork Schedule should normally comprise:
  - i) A list of the various classes of labor, and materials for which basic.
  - ii) Daywork rates and prices for various categories of labor are to be inserted by the tenderer, together with a statement of the conditions under which the Contractor will be paid for Work executed on a Daywork basis.
  - iii) A percent a get o be entered by the tenderer agains teach basic Day work item.
  - iv) Subtotal amount for labor, materials and plant representing the Contractor's profit, overheads, supervision and other charges.
- The Summary should contain a tabulation of the separate parts of the Bills of Quantities carried forward, with provisional sums for Daywork, Provisional sums and Contingencies, and provision for Total Costing. The last line should allow for tenderer to indicate any discounts before arriving at a total cost carried forward to the Form of Tender.

### **BILLS OF QUANTITIES**

### (a) Preambles

1.	The method of measurement of completed work for payment shall be in accordance with [insert the name of a
	standard reference guide, or full details of the methods to be used].

2.	The Site is situated in (provide full description	where the site is situated, coordinates from the	nearest known
	landmark like a town and its size)	It is approximately	Kilometers from
	Nairobi. Access to the site shall be through		

Which is an existing public road. Any damage caused to the surfaces of this road shall be made good at the Contractor's expense. The Contractor shall visit the site and acquaint itself with its nature and position, the nature of the ground, substrata and other local conditions, positions of existing power, water and other services, access roads or any other limitations that might affect his cost or progress. No claim for extras shall be considered on account of lack of knowledge in this respect.

- 3. The Contractor shall obtain the Architect's approval on the siting of all temporary buildings, spoil heaps, temporary access path, and storage of materials. The Contractor shall also obtain the Architect approval and direction regarding the use of any materials found on the Site.
- 4. The drawings used in the preparation of these Bills of Quantities can be inspected at the offices of the Procuring Entityor Procuring Entity's Representative during normal working hours. Two sets of the Working Drawings shall be provided to the contractor but additional copies shall be provided at a cost to be determined by the Engineer.
- 5. The Contractor shall allow for the payment of all bank charges in connection with the procurement of Bank Guarantees and stamp charges in connection with this contract Agreement.
- 6. The Contractor shall carry out the various sections of the Works in such an order as the Architect May direct. The Procuring Entity reserves the right to occupy the Works by sections on completion provided that such occupation is considered to be both practical and reasonable and will not interfere with the Works. The Contractor shall allow any costs associated with such occupation.
- 7. The main Contractor will be fully responsible for paying his Sub-Contractor but the Procuring Entity reserves the right in very exceptional circumstances to make such payments direct in the interests of the project where the completion thereof might be jeopardized by any dispute or vicariousness between the Contractor and the Sub-Contractor involve.
- 8. The Contractor shall complete and deliver the Works in the period inserted in the Form of Tender as his time for completion of the Works from the date for Possession, to be agreed with the Engineer. The Contract Period is presumed to have been calculated making due allowance for seasonal inclement weather conditions. Noclaimfor extension of time due to the normal in clement weather for this area shall be entertained.
- 9. The Contractor shall, upon receiving instructions to proceed with the Works, draw up a Programme and Progress Chart setting out the order in which the Works are to be carried out, with the appropriate dates there of. This Chart shall be agreed with the Architect and no deviation from the order set out in it will be permitted without the written consent of the Engineer. The Contractor will be responsible for arranging the above programme with all his sub-Contractors and Specialties. The Contractor shall allow in his rates for carrying out this exercise, and for updating it as required.
- 10. The Contractor shall submit to the Architect on the first day of each week or such longer period as the Architect from time to time direct, a Progress Report and any information for the proceeding period, showing the progress during the period and the up-to-date cumulative progresson all important items of each section or portion of the Works.
- 11. The Contractor shall arrange for photographs of the Site to be taken by a professional photographer approved by the Engineer. The Photographs shall provide a record of the Site and adjacent are as prior to the commencement of the Works and shall cover such portion of the works in progress and completion as the Architect shall direct. All prints shall be full plate size, unmounted, and marked on the reverse side with the date of exposure, identification reference and brief description. The copyright of all photographs shall be vested in the Procuring Entity. The negatives and four prints from each negative shall be delivered to the Architect within two weeks of exposure.

- 12. Figured dimensions are to be followed in preference to dimensions scaled from the Drawings, but whenever possible dimensions are to be taken on the Site or from the buildings. Before any work is commenced by Sub-Contractors or Specialist Firms, dimensions must be checked on the site comparable dimensions shown on the drawings. The Contractor shall be responsible for the accuracy of such dimensions.
- 13. Prior to commencement of any work the Contractor is to ascertain from the relevant Authorities the exact position, depth and level of all existing electric cables, waterpipes or other services in the are and he shall make whatever provisions may be required by the Authorities concerned for the support and protection of such services. Any damage or disturbance caused to any services shall be reported immediately to the Architect and the relevant Authority and shall be made good to their satisfaction at the Contractor's expense. Where appropriate the Contractor shall open up the ground in advance of the main work by hand digging if necessary, to locate precisely the position and details of the services which are likely to affect his operations.
- 14. The Contractor shall include in his prices for the transport of materials, workmen, etc./, to and from the site of the proposed works, at such hours and by such route as are permitted by the Authorities.
- 15. The Contractor will be required to make good, at his own expense and damage he may cause to the present road surface and pavements within or beyond the boundary of the Site, during the period of the works. All existing paths, storm water channels, etc., that may be destroyed or damaged during the progress of the Works shall be reinstated by the Contractor to the satisfaction of the Engineer.
- 16. The Contractor is to allow for complying with all instructions and regulations of the Police Authorities.
- 17. All water shall be fresh, clean and pure, free from earthly, vegetable or organic matter, acid or alkaline substance in solution. The Contractor shall provide at his own risk and cost all water for use in connection with the Works, (including works of sub–contractors). If need be, he shall make arrangements with the Local Water Authority for the installation of a separate meter for all water used by him throughout the Contract and pay all cost and fees in connection therewith. He shall also provide temporary storage tanks and tubing, etc., as may be necessary, and clear away at completion.
- 18. The Contractor shall provide all artificial lighting and power for his own use on the Works, (including Sub Contractor's) including all temporary connections, wiring, fittings, etc., and clearing away on completion. The Contractor shall pay all fees and obtain all permits in connection there with.
- 19. The Contractor shall constantly keep on the Works a Literate English-speaking Agent or Representative, competent and experienced in the kind of work involved, who shall given is whole time to the superintendence of the works. (Including works of sub contractors). Such Agent or Representative shall receive on behalf of the Contractordirections and instruction from the Engineer, and such directions and instructions shall be deemed to be given to the contractor in accordance with the Conditions of Contract. The Agent shall not be replaced without the specific approval of the Engineer.
- 20. The Contractor shall ensure that the safety of his work people and all authorized visitors to the site are protected at all times. In particular, there shall be the proper provision of guard–rails to scaffolding, protection against falling materials, tools on site, dust, nail and other sharp objects. The site shall be kept tidy and clear of dangerous rubbish. The Architect shall be empowered to suspend work on site should it be considered this condition is not being observed and no claim arising from such suspension will be allowed.
- 21. The are as available to the Contractor for workyards, offices and other facilities shall be directed by the Architect and any existing features to remain shall be protected from damage throughout the Contract Period and handed back in good condition when they are vacated at the end of the Contract. If additional areas are required, the contractorshallsourcethenatowncost.
- 22. The Contractor shall give the Architect reasonable notice of the intention to set out or take levels for any part of the Works so that arrangements may be made for checking the work. The accuracy of setting out and leveling shall be within the tolerances specified in the Specifications or on the Drawings. The checking of setting out or leveling by the Architect shall not relieve the Contractor of his duties or responsibilities under the Contract.
- 23. The Contractor must take steps necessary to safe guard and shall beheld fully responsible for any damage caused to existing and adjacent property, including buildings that are not a subject of demolition. He shall make good at his own cost damage to persons and property caused there on, and he shall indemnify the Procuring Entity against any loss or claim that may arise.

- 24. The Contractor shall take such steps and exercise such care and diligence as to minimize nuisance arising from dust, noise or any other cause to the occupiers of the existing and adjacent property. He must provide such temporary and special screens and tarpaulins or gummy bags, hoarding, barriers, warning signs etc. as he considers necessary and sufficient for the protection of the existing and adjacent property and or prevention of nuisance etc. as directed by Engineer.
- 25. The Contractors attention is drawn to the standards levy order which was amended on 15<sup>th</sup>October 1998.Legal notice No.154 of 1998. The Contractor is required to pay a monthly level of 0.2% of his factory price of construction works with effect from January 1999. Tenderer shall allow for this in the build-upo f his rates.
- 26. The Contractor shall provide temporary sheds, offices meshrooms, sanitary, accommodation and other temporary buildings for the use of the contractor and sub-contractors, including lighting furniture equipment and attendance.
- 27. Contractor shall provide/build labor camp sat areas to be agreed with the Engineer. Labor camps shall be complete with sanitary accommodation and fencing gates.
- 28. The Contractor must provide the necessary toilet facilities to the requirement and satisfaction of the Health Authorities and maintain the same in a thoroughly clean and sanitary condition and pay all conservancy fees during the period of the Works and remove when no longer required.
- 29. The Contractor shall provide at his own risk and cost all watching and lighting as necessary to safeguard the Works, Plant and materials against damage and theft.
- 30. The Contractor shall provide all necessary hoists, tackle, plant, equipment, vehicles, tools and appliances of every description for the due and satisfactory completion of the Works and shall remove the same on completion. All such plant, tools and equipment shall comply with all regulations in force throughout the period of the Contract and shall be altered or adopted during the Contract period as may be necessary to comply with any amendments in or additions to such regulations.
- 31. Provide, erect and maintain all necessary scaffolding, sufficiently strong and efficient for the due performance of the works, including Sub-Contract Works, provide special scaffolding as required by Sub-Contractors, alter and adopt all scaffolding as and when required during the Works, and remove on completion. No scaffolding is measured here in after and the Contractor must allow in his rates for this.
- 32. The Contractor shall take all necessary precautions such as temporaryf encing, hoarding fans, planked footways, guard–rails gantries screen, etc., for the safe custody of the Works, materials and public protection and adjacent properties.
- 33. Cover up all and protect from damage, including damage from in clement weather, all finished work and unfixed materials, including that of Sub-Contractors, etc., to the satisfaction of the Architect until the completion of the Contract.
- 34. The Contractor shall, after completion of the works, at his own expense, remove and clear away all surplus excavated demolition materials, plant, rubbish and unused materials and shall leave the whole of the Site and Works in a clean and tidy state to the satisfaction of the Engineer, sheds, camps, etc. Particular care shall be taken toleavecleanallfloors and windows and tore move all paint and cement all rubbis hand dirt as it accumulates. The Contractor is to find his own dump and shall pay all charges in connection there with.
- 35. Concrete test cubes shall be prepared in a set of three, as described including testing fees, labor and materials, making molds, transport, handling, etc. Allow in your rates for making at least four cubes on each occasion, from different batches; the concrete being taken from the point of deposit.
- 36. The Contractors hall furnish at the earliest possible opportunity before work commences, and at his own cost, any samples of materials and workmanship that may be called for by the Architect for the approval or rejection, and any further samples in the case of rejection, until such samples are approved by the Engineer. Such samples, when approved, shall be the minimum standard for the work to which they apply. The proceduref or submitting samples of materials for testing or approval and the method of marking for identification shall be as laid down by the Engineer. The Contractor shall allow in his Tender for such samples and tests, including those in connection with his Sub-Contractors work.
- 37. The Contractors attention is drawn to the Finance Bill of the year 2000/2001 on withholding tax on contractual

payment section 35(7)(i)(ii) which became effective on 1<sup>st</sup> July 2000. A 3% withholding tax will be applicable to all in terim payments exceeding Kshs.................................. for work done in respect of building or civil works. The contractor shall allow for any costs arising resulting there from in the build-up of rates.

- 38. Blasting will only be allowed with the express permission of the Architect in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost, in accordance with any Government regulations in force for the time being, and any special regulations laid down by the Architect governing the use and storage of explosives.
- 39. The National Construction Authority is a state corporation established under the national construction authority Act No.14 of 2011. The broad Mandate of the Authority is to over see the construction industry and coordinate its development. The National Construction Authority Regulations 2014 with an effective date of 6<sup>th</sup> June 2014, regulation 25, Allow 0.5% of the tender sum/contract sum for construction levy.
- 40. The Contractor attention is drawn to Finance Bill of 1993 where VAT was introduced in all contracts for construction services. The tenderer is also drawn to VAT Act Cap 476 clause 19(9). The tenderer must allow for VAT 1.19 as instructed else where.
- 41. The contractor shall allow and pay for all insurance to cover risks and indemnities required Items 17 and 18 of the Conditions of contract and also specified in the Special Conditions of Contract.

# **BILL NO. 1 - PRELIMINARY ITEMS**

	DESCRIPTION	AMOUNT
ITEM No.		
No. 1.	The Contractor shall provide, or erect and maintain an approved lock-up office for the sole use of the Architect and his own site staff. The office, which will have a total floor area of not less thansquare metres, will be divided into two separate interconnected offices. Services to be provided shall include a telephone, water sanitary and electrical supply and drainage. The offices shall be supplied with furniture and equipment that shall include:  4 No. desks with chairs; 1 No. large table with sufficient number of chairs; drawing table along the full length of one side with plan drawers and drawing stools: 4 No. waste paper baskets: sufficient number of pin boards: and any additional furniture and fittings as may reasonably be required during the Contract period. The Contractor shall provide the Architect and site staff with computer sets or laptops, printers and telephones all that are necessary for project use.  The office furniture and equipment shall all be to the approval of the Engineer. The Contractor shall also provide all labor, equipment and consumable stores equipment throughout the currency of the contract.	
2	[OPTIONAL] Contractor shall provide a house for Engineers site agent, which shall be one bedroomed temporary house with a sitting room, toilet, bathroom and a kitchen complete with electrical and sanitary installations and provide maintenance and paying of bills of water and electricity up to and including end of the contract period.	
3	Provide a signboard not less than square meters in size of a design type, and with lettering and coloring and in a position approved by the Engineer. The signboard shall be for the display of the Main Contractor's name and the names of all his Sub-Contractors, with the Procuring Entity's name painted thereon. All Consultants names be printed in letters not exceeding 50 mm high. No other signboard or advertising shall be allowed. The signboard shall be fully maintained during the Contract Period and shall be pulled down and removed at the end of the contract.	
4	Add others (if any)	
5		
6		
	TOTAL CARRIED TO GRAND SUMMARY	

# **BILL NO. 2: WORK ITEMS**

(organized appropriately into work sections, such as foundations, walls/structure, finishes, doors and windows, mechanical installations. etc.

Bill No 2 - (Name of Section e.g. Foundations).

Item no.	Description	Unit	Quantity	Rate	Amount
Cotol f	Bill No. 2 (carried forward to Su				

Bill No. 3: Schedule of Daywork Rates - Labor

Item no.	Description	Unit	Nominal quantity	Rate	Amount
	Subtotal				
	Allow percent <sup>a</sup> of Subtotal for Contractor's overhead, profit, etc., in accordance with paragraph 3 (b) above.				
	Total for Daywork (carried forward to Dayw	ork Sumr	nary, p)		

a. To be entered by the Tenderer.

**Bill No. 4: Schedule of Daywork Rates - Materials** 

Item no.	Description	Unit	Nominal quantity	Rate	Extended amount
	0.11				
	Subtotal				
	Allow percent a. of Subtotal for Contra				
	profit, etc., in accordance with paragraph 4 (b) above.				
	Total for Daywork: Materials (carried forward to Daywork Summary, p.				

a. To be entered by the Tenderer.

Bill No. 5: Schedule of Daywork Rates - Contractor's Equipment

Item no.	Description	Nominal quantity (hours)	Basic hourly rental rate	Extended amount
	Allow _ percent a of Subtotal for			
	Contractor's overhead, profit, etc., in			
	accordance with paragraph 5 above.			
Total for	Daywork: Contractor's Equipment (carried for	ward to Daywork S	ummary, p )	

a. To be entered by the Tenderer.

# **Bill No. 6: Daywork Summary**

	Amount <sup>a</sup>	% Foreign	Currency
1. Total for Daywork: Labor			
2. Total for Daywork: Materials			
3. Total for Daywork: Contractor's Equipment			
Total for Daywork (Provisional Sum) (carried forward to			
Summary of Bills of Quantities, p)			

# **Bill No. 7: Provisional Sums**

Bill no.	Item no.	Description	Amount
1			
2			
3			
4			
etc.			
Total for Specified Provisional Sums (carried forward to Grand Summary			

# **GRAND SUMMARY**

SUMMARY ITEMS	Page	Amount
Bill No. 1: Preliminary Items		
Bill No. 2: Work Items		
Bill No 3: Daywork Summary		
Bill No 4: Provisional Sums		
Subtotal of Bills No 1-4		
Allow for any Discounts i		
TOTAL TENDER PRICE Carried forward to Form of Tender		

(i) If a percentage used, it should be indicated on which Bill No. items but on Bill No.4 – Provisional Sums.

#### **SECTION VI - SPECIFICATIONS**

Notes for preparing Specifications

- 1. Specifications must be drafted to present a clear and precise statement of the required standards of materials, and workmanshipfor tenderers to respond realistically and competitively to the requirements of the Procuring Entity and ensure responsiveness of tenders. The Specifications should require that all materials, plant, and other supplies to be permanently incorporated in the Works be new, unused, of the most recent or current models, and incorporating all recent improvements in design and materials unless provided otherwise in the Contract. Where the Contractor is responsible for the design of any part of the permanent Works, the extent of his obligations must be stated.
- 2. Specifications from previous similar projects are useful and may not be necessary to re-write specifications for every Works Contract.
- 3. There are considerable advantages in standardizing **General Specifications** for repetitive Works in recognized public sectors, such as high ways, urban housing, irrigation and water supply. The General Specifications should cover all classes of workmanship, materials and equipment commonly involved in constructions, although not necessarily to be used in a particular works contract. Deletions or addenda should then adapt the General Specifications to the particular Works.
- 4. Caremust be taken in drafting Specifications to ensure they are not restrictive. In the Specifications of standards for materials, plant and workmanship, existing Kenya Standards should be used as much as possible, otherwise recognized international standards may also be used.
- 5. The Procuring Entity should decide whether technical solutions to specified parts of the Works are to be permitted. Alternatives are appropriate in cases where obvious (and potentially less costly) alternatives are possible to the technical solutions indicated in tender documents for certain elements of the Works, taking into consideration the comparative specialized advantage of potential tenderers.
- 6. The Procuring Entity should provide a description of the selected parts of the Works with appropriate reference to Drawings, Specifications, Bills of Quantities, and Design or Performance criteria, stating that the alternative solutions shall be at least structurally and functionally equivalent to the basic design parameters and Specifications.
- 7. Such alternative solutions shall be accompanied by all information necessary for a complete evaluation by the Procuring Entity, including drawings, design calculations, technical specifications, breakdown of prices, proposed construction methodology, and other relevant details. Technical alternatives permitted in this manner shall be considered by the Procuring Entity each on its own merits and independently of whether the tenderer has priced the item as described in the Procuring Entity's design included with the tender documents.

# **Specifications**

### PART 1 BUILDERS AND CIVIL WORKS

### GENERAL SPECIFICATION OF MATERIALS AND WORKMANSHIP

The following apply to all sections hereafter.

### A. Generally

All material shall be new unless otherwise directed or permitted by the Architect and, in all cases where the quality of goods or materials is not described or otherwise specified, is to be the best quality obtained in the ordinary meaning of the word 'best' and not merely a trade signification of the word.

All materials and workmanship shall, unless otherwise specified or described, conform to the appropriate British Standard Institution Specification or other authoritative standard ensuring equal or higher quality current at the time of tender and in accordance with the requirements of local statutory authorities.

The Contractor shall order materials to be obtained from overseas immediately after the contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that such materials are on Site when required for use in the Works.

The Contractor shall be responsible for and shall replace or make good at his own expense any materials lost or damaged.

The Works throughout shall be executed by skilled workmen well versed in their respective trades.

# B. Rejected Workmanship and Materials

Any workmanship or materials not complying with the specific requirements or approved samples or which have been damaged, contaminate or have deteriorated must immediately be removed from the Site and replaced at the Contractor's expense, as required.

# C. Proprietary Materials

Where proprietary materials are specified hereinafter the Contractor may propose the use of materials of other manufacture but of equal or higher quality for approval by the Architect.

All materials and goods, where specified to be obtained from a particular manufacturer or supplier are to be used and fixed strictly in accordance with their instruction.

# **EXCAVATIONS AND EARTHWORKS**

### A. Examine the Site

The Contractor is assumed to have examined the Site carefully and ascertained for himself its nature and the kind of materials to be excavated.

### B. Excavations

Excavations shall be to the width and depths indicated on the drawings or to such lesser or greater depths as the Architect may deem necessary and so instruct the contractor in order to obtain satisfactory foundations.

Any difference in the quantity of work actually executed under such instructions and that provided in the Bills of Quantities shall be measured and valued by the Surveyor as a Variation under the relevant conditions of Contract.

If, however, the Contractor excavates any greater depths or widths than as shown on the Drawings or directed, then the Contractor shall, at his on expense, satisfactorily fill in such extra depths or widths with concrete similar to that described for foundations.

All top soil required for 're-use' in the Works shall be carefully removed and stored without contamination from underlying materials or deleterious matter. Any surplus excavated materials whether suitable or otherwise shall be removed from the Site to a tip provided by the Contractor unless otherwise directed by the Architect. Any suitable excavated materials required for the Works but removed from the Site to suit the Contractor's operational procedure shall be replaced at no extra cost from the Contractor's own resources. Such replacement shall be of suitable and approved materials sanctioned by the Architect.

Excavations shall not be opened up so as to undermine or endanger adjoining structures, or completed work.

In the event that slips, falls or settlement of the adjacent ground occur the Contractor shall at his own cost re-excavate to firm ground and make good the excess excavation by filling up with concrete similar to that described for foundations and make good any damage to adjoining structures, all to the Architect's approval.

### C. Bottoms of Excavations to receive foundations

The Contractor shall report to the Architect when secure bottoms to the excavations have been obtained. Any concrete or other work executed before the excavation have been inspected and approved shall, if so directed, be removed and new works substituted after the excavations have been approved, all at the Contractor's expense. No placing of blinding concrete or any other work shall commence without the Architect's written approval of the excavations.

The surface of the bottoms to excavations to receive foundations shall be leveled and graded to fall as required. Any pockets, cavities or fissures becoming evident shall be filled by the Contractor at his expense with concrete class 10/40. After placing of blinding concrete where required, no trimming of sides shall be allowed for the next 24 hours.

### D. Sides of Excavations

Sides of excavations shall be maintained vertical by means approved by the Architect. Unless shown otherwise or approved by the Architect the sides of excavations shall not be battered. The Contractor shall take steps to avoid damage to existing structures by shoring the sides of excavations, trenches, pits, etc., and by providing timbering, sheets, piles or other supports.

Specifications

Excavation & Earthworks

### A. Rocks

Excavation in rock shall <u>exclude</u> all material which can be removed by hand and does not necessarily require the use of compressors or other mechanical equipment although the Contractor may use such equipment to loosen the material for ease of its removal. All top soils, black cotton and other clay soils, murram, stone and other fill and all similar materials will NOT be classified as rock.

Rock has been measured hereafter as extra over excavations for excavating in soft or hard rock.

Soft rock shall be deemed to mean any material which cannot reasonably be removed without the use of mechanical plant such as rippers, compressors, traxcavators, but which does not require drilling, wedging or blasting. Local tuffs, magadi highly consolidated laterite, weathered lavas, boulders or outcrops of harder rock not exceeding one cubic meter in volume, Nairobi building stone and similar material shall be classified as soft rock.

Hard rock shall be classified as material which is massive and geologically homogeneous and which requires the use of drilling, wedging or blasting for its removal such as blacktrap and similar material.

The Architect's decision shall be final with regard to the classification of excavated materials.

# B. Starting Level

Unless otherwise described the starting level of all excavations has been measured from the level remaining after complete of reduced level excavation. However, the Contractor's prices should include for carrying out the excavation work in any alternative sequence that he may require.

# C. Blasting

No blasting will be permitted without the prior approval of Local Authorities and the Architect.

#### D. Carting away

All surplus excavated materials where so directed and all rubbish are to be removed from the Site and the Contractor is to find his own dump and shall pay all charges.

#### E. Borrow Pits

No borrow pits will be allowed to be opened on the site.

# F. Trenches for Pipes

In areas of filling, trenches for pipes shall be dug after the fill has been fully compacted and approved by the Architect. Any unsuitable materials in trench inverts shall be removed and replaced by approved bedding or filter materials, thoroughly compacted. Sides of excavations shall be so supported that any disturbances to the bedding below shall be to the minimum.

# G. Minimum Pipe Trench Widths

Excavation for pipe trenches shall be carried out to give a minimum clear width of 150mm on either side of the pipe or to the extent of bedding and haunching material where specified. Additional excavation for providing working space for making pipe joints shall be carried out.

Specifications Excavations & Earthworks

# A. Maximum Pipe Trench Widths

Trench widths shall be as specified above. Should the trench widths exceed the values tabulated below the excess width shall be made up using concrete class 10/40 up to the level of the crown of the pipe at Contractor's expense.

Nominated internal	Maximum trench		
Pipe diameter (mm)	width (mm)		
100	550		
150	600		
225	700		
300	800		
375	1000		
450	1000		
525	1200		
600	1200		

# B. <u>Earthworks to be kept Free of water</u>

Any water shed on to earthworks including excavations for pipe trenches, pits, foundations or cutting or complete formation during the construction from any source shall be rapidly dispensed by baling, pumping or by discharging into the permanent outfall.

The Contractor shall provide adequate means of trapping silt on temporary systems discharging into permanent drainage system. The Contractor shall provide all means of keeping the excavations free from water.

### C. Filling obtained from the excavations

Filling obtained from surplus excavated materials will only be incorporated if suitable material arises and is to be free from all weeds, roots, vegetable soil or other unstable materials and is to be filled in layers each of not more than 225mm finished thickness. Each layer to be well wetted and consolidated as described hereafter.

# D. <u>Hardcore filling</u>

Hardcore for filling under floors, etc., shall be good hard, dry stone, coral, broken concrete blocks or bricks, ballast, quarry waste or other hard materials to the approval of the Architect broken to pass to greater than 150mm ring or to be 75% of the finished thickness of the layers being compacted,

whichever is lesser. Hardcore shall be free from all weeds, roots, vegetable soil, clay, black cotton soil, rubbish, wood, harmful chemical substances and any other deleterious matter.

It shall be well graded with smaller stones and fine materials to give a dense compact mass after consolidation. Sufficient fine materials shall be added to each layer to give gradation of material as necessary to obtain a solid compact mass after rolling. Hardcore filling is to be laid in layers each of a consolidated thickness not exceeding 225mm. Each layer shall be compacted by at least 8 passes of a 10-tonne smooth-wheeled roller or a 2-tonne vibrating roller until all movement ceases. Sufficient water is to be added to obtain maximum compaction to the Architect's approval. To each layer a 25mm thick layer of sand complying with the specification for the aggregate for concrete shall be spread over the surface and forced into the hardcore by the use of a vibrating roller weighing not less than 2 tonnes; this operation should be carried out when the materials are dry and repeated whilst the sand is well watered. Should all the sand be absorbed the Architect may require a further layer to be applied and the process repeated.

# Hardcore filling (cont'd)

The top surface of the hardcore shall be levelled or graded to falls as rolled required, and shall then be blinded with a layer of similar materials broken to 25mm gauge and surface rolled with a 10-tonne smooth-wheeled roller. The surface so obtained shall be to the Architect's approval.

# A. Fill near Concrete Structures

Any fill material used within 500mm of Concrete Structure or cement bond materials shall have a soluble sulphate content not exceeding 2.5g per litre when treated in accordance with Test 10 of B.S. 1377, unless special precautions to the approval of the Architect are taken to protect the concrete or cement or bond materials.

### B. Materials found in Excavations

No sand, aggregate, murram or other material found in the excavations is to be used in the Works without the written permission of the Architect.

# C. Rates for Excavations

The rates for excavation, including excavation in rock, MUST INCLUDE for trimming, levelling and preparing bottoms and al faces to receive concrete, etc., and for any extra excavation required for planking and strutting.

Prices shall include for excavating in any material encountered unless specifically otherwise described, handling, etc., of extra bulk after excavating, or before consolidating, any extra excavation required for formwork or planking and strutting, circular work, grubbing up any old drains, roots, etc., that may be encountered for trimming sides and levelling and ramming bottoms, forming steppings and trimming excavations or filling to embankments and batters as required.

In his price for the item "Allow for keeping the whole of the excavations free from water" the Contractor shall allow and make provision for keeping the whole of the Works thoroughly drained and clear of water below the lowest level of any part of them so long as may be required and, if considered necessary by the Architect, continuously day and night by petrol or hand pumps or other mechanical appliances, pipes, chutes, dams, manholes, sumps, diversion or any other means necessary for that purpose. Water pumped from the trenches shall not be allowed to run down the road channels but shall be conveyed to the nearest surface water sewer, ditch or river through troughs, chutes or pipes.

# D. Rates for Disposal

Rates for disposal of excavated material are to include for the selection of spoil as it arises and for all double handling and re-excavation from spoil heaps not specifically ordered by the Architect.

# E. Polythene Sheeting

Polythene sheeting shall be 1000 gauge. Joints in sheeting shall be folded with 150mm fold and taped at 300mm intervals with 50mm wide black plastic adhesive tape. The sheeting shall not be stretched but shall be laid loose with sufficient wrinkles to permit shrinkage up to 15%.

# A. Cutting Down Trees

The Contractor must consult the Architect before cutting down or pruning any trees or shrubs encountered on the Site.

# B. Anti-Termite Treatment

Chemical anti-termite treatment to surfaces of hardcore or excavation shall be executed by Insecta Ltd. or other equal and approved and such treatment shall carry a ten-year written guarantee.

#### **CONCRETE WORK**

#### **GENERAL**

# A. Engineer

For the purpose of the reinforced concrete in building works the Structural Engineer shall be deemed vested with the powers and be the representative of the Architect.

# B. <u>Code of practice</u>

All workmanship, materials, tests and performance in connection with the reinforced concrete work shall be in conformity with the latest edition of the British Standard Cord of Practice BD 8110, or appropriate Kenya Standard.

# C. <u>Supervision</u>

All competent person approved by the Engineer shall be employed by the Contractor whose duty will be to supervise all stages in the preparation and placing of the concrete. All cubes shall be made and site tests carried out under his direct supervision, in consultation with the Engineer.

# D. Contractor's plant, equipment and construction procedures

Not less than 30 days prior to the installation of the Contractor's plant and equipment for processing, handling, transporting, storing and proportioning ingredient, and for mixing, transporting and placing concrete, the Contractor shall submit drawings for approval by the Engineer, showing proposed general plant arrangement, together with a general description of the equipment he proposes to use.

After completion of installation, the operation of the plant and equipment shall be subject be to the approval of the Engineer.

Where the specification or the drawings require specific procedures to be followed, such requirements are not to be construed as prohibiting use by the Contractor of alternative procedures if it can be demonstrated to the satisfaction of the Engineer that equal results will be obtained by the use of such alternatives.

Approval of plant and equipment or their operation, or of any construction procedure, shall not operate to waive or modify any provision or requirements contained in the specification governing the quality of the materials of the finished work.

# E. Levels and foundations

The foundations of the works shall be carried down to depths as may be directed by the Engineer and they must be cut as nearly to the size of the concrete as possible and the vacant spaces between the concrete and temporary timbering shall be removed but should any timber be left in or should any other work be done beyond that specified, it will be the Contractor's own cost.

#### A Tolerances

On all setting out dimension of six meters and over a maximum non-accumulative tolerance of plus or minus 6mm will be allowed. On all setting out dimensions under six meters a maximum non-accumulative tolerance of plus or minus 3mm will be allowed. On the cross sectional dimensions of structural members, unless otherwise required by the drawings, a maximum tolerance of plus or minus 3mm will be permitted. The top surface of concrete floor slabs and beams shall be within 6mm of the normal level and line shown on the Drawings. Columns shall be truly plumb, and not more than 6mm out of plumb in their full height will be permitted. The Contractor shall be responsible for the cost of all corrective measures required by the Engineer to rectify work which is not constructed within the tolerances set out above.

### A. <u>Materials generally</u>

All materials which have been damaged, contaminated or have deteriorated or do not comply in any way with the requirements of the specification shall be rejected and shall be removed immediately from the site at the Contractor's own expense. No materials shall be stored or stacked on suspended floors without the Engineer's prior approval.

# B. Samples and testing

Every facility shall be provided to enable the Engineer to obtain samples and carry out tests on the materials and construction. If these show that any of materials or construction do not comply with the requirements of these preambles, the Contractor will be responsible for the costs of the tests and the replacement of defective materials and/or construction.

### C. Cement

Cement unless otherwise specified shall be Portland cement of a brand approved by the Engineer and shall comply with the requirements of B.S. 12 with the exception that it may contain reactive volcanic ash of not more than 10% of the total weight and the quantity of insoluble residue permitted in B.S. 12 may be exceeded on this account only. Manufacturer's Certificate of Test in accordance with B.S. 12 shall be supplied for each consignment delivered to the site. Should the Contractor require to use cement of the rapid hardening variety, he shall obtain the approval of the Engineer and also obtain any instructions regarding cost modifications to the preambles caused thereby. Any additional cost that may be caused by the use of rapid hardening cement shall be at the Contractor's expense.

Cement may be delivered to the site either in bags or in bulk.

If delivered in bags each bag shall be properly sealed and marked with the manufacturer's name and on the site cement is to be stored in a weatherproof shed of adequate dimensions with a raised floor. An air space shall be allowed between the floor and the bottom layer of bags. Each consignment shall be kept separate and marked so that it may be used in the sequence in which it is received. Any bag found to contain cement which has partly set, shall be completely discarded and not used in the works. Bags shall not be stored more than 1.500m in height.

If delivered in bulk the cement shall be stored in a weather-proof silo either provided by the cement supplier or by the Contractor but in either case the silo shall be to the approval of the Engineer. Each consignment of cement shall be brought to the site in sufficient time to allow tests to be carried out before the cement is to be used in the works.

### D. Aggregates

Aggregates shall conform to the requirements of B.S. 882 and the sources and types of all aggregates are to be approved in all respects by the Engineer before work commences.

The grading of aggregates shall be one within the limits set out in B.S. 822 and as later specified and the grading, once approved shall be adhered to throughout the works and not varied without the approval of the Engineer. Fine aggregate shall be clean, coarse, siliceous sand of good, sharp, hard quality and shall be free from lumps or stone, earth, loam, dust, salt, organic matter and any other deleterious substances. It shall be graded within the limits of Zone 1 and 2 of Table of B.S. 882. Coarse aggregates shall be good, hard, clean, approved black trap or similar stone, free from dust, decomposed stone, clay, earthy matter, foreign substances for friable thin, elongated or laminated pieces. It shall be graded within the limits of Table 1 of B.S. 882 for its respective normal size.

# Aggregates (cont'd)

If in the opinion of the Engineer the aggregate meets the above requirements but is dirty or adulterated in any manner it shall be screened and/or washed with clean water at the Contractor's expenses.

Aggregates shall be delivered to the site in their prescribed sizes or grading and shall be stock-piled on paved areas or boarded platforms in separate units to avoid intermixing. On no account shall aggregates be stock-piled on the ground.

# A. <u>Testing of aggregates</u>

The Engineer shall be entitled to require a certificate from an approved testing laboratory in connection with each source of fine and coarse aggregates showing that materials comply with the specification. All such testing shall be carried out at the Contractor's expense.

# B. Samples

Samples of materials shall be submitted as soon as possible after the contract is let. No deliveries in bulk shall be made until the samples are approved by the Engineer. All condemned materials shall be removed from the site within 24 hours. Every facility shall be provided to enable the Engineer to obtain samples and carry out tests on the materials for construction. If these tests show that any of the materials do not comply with the requirements of this specification, the Contractor will be responsible for the costs or construction of the tests and the replacement of defective materials and/or construction.

# C. Water

The water for mixing concrete shall be and from an approved source, clean, fresh and free from harmful matter and comply with the requirements of B.S. 3148.

# D. <u>Expansion joint</u>

Expansion joint filler shall be an approved brand laid in accordance with the manufacturer's printed instructions.

# E. Joint sealer

Sealant shall be an approved brand applied in accordance with the manufacturer's printed instructions and the price shall include for temporary battens or fillets and afterward withdrawing to form grooves as necessary.

The sealant shall be applied by gun and where more than 12mm deep shall include filling with loose packing yarn to within 2mm from outer face.

### **CONCRETE WORK**

### A Concrete strength

Grade '35', '30', '25' and '20' concrete shall have the minimum characteristic strength as given by works cube tests shown below:

Minimum Crushing Strength				
Age	Grade 35	Grade 30	Grade 25	Grade 20
7 days	24.0N/mm <sup>2</sup>	20.0N/mm <sup>2</sup>	17.0N/mm <sup>2</sup>	14.0N/mm <sup>2</sup>
28 days	35.0N/mm <sup>2</sup>	30.0N/mm <sup>2</sup>	25.0N/mm <sup>2</sup>	20.0N/mm <sup>2</sup>

The average strength obtained from cube tests shall be 10% higher than the minimum strength shown above.

Grades lower than those given shall be of minimal mixes and may be measured by volume or weight. No tests will be required for these grades.

Nominal mix by volume	1:3:6	1:4:8
Cubic metres of fine aggregates per 50kg bag of cement	0.12	0.13
Cubic metres of coarse aggregates per 50kg bag of	0.24	0.32

# B. <u>Measured proportions of concrete</u>

### a. Cement

The quantity of cement shall be measured by weight. Where delivered in bags, each batch of concrete is to use one or more whole bags of cement.

### b. Aggregates

- i. For grades '35', '30', '25' and '20' concrete, aggregates may be measured by weight or by volume. Where by volume, approved gauge boxes of such size as will give the correct proportions shall be used.
- ii. For lower grade concrete, aggregates may be measured by weight or by volume. Where by volume, approved gauge boxes gauge boxes of such size as will give the correct proportions shall be used.

# C. Weigh batching machine

Weigh batching machines shall be of an approved type and shall be properly maintained and checked for accuracy at regular intervals.

# A Concrete designed mixes

The weights of fine and coarse aggregate to be used in concrete grades "35", "30", "25", "20" shall be limited in accordance with the table below. The proportion of fine to coarse aggregates and cement which the Contractor proposes to use for each of the designed mixes specified shall first be approved by the Engineer. The Contractor shall then be required to prepare preliminary test cubes and have these cubes tested as described for works cubes tests. The test results shall be submitted to the Engineer in sufficient time for further tests to be carried out should they prove unsatisfactory. Cube strengths in the preliminary tests must show crushing strengths at least 35% higher than the strengths specified for works cubes tests. If the Contractor is unable to produce specified cube strengths, he will be required at his own cost to increase the cement content of designed mix until satisfactory results are produced.

The Engineer may require at any time during the contract the proportions of fine to coarse aggregates to be altered in order to produce a mix of greater strengthen or improve workability and providing that the total proportions of aggregate to cement remain unchanged, no claim for additional cost will be considered.

<u>Mix</u>	Grade 35	Grade 30	Grade 25	Grade 20
Minimum cement content by weight to combined total weight of aggregates	1 to 5	1 to 6	1 to 7	1 to 8

# B Waterproof concrete

Where water proof concrete is specified, an approved compound is to be added to the mixing water strictly in accordance with the manufacturer's instructions and at the rate of 500cc and 125cc respectively to each 50kg bag of cement to which the aggregates have already been added and mixed. Not more than 22 to 25 litres of water per 50kg bag of cement are to be used unless otherwise approved by the Engineer.

# C. Materials

Waterbar shall be PVC as manufactured by an approved manufacturer and shall be provided in the positions indicated on the drawings.

Joints shall be heat welded in accordance with the manufacturer's instructions and where the waterbar is to be fixed vertically, metal clips as manufactured by the supplier of the waterbar or of other approved design shall be provided to suspend the waterbar from the reinforcement.

Where waterproof concrete is used the Contractor shall adhere strictly to the position and type of construction joints as detailed on the drawings. Any deviation from this procedure or the provision of additional construction joints will require the prior approval of the Engineer and any additional waterbar so required will be at the Contractor's expense.

#### Materials (cont'd)

Formwork shall be designed with sufficient timber formers and blocking pieces to support the waterbar and to ensure that it is not displaced during concreting. In the case of horizontal joints in vertical walling and similar members the formwork shall be so constructed as to permit the starter or upstand of concrete surrounding the lower half of the waterbar to be poured in the same operation as the slab or other concrete from which it springs. Formwork to walls or similar members where waterbar is positioned at the base of the lift shall be sufficient openings not less than 300mm square at approximately 150mm to 300mm above the level of the waterbar to permit checking that the waterbar is correctly positioned and not displaced during concreting.

### A. Sealocrete supercoat waterproofer

Where specified "Sealocrete Supercoat Waterproofer" shall be applied to concrete or blockwork surface strictly in accordance with the manufacturer's instructions. The surface must be well wire-brushed to remove dirt, efflorescent, adhering mortar and all foreign matter. It shall then be cleaned with fresh water. When absolutely dry generous coat of Sealocrete Supercoat Waterproofer shall be applied by brush or spray gun. Surfaces so treated shall be protected from damage or staining as described elsewhere.

### B. Works cube tests

Works cubes are to be made at intervals as required by the Engineer and the Contractor shall provide a continuous record of the concrete work. The cubes shall be made in an approved 150mm moulds in strict accordance with the Code of Practice.

Three cubes shall be made on each occasion, from different batches, the concrete being taken from the point of deposit.

Each cube shall be marked with a distinguishing number and date, and a record shall be kept on site giving the following:

- a. Cube number.
- b. Date made
- c. Location in work.

d. 7-day Test- Date: Strength: e. 28-days Test Date: Strength:

Cubes shall be forwarded, carriage paid, to an approved testing authority, in time to be tested; two at 7 days and one at 28 days. No cube shall be dispatched within 3 days of casting. Copies of all Works Cube Test results shall be forwarded to the Engineer and one shall be retained on the site.

If the strengths required above are not attained and maintained throughout the carrying out of the contract, the Contractor will be required to increase the proportion of cement and/or substitute better aggregates so as to give concrete which does comply with the requirements of the contract. The Contractor may be required to remove and replace at his own cost any concrete which fails to attain the required strength as ascertained by Works Cube Tests.

The Contractor must allow in his rates for concrete test cubes for all expenses in connection with the preparation and conveyance to the testing laboratory and testing of test cubes and no claim in respect of his failure to do so will be entertained.

#### A. <u>Mixing and placing of concrete</u>

The concrete shall be mixed only in approved power driven mixers of a type and capacity suitable for the work, and in any event not smaller than 0.5/0.33m<sup>3</sup> capacity.

The mixer shall be equipped with an accurate water measuring device. All materials shall be thoroughly mixed dry before the water is added and the mixing of each batch shall continue for a period of not less than two minutes after the water has been added and until there is a uniform distribution of the materials and the mass is uniform in colour.

The entire contents of the mixed drum shall be discharged before recharging. The volume of mixed materials shall not exceed the rated capacity of the mixer. Whenever the mixer is started, 10% extra cement shall be added to the first batch and no extra payment will be made on this account. As a check on concrete consistency, slump tests may be carried out and shall be in accordance with B.5. 1881.

The Contractor shall provide the necessary apparatus and allow for the costs of such tests. The slump of the concrete made with the specified water content, using dry materials, shall be determined and the water to be added under wet conditions shall be so reduced as to give approximately the same slump.

All concrete shall be mixed as near to the place where it is required as practicable, and only as much as is required for a specified section of the work shall be mixed at one time, such section being commenced and finished in one operation without delay.

All concrete must be efficiently handled and used in the works within twenty (20) minutes of mixing. It shall be discharged from the mixer directly either into receptacles or barrows and shall be distributed by approved means which do not cause separation or otherwise impair the quality of the concrete. Approved mechanical means of handling will be encouraged, but the use of chutes for placing concrete is subject to the prior approval of the Engineer.

Concrete shall be placed from a height not exceeding 1.35m directly into its permanent position and shall not be worked along the shutters to that position. Unless otherwise approved, concrete shall be placed in a single operation to the full thickness of slabs, beams and similar members, and shall be placed uniformly in horizontal layers not exceeding 1350mm deep in walls and similar members and not exceeding 300mm deep in other members. The surface of the work shall be kept generally horizontal.

When the cement content of a mix exceeds 400kg/m³ the minimum dimension of concrete to be placed in a single pour shall not exceed 600mm.

Should the Contractor wish to place concrete by pumping or pneumatic means he shall submit his proposal for the Engineer's approval. He shall not commence operations until such approval has been obtained.

No fresh concrete shall be placed against previously placed concrete which has been in position of more than 30 minutes or where the initial set has taken place.

### Mixing and placing of concrete (cont'd)

Concrete in columns may be placed to a height of 4.00m with careful placing and vibration and satisfactory results. Where the height of the column exceeds 4.00m suitable openings must be left in the

shutters so that this maximum lift is not exceeded. Concrete shall be placed continuously until completion of the pat of the work between construction joints as specified hereinafter or of a part approved extent. At the completion of a specified or approved part, a construction joint in the form and in the position hereinafter specified shall be made. If stopping of concreting be unavoidable elsewhere, a construction joint shall be made where the work is stopped. A record of all such joints must be made by the Contractor and a copy supplied to the Engineer.

Any accumulation of set concrete on the reinforcement shall be removed by wire brushing before further concrete is placed.

The Contractor shall provide runways for concreting to the satisfaction of the Engineer. Under no circumstances will the runaways be allowed to rest on the reinforcement.

Care shall be taken that the concrete is not disturbed or subjected to vibrations and shocks during the setting period.

Mixing machines, platforms and barrows shall be cleansed before commencing mixing and to be cleansed on every cessation of work.

Where concrete is laid on hardcore or other absorbent materials the base shall be suitable and sufficiently wetted before the concrete is deposited.

### A. Compaction

At all times during which concrete is being placed, the Contractor shall provide adequate, trained and experienced labour to ensure that the concrete is compacted in the forms to the satisfaction of the Engineer. Concrete shall not be placed at a rate greater than will permit satisfactory compaction or to a depth greater than 450mm before it is compacted.

During and immediately after placing, the concrete shall be thoroughly compacted by means of continuous tamping, spading, slicing and vibration. Vibration is required for concrete of grades 35, 30, 25 and 20.

Care shall be taken to fill every part of the forms to work the concrete under and around the reinforcement without displacing it and to avoid disturbing recently placed concrete which has begun to set.

Any water accumulating on the surface of newly placed concrete shall be removed and no further concrete shall be placed thereon until such water is removed.

Internal vibrators shall be inserted vertically into the concrete whenever possible at not more than 500mm centres and shall constantly be moved from place to place. No internal vibrator shall be permitted to remain in any one position for more than ten seconds and it shall be withdrawn very slowly from the concrete.

# Compaction (cont'd)

In consolidating each layer of concrete the vibrating head shall be allowed to penetrate and re-vibrate the concrete in the upper portion of the underlying layer. In the area where newly placed concrete in each layer joins previously placed concrete, more than usual vibration shall be performed, the vibrator penetrating deeply at close intervals along these contacts. Layers of concrete shall not be placed until layers previously placed have been vibrated thoroughly as specified.

Vibrators shall not be used to move concrete from place to place in the formwork.

At least one internal vibrator shall be operated for every two cubic metres of concrete placed per hour and at least one spare vibrator shall be maintained on site in case of breakdown during concreting operations.

External vibrators shall be of a frequency not less than 7,000 cycles per minute and shall have a rotating eccentric weight of at least 0.75kg. Such vibrators shall visibly affect the concrete within a radius of 350mm.

External formwork vibrators shall be of the high frequency low amplitude type applied with the principal direction of vibration in the horizontal plane. They shall be attached directly to the forms at not more than 1.20m centres.

In addition to internal and external vibration the upper surface of suspended floor slabs shall be leveled with a tamping or vibrating screen prior to finishing. Vibrating elements shall be of the low frequency high amplitude type operating at a speed of not less than 3,000 r.p.m.

### A. Construction joints

Construction joints shall be permitted only at the positions predetermined on the drawings or as instructed on the site by the Engineer. In general they shall be perpendicular to the line of principal stresses and shall be located at points of minimum shear, namely vertically at, or near, mid-spans of slabs, ribs and beams. Suspended concrete slabs are generally to be cast using alternate bay method. Bays are to be cast within a minimum period of 48 hours of each other. The joints between adjacent bays are to be in positions agreed with the Engineer.

Under no circumstances shall concrete be allowed to tail-off, but it shall be deposited against stopping- off boards.

Before placing new concrete against concrete already hardened, the face of the old concrete shall be thoroughly hacked, roughened and cleansed, and laitance and loose materials removed therefrom, and immediately before placing the new concrete the surface shall be saturated with water and covered with a coat of mortar at least 25mm in thickness composed of cement and fine aggregate in the proportions used in the concrete.

### B. Curing and protection

Care must be taken that no concrete is allowed to become prematurely dry and the fresh concrete must be carefully protected within two hours of placing from rain, sun and wind by means of hessian sacking, polythene sheeting, or other approved means. This protective layer and the concrete itself must be kept continuously wet for at least seven days after the concrete has been placed. The Contractor must allow for the complete coverage of all fresh concrete for a period of 7 days. hessian or polythene sheeting shall be in the maximum widths obtained and shall be secured against wind. The Contractor will not be permitted to use old cement bags, hessian or other materials in small pieces.

# Curing and protection

Concrete in foundations and other underground work shall be protected from admixture with falling earth during and after placing. Traffic or loading must not be allowed on the concrete until the concrete is sufficiently matured, and in no case shall traffic or loading be of such magnitude as to cause deflection or other movement in the formwork or damage to the concrete members. Where directed by the Engineer props may be required to be left in position under slabs and other members for greater periods than those specified hereafter.

# A. <u>Faulty concrete</u>

Any concrete which fails to comply with these preambles, or which shows signs of setting before it is placed shall be taken out and removed from the site. Where concrete is found to be detective after it has set, the concrete shall be cut out and replaced in accordance with the Engineer's instructions. On no account shall any faulty, honeycombed, or otherwise defective concrete be repaired or patched until the Engineer has made an inspection and issued instructions for the repair. The whole of the cost, whatsoever, which may be occasioned by the end need to remove faulty concrete, shall be borne by the Contractor.

### B. Rod reinforcement

The steel reinforcement shall comply with the latest requirements of the following British Standards: Hot

rolled mild steel for the reinforcement of concrete	BS 4449
Hot rolled high yield steel for the reinforcement of concrete	BS 4449
Cold worked high yield steel for the reinforcement of concrete	BS 4461
Hard drawn steel wire	BS 4482

The Contractor shall submit a test certificate of the rollings. Reinforcement shall be stored on racks above ground level. All reinforcement shall be free from loose mill scale, rust, grease, paint or other substances likely to reduce the bond between the steel and concrete.

# C. <u>Fabric reinforcement</u>

Fabric reinforcement shall be electrically cross welded steel wire mesh to BS 4483, and of the size and weight specified.

# D. Fixing reinforcement

Reinforcement shall be accurately bent to the shapes and dimensions shown on the drawings and schedules and in accordance with BS 4466. Reinforcement must be cut and bent cold and no welded joints will be permitted unless so detailed.

Reinforcement shall be accurately placed in position as shown on the drawings, and, before and during concreting, shall be secured against displacement by using No. 18.5.W.G. annealed binding wire or suitable clips at intersections, and shall be supported by concrete or metal supports, spacers or metal hangers to ensure the correct position and cover.

No concreting shall be commenced until the Engineer has inspected the reinforcement in position and until his approval has been obtained. The Contractor shall give two clear day's notice of his intention to concrete to the Engineer.

### Fixing reinforcement (cont'd.)

The Contractor is responsible for maintaining the reinforcement in its correct position, according to the drawings, before and during concreting. During concreting a competent steel fixer must be in attendance on the concreters to adjust and correct the positions of any reinforcement which may be displaced. The vibrators are not to come into contact with the reinforcement. Irrespective of whether any inspection and/or approval of the fixing of the reinforcement has been carried out as above, it shall be the Contractor's sole responsibility to ensure that the reinforcement complies with the details on the drawings or bending schedules and is fixed exactly in the positions shown therein and, in the positions, to give the prescribed cover.

The Contractor will be held entirely responsible for any failing or defect in any portion of the reinforced concrete structure and including any consequent delay, claims, or third-party claims, where it is shown that the reinforcement has been incorrectly positioned or is incorrect in size or quantity with respect to the detailed drawings or bending schedules.

Spacer blocks of approved size and shape made of concrete similar to that used in the surrounding construction and fixed to the reinforcement or formwork by No. 18.5.W.G. wires set into the spacer blocks or other approved means shall be provided where necessary to ensure that the requisite cover is obtained. The Contractor is to include for providing sufficient such spacer blocks in his prices for steel reinforcement. where such supplier has been nominated. Where composite blocks or other forms of rib construction are used, spacer blocks are be provided as shown on the drawings. These will generally consist of concrete blocks as described above made to fit the width of the rib less 3mm tolerance and with single or double grooves depending on the number of reinforcement bars used per rib in the top surface with wire ties at each groove. Unless otherwise directed the concrete cover to rod reinforcement over main bars in any face shall be:

Foundations against earth face 75mm
Foundations against blinding 50mm
Columns 40mm
Beams 25mm
Slabs 15mm
Walls 25mm

### A. Fixing fabric reinforcement

The fabric shall be free from mill scale, rust, grease or other substance likely to reduce the bond between the steel and the concrete and shall be laid with minimum 300mm laps and bound with No. 18 S.W.G. annealed iron wire.

Where reinforcement projects from a concrete section of the structure and this reinforcement is expected to remain exposed for sometime, it is to be coated with a cement grout to prevent rust staining on the finished concrete. This grout is to be brushed off the reinforcement prior to the continuation of concreting finished concrete

#### A. Fixtures and indentations in concrete

No openings, chase, holes or other voids shall be formed in the concrete without the prior approval of the Engineer. Details of any fixtures to be permanently built into the concrete including the positions of all conduits 25mm and over in diameter shall be submitted to the Engineer for his approval before being placed.

# B. Chases, holes in concrete

The Contractor shall be responsible for the co-ordination with the electrical and other sub-contractors for incorporating electrical conduits, pipes, fixing blocks, chases, holes and the like in concrete members as required and must ensure that adequate notice is given to such Sub-Contractors informing them when concrete members incorporating the above are to be poured. The Contractor shall submit full details of these items to the Engineer for approval before the work is put in hand. All fixing in blocks, chases or holes to be left in the concrete shall be accurately set out and cast with the concrete.

# C. Formwork

The method and system of formwork which the Contractor proposes to use shall be approved by the Engineer before construction commences. Formwork shall be substantially and rigidly constructed of timber or steel or precast concrete or other approved material.

All timber for formwork shall be good, sound, clean, sawn, well-seasoned timber, free from warps and loose knots and of scantling sufficiently strong for their purpose.

### D. Construction of formwork

All formwork shall be of sufficient thickness and with joints close enough to prevent undue leakage of liquid from the concrete and fixed to proper alignment, level and plump and supported on sufficiently strong bearers, shores, braces, or plates, properly held together by bolts or other fastening to prevent displacement vibration or movement by the weight of materials, men and plant on the same and must be so wedged and clamped as to permit easy removal of the formwork without jarring the concrete. Where formwork is supported on previously constructed portion of the reinforced concrete structural frame, the Contractor shall by consultation with the Engineer ensure that the supporting concrete structure is capable of carrying the load and/or sufficiently propped from lower floors or portions of the frame to permit the load to be temporarily carried during construction.

Soffits shall be erected with an upward camber of 10mm for each 4.000m of horizontal span or as directed by the Engineer.

Great care shall be taken to make and maintain all joints in the formwork as tight as possible, to prevent the leakage of grout during vibration. All faulty joints shall be caulked to the Engineer's approval before concreting.

The formwork shall be sufficiently rigid to ensure that no distortion or bulging occurs under the effects of vibration. If at any time the formwork is insufficiently rigid or defective the Contractor shall strengthen or improve such formwork as the Engineer may direct.

#### Construction of formwork (cont'd)

The Contractor's attention is drawn to the various surface textures and applied finishes required and the faces of formwork next to the concrete must be of such material and construction and be sufficiently true to provide a concrete surface which will in each particular case permit the specified surface treatment or applied finish. All surfaces which will be in contact with concrete shall be oiled or greased to prevent adhesion of mortar. Oil or grease shall be of a non-staining mineral type applied as a thin film before the reinforcement is placed. Surplus moisture shall be removed from the forms prior to placing concrete.

Temporary openings shall be provided at the base of columns, wall and beam forms and at any other points where necessary to facilitate cleaning and inspection immediately before the pouring of concrete. Before the concrete is placed the shuttering shall be true-up and any water accumulated therein shall be removed. All sawdust, chips, nails and other debris shall be washed out or otherwise removed from within the formwork. The reinforcement shall then be inspected for accuracy of fixing. Immediately before placing the concrete the formwork shall be well wetted and inspection openings shall be closed. The erection, easing, striking and removing of all formwork must be done under the personal

supervision of a competent foreman, and any damage occurring through faulty formwork or its incorrect removal shall be made good by the Contractor at his own expenses.

After removal of formwork, all projections, fins, etc., on the concrete surface shall be chipped off, and made good to the requirements of the Engineer. Any voids or honeycombing shall be treated as described under "Faulty Concrete".

## A. Stripping formwork

All formwork shall be removed without undue vibration or shock and without damage to the concrete. No formwork shall be removed without the prior consent of the Engineer and the minimum period that shall elapse between the placing of the concrete and the striking of the formwork will be as follows: -

Beam sides, walls and columns (unloaded) 2 days

Slab soffits (props left under) 3 days Beam soffits (props left under) 7 days

Removal of props: (subject to 7 days concrete cube strength being satisfactory)

Slabs 10 days Beams 14 days

If the Contractor wishes to take advantages of the shorter stripping times permitted for beam and slab soffits when props are left in place, he must so design his formwork that sufficient props as agreed with the Engineer can remain in their original position without being moved in any way until expiry of the minimum time for removal of props. Stripping and re-propping will not be permitted.

The above times may be reduced in certain circumstances, at the discretion of the Engineer provided an approved method is adopted at the Contractor's expenses to ensure that the required concrete strength is attained before the forms are stripped.

Solid strips in composite floors shall be considered as beams. The tops of retaining walls shall be adequately supported with stout raking props at intervals required by the Engineer. These props are not to be removed earlier than 7 days after casting of the floor slab.

Specifications:

Concrete Works

#### SURFACE FINISHES

## A. Fair face finish

Where fair face finished is specified the concrete shall be brought to a perfectly true smooth and even surface by rubbing with carborundum stone dipped in cement grout. Such work must be commenced within one hour of removing the formwork and be actively and rapidly pursued until completed, the object being to complete the finish as soon as possible after the removal of the shuttering. On no account may such work be postponed to a later stage in the contract. Fair face surfaces shall be clean, smooth, even, true to form and free from all board marks, joint marks, honeycombing, pitting, etc. The Contractor is permitted at his own expense to provide smooth lining to the forms which will achieve the required finish without rubbing down. All rubbed down work must be lightly washed with plaincold water at the completion of the contract, and not before the cement grout used in the finish is at least four weeks old after initial mixing.

## B. Wrought lined formwork

The shuttering shall be constructed of wrought tongued and grooved boarding, plywood or blackboard lined with approved laminated plastic sheeting to produce a concrete surface with truly flat surface completely free from all air bubbles, joint marks, honeycomb and other pittances and blemishes to the approval of the Engineer.

Should the Contractor desire to use alternative materials, he should submit his proposals to the Engineer for approval.

Should the Contractor fail to obtain approval and the work is subsequently rejected, the Contractor will at his own expenses carry out all remedies necessary to attain the approval of the same.

# C. Tamped finish

Areas so specified shall be finished at the time of casting with a tamped finish to the Engineer's approval produced by an edge board. Board marks are to be made to a true pattern and will generally be at right angles to the traffic flow. Haphazard or diagonal tamping will not be accepted.

## D. <u>Board marked finish</u>

Where so directed or measured the finish shall be that of a board marked pattern in panels, the boards shall be arranged vertically or horizontally and of widths and sizes all as detailed on the drawings. All exposed concrete will be left unpainted and therefore every care and attention shall be paid to obtain a satisfactory visual appearance and the maintenance of the same throughout the building operation. The finished surfaces shall be free from blow holes, hungry patches and other blemishes, and a sample panel is to be provided and approved by the Engineer before work commences. Unless otherwise specified, the formwork shall be rip sawn softwood to the Engineer's approval and shall have a sufficiently strong grain to impart a corresponding pattern to the concrete surface. Unless otherwise approved it shall have four uses only and shall be carefully cleansed from adhering grout after each use. It shall be lightly oiled with an approved non-staining oil.

## A Chisel dressed finish

Where specified a chisel dressed finish is to be carried out on any grade of concrete but not until it is 30 days old. The surfaces are to be fully chisel dressed to remove a maximum of 12mm of the surface to expose the aggregate without excessive cracking or breaking thereon. Where the drawings show details of arises of columns, beams, etc., these are to be pre-formed with timber fillets set in the formwork and care must be taken in working up to those to preserve a clean line. For vertical surfaces of walls and columns, particular care must be taken to remove all sharp projects. For beam soffits this requirement is not necessary.

All chisel dressed surfaces are to have the margin chisel dressed by hand for a minimum width of 75mm commencing from the fillet edge. Thereafter mechanical chisel dressing may be used but the Contractor must ensure that a uniform texture and even plane surface is achieved. The use of pointed steel tools for both hand and mechanical chisel dressing is essential. Upon completion the surfaces are to be thoroughly wire brushed and washed down and protected during the course of construction from damage, dirt, cement grout, etc.

### B. Precast Concrete

Unless otherwise approved by the Engineer, all precast concrete construction shall be carried out on the site and shall conform to requirements given elsewhere in these preambles.

The compacting of precast concrete shall conform with requirements given elsewhere in these preambles except for thin slabs where use of immersion type vibrators is not practicable. The concrete in these slabs may be consolidated on a vibrating table or by any other methods approved by the Engineer.

Steam curing of precast concrete will be permitted. The procedure for steam curing shall be subject to the approval of the Engineer. The precast work shall be made under cover and shall remain under the same for seven days. During this period and for a further seven days the concrete shall be shielded by sacking or other approved material and kept constantly wet. It shall then be stacked in the open for at least a further seven days to season before being set in position. Where steam curing is used these times may be reduced subject to the approval of the Engineer.

Precast concrete units shall be constructed in individual forms. The method of handling the precast concrete units after casting during curing and during transport and erection shall be subject to the approval of the Engineer, providing that such approval shall not relieve the Contractor of responsibility for damage to precast concrete units resulting from careless handling.

Repair of damage to the precast concrete units, except for minor abrasions of the edges which will not impair the installation and/or appearance of the units will not be permitted and the damage units shall be replaced by the Contractor at his own expense.

Except where precast work is described as "fair face" or as having an "exposed aggregate" or terrazzo finish the moulds shall be made of suitable strong sawn timber true in form to the shapes required. Unless otherwise described faces are to be rough from the sawn moulds.

#### Precast concrete (cont'd)

Where precast work is described as "fair face" the moulds are to be made of metal or are to have metal or plywood linings or are to be other approved moulds which will produce a smooth dense fair face to the finished concrete suitable to receive a painted finish directly and free from all shutter marks, holes pittances, etc. In his prices for such precast work the Contractor shall include for all rubbing down to produce the finish required, to the satisfaction and approval of the Engineer. Where precast work is to have an "exposed aggregate" or terrazzo finish the moulds shall be constructed to the requirements given for moulds for "finished fair" work. The method of achieving the exposed aggregate finish shall be the "aggregate transfer" or other approved methods.

The precast units shall be installed true to the lines, grades and dimensions shown on the drawings or as directed by the Engineer.

# A. Composite floor slabs

Concrete hollow blocks for use in the composite floor slabs are to be of the sizes required as shown on the drawings and with 25mm wall thickness and are to be of adequate strength to support the concrete during placing and consolidation by vibration. Blocks are to be manufactured in accordance with the procedures specified in B.S. 2028 and to be of a mix not weaker than 1:4:8 cement: stone using maximum 10mm size aggregate.

Concrete blocks are to be cured for at least 28 days before use on the site. During the first seven days of curing, blocks are to be kept permanently damp and protected from exposure to sun and wind.

Concrete blocks are to be well wetted before the pouring of concrete.

Hollow clay filler blocks for use in the composite floor slabs are to be of the sizes shown on the drawings and to be of adequate strength to support the concrete during placing and consolidation by vibration. They shall be obtained from an approved manufacturer. Any clay blocks subsequently delivered to site which in the opinion of the Engineer are not of equal standard to the approved samples shall be rejected. Rejected block shall immediately be removed from the site and shall not be used in the works. Clay blocks are to be fully cured before delivery or use on site.

Clay blocks are to be well wetted before the pouring of concrete.

## B <u>Composite floor construction</u>

The hollow block floor construction is generally to be as shown on the Engineer's drawings.

Care shall be taken in placing blocks to ensure that they are set out in accordance with the details shown on the drawing and that they run truly in line without encroaching on the width of the insitu ribs.

The open ends of hollow blocks, if adjacent to concrete to be placed insitu, are to be plugged or stopped to prevent the concrete from flowing into the void and the Contractor is to include for this in his prices. The Contractor should note that tiles are not to be used in the soffit of ribs and he is to take this into consideration in pricing the items of formwork to the soffit of hollow block floor construction.

## Composite floor construction (cont'd)

Before concreting is carried out the blocks are to be thoroughly wetted.

Care should be taken during concreting that the width of ribs between the rows of blocks and the solid insitu concrete shown on the drawings adjacent to supporting beams is not encroached upon by the blocks.

It is essential that the concrete toppings be poured at the same time as the ribs between hollow blocks. Reinforcement shall be positioned accurately with required cover in accordance with the drawings and using the particular spacing blocks with wire ties as previously described. Spacer blocks shall be provided in ribs at not more than 1.20m centres.

Care must be taken during concreting that the reinforcement is not displaced.

Where holes for services occur the necessary holes or pockets shall be accommodated by the replacing of a hollow block by insitu concrete or the widening of a rib all in accordance with the Engineer's instructions.

Prices for such holes through hollow blocks construction are to include for the re-arrangement or substitution of the hollow blocks with solid concrete in addition to the actual formation of the holes.

#### A. Concrete surface beds

Concrete for surface beds shall be grade 20 or higher.

Before placing concrete and where specified or shown on the drawings a layer of 1000-gauge polythene or diothern sheeting shall be laid on the base course. Minimum 300mm laps shall be provided at all joints.

The concrete shall be placed as soon as possible after being mixed. In transporting the concrete, adequate precautions shall be taken to avoid damage to the prepared base. The concrete shall be spread to such a thickness that when compacted it shall have the finished thickness as specified or shown on the drawings. A layer of concrete 50mm less than the finished thickness shall first be spread and struck off at the correct level to receive the top fabric reinforcement. The top layer shall then be added. Not more than 30 minutes shall elapse between spreading the bottom and the top layer. The Contractor shall be responsible for maintaining the reinforcement in its correct position during the placing and compaction of the concrete.

The compaction and finishing of the concrete shall be effected by immersion vibrators and a hand or mechanical tamper weighing not less than 10kg per metre run and having a tamping edge shod with a steel strip 75mm. wide fixed to the temper by countersunk screws. Immersion vibrator with "spade" attachments will be permitted. Compaction shall be continued until a dense scaled surface finish is achieved. Over-compaction causing an excessive amount of fines to be brought to the surface shall be avoided.

Specifications: Concrete Works

## Concrete surface beds (cont'd)

The surface of the concrete shall be finished to the surface texture specified true to the levels, falls and crossfalls as directed or shown on the drawings and shall be subject to the following tolerance:

The level shall be within + or – 6mm of the levels specified The

falls shall be within 10% of the falls specified.

The smoothness shall be such that departures from a 3.00m straight edge laid in any direction shall not exceed 3mm.

Minor irregularities shall be made good by the use of a steel float but in no circumstances shall mortar be used to make good surface. As soon as the surface has finished, it shall be protected against rapid drying by means of damp hessian polythene sheeting or other approved means placed carefully on the surface and kept damp and in position for 7 days and the concrete shall be kept wet for further 21 days.

The Contractor is to obtain the Engineer's approval for the material and method he proposes to use for curing and no concreting will be permitted until sufficient such material is on site.

Form shall not be removed from freshly placed concrete until it is at least 24 hours old. Care shall be taken that in their removal no damage is done to the concrete, but should any damage occur, the Contractor shall be responsible for making it good.

## A. Expansion joints in concrete surface beds

Expansion joints shall be positioned and constructed as shown on the drawings. The joints in the surface beds shall be absolutely square and true to line and position.

All joints in surface beds shall be formed to the patterns and shapes to coincide exactly with the joints in the surface finish or as otherwise indicated on the drawings. Formwork shall be manufactured from steel of heavy angle sections and be to the Engineer's approval. The Contractor shall submit drawings of the forms he intends to use and obtain the Engineer's approval before fabrication. Panels shall be poured in alternate bays or as agreed with the Engineer. No construction joints other than those indicated on the drawings shall be permitted.

### B. Notes concerning measurement and pricing

The Contractor shall allow for all costs incurred during the progress of the contract for complying with the provisions concerning the preparation and use of the specified grade mixes.

Prices for concrete shall include for mixing and depositing as described or indicated and for hoisting and depositing at the various levels required throughout the building, and shall also include for forming or hacking a satisfactory key for all faces receiving asphalt and plaster work. Prices for slabs shall also include for levelling off the surface as described under "Compaction," and all temporary formwork to form construction joints at bay edges.

Prices for reinforced concrete shall, in addition, include for filling into, between or on formwork, and thoroughly compacting between and around rods or fabric reinforcement and for forming all additional construction joints between varying mixes. Where described as vibrated, prices must include for fully vibrating as described.

Specifications: Concrete Works SPEC/103

#### Notes concerning measurement and pricing (cont'd)

Prices for formwork shall include for extra material at joints, extra labour and waste for narrow widths, small quantities, overlaps, passing at angles, straight cutting and water, splayed edges, notching, etc., and for fixing at the various levels including battens, struts, and supports and for bolting, welding, easing, striking and removal. Prices for linear items such as boxing shall include for angles and ends.

Prices for steel rod reinforcement shall include for cutting to lengths and all labour in bending and cranking, forming hooked ends, handling, hoisting and fixing in position and for providing all necessary tying wire and supports. Prices for fabric reinforcement shall include for all straight cutting and waste, handling, hoisting and fixing in position, providing all necessary tying wire and supports and all extra material in laps. Prices of all precast concrete shall include for all moulds, finishing as described, handling reinforcement, cement, hoisting and fixing to required levels, bedding, jointing and pointing in cement and sand, also for casting or cutting to the exact lengths required and any waste resulting from such cutting.

Prices for expansion joints shall include for cutting to size and all temporary supports, and prices for expansion joint sealers shall include for all temporary battens or fillets required to form the necessary grooves.

## A. Composite slabs

Prices for suspended hollow tile composite floor and roof slabs must be "all inclusive" to include for concrete hollow tiles insitu concrete ribs, concrete topping, and concrete filling to open ends of hollow concrete tiles.

Concrete in main beams shall be separately measured to the full width thereof and for full depth to top of slab level, and in composite slabs it shall be measured as net area between same. No adjustment will be made in these measurements for any projection of ribs reinforcement, etc., into main beams or flanges, to obtain bearings, which are deemed to be covered in the Contractor's rates.

Specifications:

Concrete Works

# **SECTION VII - DRAWINGS**

<u>Note</u> A list of drawings should be inserted here. The actual drawings including Site plans should be annexed in a separate booklet.



## **SECTION VIII - GENERAL CONDITIONS OF CONTRACT (GCC)**

[Name of Procuring Entity] KENYA MEDICAL RESEARCH INSTITUTE

[Name of Contract] PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL

AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL,

### NAIROBI COUNTY-PHASE I

W.P. ITEM NO. D108 NB/NB/2021 JOB NO. 10939A

[Architect Name and Address] CHIEF ARCHITECT, STATE DEPARTMENT FOR PUBLIC WORKS,

P.O. BOX 30743 – 00100, NAIROBI

#### **General Conditions of Contract**

\_\_\_\_\_\_

#### 1. GENERALPROVISIONS

#### 1.1 Definitions

In this Contract, except where context otherwise requires, the following terms shall be interpreted as indicated below. Words indicating persons or parties include corporations and other legal entities, except where the context requires otherwise.

- "Accepted Contract Amount" means the amount accepted in the Letter of Acceptance for the execution and completion of the Works and the remedying of any defects.
- "Base Date" means a date 30 day prior to the submission of tenders.
- "Bill of Quantities" means the priced and completed Bill of Quantities forming part of the tender.
- "Completion Date" meansthedateofcompletionoftheWorksascertifiedbytheEngineer.
- "Contract Price" means the price defined in the contract and there after as adjusted in accordance with the provisions of the Contract.
- "Contract" means the agreement entered into between the Procuring Entity and the Contractor as recorded in the Agreement Form and signed by the parties including all attachments and appendices thereto and all documents incorporated by reference therein to execute, complete, and maintain the Works.
- "Contractor's Documents" means the calculations, computer programs and other software, progress reports, drawings, manuals, models and other documents of a technical nature (if any) supplied by the Contractor under the Contract.
- "Contractor's Equipment" means all apparatus, machinery, vehicles and other things required for the execution and completion of the Works and the remedying of any defects. However, Contractor's Equipment excludes Temporary Works, Procuring Entity's Equipment (if any), Plant, Materials and any other things intended to form or forming part of the Permanent Works.
- "Contractor's Personnel" means the Contractor's Representative and all personnel whom the Contractor utilizes on Site, who may include the staff, labor and other employees of the Contractor and of each Subcontractor; and any other personnel assisting the Contractor in the execution of the Works.
- "Contractor's Representative" means the person named by the Contractor in the Contractor appointed from time to timeby the Contractor who acts on behalf of the Contractor.
- "Contractor" means the person(s) named as contractor in the Form of Tender accepted by the Procuring Entity.

- "Cost" means expenditure reasonably incurred (or to be incurred) by the Contractor, whether on or off the Site, including overhead and similar charges, but does not include profit.
- "Day" means a calendar day and "year" means 365 days.
- "Dayworks" means Work inputs subject to payment on a time basis for labour and the associated materials and plant.
- "Defect" means any part of the Works not completed in accordance with the Contract.
- "Defects Liability Certificate" means the certificate issued by Architect upon correction of defects by the Contractor.
- "Defects Liability Period" means the period named in the Special Conditions of Contract and calculated from the Completion Date, within which the contractor is liable for any defects that may develop in the handed over works.
- **"Defects Notification Period"** means the period for notifying defects in the Works oraSection(asthecasemaybe) under Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects], whichextendsoverthedaysstated intheSpecialConditionsofContract.
- "Drawings" means the drawings of the Works, as included in the Contract, and any additional and modified drawings issued by (or on behalf of) the Procuring Entity in accordance with the Contract.
- **"Final Payment Certificate"** means the payment certificate issued under Sub-Clause 14.13 [Issue of Final Payment Certificate].
- "Final Statement" means the statement defined in Sub-Clause 14.11 [ApplicationforFinalPaymentCertificate].
- "Force Majeure" is defined in Clause19 [Force Majeure].
- "Foreign Currency" means a currency of another country (not Kenya) in which part (or all) of the Contract Price is payable, but not the Local Currency.
- "Goods" means Contractor's Equipment, Materials, Plant and Temporary Works, or any of them as appropriate.
- "Interim Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment], other than the Final Payment Certificate.
- "Laws" means all national legislation, statutes, ordinances, and regulations and by-laws of any legally constituted public authority.
- "Letter of Acceptance" means the letter of formal acceptance of a tender, signed by Procuring Entity, including any annexed memoranda comprising agreements between and signed by both Parties.
- "Local Currency" means the currency of Kenya.
- "Materials" means things of all kinds (other than Plant) intended to form or forming part of the Permanent Works, including the supply-only materials (if any) to be supplied by the Contractor under the Contract.
- "Notice of Dissatisfaction" means the notice given by either Party to the other under Sub-Clause 20.3 indicating its dissatisfaction and intention to commence arbitration.
- "Special Conditions of Contract" means the pages completed by the Procuring Entity entitled Special Conditions of Contract which constitute Part A of the Special Conditions.
- "Party" means the Procuring Entity or the Contractor, as the context requires.
- "Payment Certificate" means a payment certificate issued under Clause 14 [Contract Price and Payment].
- "Performance Certificate" means the certificate issued under Sub-Clause 11.9 [Performance Certificate].
- "Performance Security" means the security (or securities, if any) under Sub-Clause 4.2 [Performance Security].
- "Permanent Works" means the permanent works to be executed by the Contractor under the Contract.

- **"Plant"** means the apparatus, machinery and other equipment intended to form or forming part of the Permanent Works, including vehicles purchased for the Procuring Entity and relating to the construction or operation of the Works.
- "Procuring Entity's Equipment" means the apparatus, machinery and vehicles (if any) made available by the

Procuring Entity for the use of the Contract or in the execution of the Works, as stated in the Specification; but does not include Plant which has not been taken over by the Procuring Entity.

- "Procuring Entity's Personnel" means the Engineer, the Engineer, the assistants and all other staff, labor and other employees of the Architect and of the Procuring Entity; and any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as Procuring Entity's Personnel.
- "Procuring Entity" means the Entity named in the Special Conditions of Contract.
- "Engineer" is the person named in the Appendix to Conditions of Contract (or any other competent person appointed by the Procuring Entity and notified to the Contractor, to act in replacement of the Engineer) who is responsible for supervising the execution of the Works and administering the Contract and shall be an "Architect" or a "Quantity Surveyor" registered under the Architects and Quantity Surveyors Act Cap 525 or an "Engineer" registered under Engineers Registration Act Cap 530.
- **"Engineer"** means the person appointed by the Procuring Entity to act as the Architect for the purposes of the Contract and named in the Special Conditions of Contract, or other person appointed from time to time by the Procuring Entity and notified to the Contractor
- **"Provisional Sum"** means a sum (if any) which is specified in the Contract as a provisional sum, for the execution of any part of the Works or for the supply of Plant, Materials or services under Sub-Clause 13.5 [Provisional Sums].
- "Retention Money" means the accumulated retention moneys which the Procuring Entity retains under Sub-Clause 14.3 [Application for Interim Payment Certificates] and pays under Sub-Clause 14.9 [Payment of Retention Money].
- "Schedules" means the document(s) entitled schedules, completed by the Contractor and submitted with the Form of Tender, as included in the Contract.
- "Section" means a part of the Works specified in the Special Conditions of Contract as a Section (if any)
- "Site Investigation Reports" are those reports that may be included in the tendering documents which a ref actual and interpretative about the surface and sub-surface condition sat the Site.
- "Site" means the places where the Permanent Works are to be executed, including storage and working areas, and to which Plant and Materials are to be delivered, and any other places as may be specified in the Contract as forming part of the Site.
- "Specification" means the document entitled specification, as included in the Contract, and any additions and modifications to the specification in accordance with the Contract. Such document specifies the Works.
- "Start Date" or "Commencement Date" is the latest date when the Contractor shall commence execution of the Works. It does not necessarily coincide with the Site possession date(s).
- "Statement" means a statement submitted by the Contractor as part of an application, under Clause 14 [Contract Price and Payment], for a payment certificate.
- "Subcontractor" means any person named in the Contract as a subcontractor, or any person appointed as a subcontractor, for a part of the Works.
- "Taking-Over Certificate" means a certificate issued under Clause 10 [Procuring Entity's Taking Over].
- "Temporary Works" means all temporary works of every kind (other than Contractor's Equipment) required on Site for the execution and completion of the Permanent Works and the remedying of any defects.
- "Temporary works" means works designed, constructed, installed, and removed by the Contractor which are needed for construction or installation of the Works.

"Tender" means the Form of Tender and all other documents which the Contractor submitted with the Form of Tender, as included in the Contract.

"Tests after Completion" means the tests (if any) which are specified in the Contract and which are carried out in

accordance with the Specification after the Works or a Section (as the case may be) are taken over by the Procuring Entity.

- "Testson Completion" means the tests which are specified in the Contractor agreed by both Parties or instructed as a Variation, and which are carried out under Clause 9 [Tests on Completion] before the Works or a Section (as the case may be) are taken over by the Procuring Entity.
- "Time for Completion" means the time for completing the Works or a Section (as the case may be) as stated in the Special Conditions of Contract (with any extension calculated from the Commencement Date.
- "Unforeseeable" means not reasonably foreseeable by an experienced contractor by the Base Date.
- "Variation" means any change to the Works, which is instructed or approved as a variation under Clause 13 [Variations and Adjustments].
- "Works" means the items the Procuring Entity requires the Contractor to undertake as defined in the Appendix to Conditions of Contract. "Works" may also mean the Permanent Works and the Temporary Works, or either of them as appropriate.

## 1.2 Interpretation

In the Contract, except where the context requires otherwise:

- a) Words indicating one gender include all genders;
- b) words indicating the singular also include the plural and words indicating the plural also include the singular;
- c) provisions including the word "agree", "agreed" or "agreement" require the agreement to be recorded in writing;
- d) "written" or "in writing" means hand-written, type-written, printed or electronically made, and resulting in a permanent record; and

The marginal words and other headings shall not be taken into consideration in the interpretation of these Conditions.

## 1.3 Communications

- 1.3.1 Wherever these Conditions provide for the giving or issuing of approvals, certificates, consents, determinations, notices, requests and discharges, these communications shall be:
  - a) In writing and delivered by hand (against receipt), sent by mail or courier, or transmitted using any of the agreed systems of electronic transmission as stated in the Special Conditions of Contract; and
  - b) delivered, sentor transmitted to the addressf or the recipient's communications as stated in the Special Conditions of Contract. However:
    - i) if the recipient gives notice of another address, communications shall thereafter be delivered accordingly; and
    - ii) if the recipient has not stated otherwise when requesting an approval or consent, it may be sent to the addressfromwhichtherequestwasissued.
- 1.32 Approvals, certificates, consents and determinations shall not be unreasonably withheld or delayed. When a certificate is issued to a Party, the certifier shall send a copy to the other Party. When a notice is issued to a Party, by the other Party or the Engineer, a copy shall be sent to the Architect or the other Party, as the case may be.

#### 1.4 Law and Language

- **1.4.1** The Contract shall be governed by the laws of **Kenya**.
- 1.4.2 The ruling language of the Contract shall be English.

## 1.5 Priority of Documents

The documents forming the Contract are to be taken as mutually explanatory of one another. For the purposes of interpretation, the priority of the documents shall be in accordance with the following sequence:

- a) The Contract Agreement,
- b) The Letter of Acceptance,
- c) The Special Conditions Part A,
- d) the Special Conditions Part B
- e) the General Conditions of Contract
- f) the Form of Tender,
- g) the Specifications and Bills of Quantities
- h) the Drawings, and
- i) the Schedules and any other documents forming part of the Contract.

If an ambiguity or discrepancy is found in the documents, the Architect shall issue any necessary clarification or instruction.

### 1.6 Contract Agreement

The Parties shall enter into a Contract Agreement within 14 days after the Contractor receives the Contract Agreement, unless the Special Conditions establish otherwise. The Contract Agreement shall be based upon the formannexed to the Special Conditions. The costs of stamp duties and similar charges (if any) imposed by law in connection with entry into the Contract Agreement shall be borne by the Procuring Entity.

### 1.7 Assignment

The Contractor shall not assign the whole or any part of the Contract or any benefit or interest in or under the Contract. However, the contractor:

- a) May as sign the whole or any part with the prior consent of the Procuring Entity, and
- b) may, as security in favor of a bank or financial institution, assign its right to moneys due, or to become due, under the Contract.

## 1.8 Care and Supply of Documents

- 1.8.1 The Specifications and Drawings shall be in the custody and care of the Procuring Entity. Unless otherwise stated in the Contract, two copies of the Contract and of each subsequent Drawings and Bills of Quantities shall be supplied to the Contractor, who may make or request further copies at the cost of the Contractor.
- 1.82 Each of the Contractor's Documents shall be in the custody and care of the Contractor, unless and until taken over bythe Procuring Entity. Unless otherwise stated in the Contract, the Contractor shall supply to the Architect two copies of each of the Contractor's Documents.
- 1.83 The Contractor shall keep, on the Site, a copy of the Contract, publications named in the Specification, the Contractor's Documents (if any), the Drawings and Variations and other communications given under the Contract. The Procuring Entity's Personnel shall have the right of access to all these documents at all reasonable times.
- 1.84 If a Party becomes aware of an error or defect in a document which was prepared for use in executing the Works, the Party shall promptly give notice to the other Party of such error or defect.

### 1.9 Timely provision of Drawings or Instructions

- 1.9.1 The Contractor shall give notice to the Architect whenever the Works are likely to be delayed or disrupted if any necessary drawing or instruction is not issued to the Contractor within a particular time, which shall be reasonable. The notice shall include details of the necessary drawing or instruction, details of why and by when it should be issued, and the nature and amount of the delay or disruption likely to be suffered if it is late.
- 1.92 If the Contractor suffers delay and/or incurs Cost as a result of a failure of the Architect to issue the notified drawing or instruction within a time which is reasonable and is specified in the notice with supporting details, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4

- b) payment of any other associated costs accrued, which shall be included in the Contract Price.
- 1.93 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 194 However, if and to the extent that the Architect failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, or costs accrued.

## 1.10 Procuring Entity's Use of Contractor's Documents

- 1.10.1 Asagreed between the Parties, the Contractor shall retain the copyright and other intellectual property rights in the Contractor's Documents and other design documents made by (or on behalf of) the Contractor.
- 1.10.2 The Contractor shall be deemed (by signing the Contract) to give to the Procuring Entity a non-terminable transferable non-exclusive royalty-free license to copy, use and communicate the Contractor's Documents, including making and using modifications of them. This license shall:
  - a) apply throughout the actual or intended working life (whichever is longer) of the relevant parts of the Works,
  - b) entitle any person in proper possession of the relevant part of the Works to copy, use and communicate the Contractor's Documents for the purposes of completing, operating, maintaining, altering, adjusting, repairing and demolishing the Works, and
  - c) in the case of Contractor's Documents which are in the form of computer programs and other software, permit their use on any computer on the Site and other places as envisaged by the Contract, including replacements of any computers supplied by the Contractor.
- 1.10.3 The Contractor's Documents and other design documents made by (or on behalf of) the Contractor shall not, without the Contractor's consent, be used, copied or communicated to a third party by (or on behalf of) the Procuring Entity or purposes other than those permitted under Sub-Clause 1.10.2.

#### 1.11 Contractor's Use of Procuring Entity's Documents

As agreed between the Parties, the Procuring Entity shall retain the copyright and other intellectual property rights in the Specification, the Drawings and other documents made by (or on behalf of) the Procuring Entity. The Contractor may, at his cost, copy, use, and obtain communication of these documents for the purposes of the Contract. They shall not, without the Procuring Entity's consent, be copied, used or communicated to a third party by the Contractor, except as necessary for the purposes of the Contract.

#### 1.12 Confidential Details

- 1.12.1 The Contractor's and the Procuring Entity's Personnel shall ensure confidentiality at all times. The confidentiality shall survive termination or completion of the contract. They shall disclose all such confidential and other information as may be reasonably required in order to verify compliance with the Contract and allow its proper implementation.
- 1.122 The Contractor's and the Procuring Entity's Personnel shall also treat the details of the Contract as private and confidential, except to the extent necessary to carry out their respective obligations under the Contract or to comply with applicable Laws. Each of them shall not publish or disclose any particulars of the Works prepared by the other Party without the previous agreement of the other Party. However, the Contractor shall be permitted to disclose any publicly available information, or information otherwise required to establish his qualifications to compete for other projects.

# 1.13 Compliance with Laws

The Contractor shall, in performing the Contract, comply with applicable Laws. Unless otherwise stated in the Special Conditions of Contract:

a) The Procuring Entity shall have obtained (or shall obtain) the planning, zoning, building permitor similar permission for the Permanent Works, and any other permissions described in the Specifications as having been (or to be) obtained by the Procuring Entity; and the Procuring Entity shall indemnify and hold the Contractor harmless against and from the consequences of any failure to do so; and

b) the Contractor shall give all notices, pay all taxes, duties and fees, and obtain all permits, licenses and approvals, as required by the Laws in relation to the execution and completion of the Works and the remedying of any defects; and the Contractor shall indemnify and hold the Procuring Entity harmless against and from the consequences of any failure to do so, unless the Contractor is impeded to accomplish these actions and shows evidence of its diligence.

## 1.14 Joint and Several Liability

If the Contractor constitutes (under applicable Laws) a joint venture, consortium or other unincorporated grouping of two or more persons:

- a) These persons shall be deemed to be jointly and severally liable to the Procuring Entity for the performance of the Contract;
- b) these persons shall notify the Procuring Entity of their leader who shall have authority to bind the Contractor and each of these persons; and
- c) the Contractor shall not alter its composition or legal status without the prior consent of the Procuring Entity.

## 1.15 Inspections and Audit by the Procuring Entity

Pursuant to paragraph 2.2(e). of Appendix B to the General Conditions, the Contractor shall permit and shall cause its subcontractors and sub-consultants to permit, the Public Procurement Regulatory Authority, Procuring Entity and/or persons appointed or designated by the Government of Kenya to inspect the Site and/or the accounts and records relating to the procurement process, selection and/or contract execution, and to have such accounts and records audited by auditors appointed by the Procuring Entity if requested by the Procuring Entity. The Contractor's and its Subcontractors' and sub-consultants' attention is drawn to Sub-Clause 15.6 (Fraud and Corruption) which provides, inter alia, that acts intended to materially impede the exercise ofthe Procuring Entity's inspection and audit rights constitute a prohibited practice subject to contract termination (as well as to a determination of in eligibility pursuant to the Procuring Entity's prevailing sanctions procedures).

#### 2 THE PROCURING ENTITY

## 21 Right of Access to the Site

- 21.1 The Procuring Entity shall give the Contractor right of access to, and possession of, all parts of the Site within thetime (or times) stated in the **Special Conditions of Contract.** The right and possession may not be exclusive to the Contractor. If, under the Contract, the Procuring Entity is required to give (to the Contractor) possession of any foundation, structure, plant or means of access, the Procuring Entity shall do so in the time and manner stated in the Specification. However, the Procuring Entity may withhold any such right or possession until the Performance Security has been received.
- If no such time is stated in the Special Conditions of Contract, the Procuring Entity shall give the Contractor right of access to, and possession of, the Site within such times as required to enable the Contractor to proceed without disruption in accordance with the programme submitted under Sub-Clause 8.3 [Programme].
- If the Contractor suffers delay and/or incurs Cost as a result of a failure by the Procuring Entity to give any such right or possession within such time, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- However, if and to the extent that the Procuring Entity's failure was caused by any error or delay by the Contractor, including an error in, or delay in the submission of, any of the Contractor's Documents, the Contractor shall not be entitled to such extension of time, Cost or profit.

## 22 Permits, Licenses or Approvals

- The Procuring Entity shall provide, at the request of the Contractor, such reasonable assistance as to allow the Contractor to obtain properly:
  - a) Copies of the Laws of Kenya which are relevant to the Contract but are not readily available, and
  - b) any permits, licenses or approvals required by the Laws of Kenya:
    - i) which the Contractor is required to obtain under Sub-Clause 1.13 [Compliance with Laws],
    - ii) for the delivery of Goods, including clearance through customs, and
    - iii) for the export of Contractor's Equipment when it is removed from the Site.

## 23 Procuring Entity's Personnel

The Procuring Entity shall be responsible for ensuring that the Procuring Entity's Personnel and the Procuring Entity's other contractor son the Site:

- a) co-operate with the Contractor's efforts under Sub-Clause 4.6 [Co-operation], and
- b) take action ssimilar to those which the Contractor is required to take under sub-paragraphs (a), (b) and (c) of Sub-Clause 4.8 [Safety Procedures] and under Sub-Clause 4.18 [Protection of the Environment].

## **24** Procuring Entity's Financial Arrangements

The Procuring Entity shall make and maintain all necessary financial arrangements which will enable the Procuring Entity to pay the Contract Price punctually (as estimated at that time) in accordance with Clause14 [Contract Price and Payment].

### 3 THE ENGINEER

## 3.1 Architect Duties and Authority

- 31.1 The Procuring Entity shall appoint the Architect who shall carry out the duties as signed to him in the Contract. The Architect staff shall include suitably qualified Assistants and other professionals who are competent to carry out these duties. The Architect Name and Address shall be provided in the **Special Conditions of Contract.**
- 3.12 The Architect shall have no authority to amend the Contract.
- 3.13 The Architect May exercise the authority attributable to the Architect as specified in or necessarily to be implied from the Contract. If the Architectis required to obtain the approval of the Procuring Entity before exercising a specified authority, the requirements shall be as stated in the Special Conditions of Contract. The Procuring Entity shall promptly inform the Contractor of any change to the authority attributed to the Engineer.
- 3.1.4 However, whenever the Architect exercises a specified authority for which the Procuring Entity's approvalis required, then (for the purposes of the Contract) the contractor shall require the Architect toprovideevidence of such approval before complying with the instruction.
- 3.15 Except as otherwise stated in these Conditions:
  - a) Whenever carrying out duties or exercising authority, specified in or implied by the Contract, the Architect shallbedeemedtoactfortheProcuring Entity;
  - b) the Architect has no authority to relieve either Party of any duties, obligations or responsibilities under the Contract;
  - any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by the Architect (including absence of disapproval) shall not relieve the Contractor from any responsibility he has under the Contract, including responsibility for errors, omissions, discrepancies and non-compliances; and
  - d) anyact by the Architect in response to a Contractor's request shall be notified in writing to the Contractor within 14 days of receipt.

## 3.1.6 The following provisions shall apply:

The Architect shall obtain the specific approval of the Procuring Entity before taking action under thefollowing Sub-Clauses of these Conditions:

- a) Sub-Clause 4.12: agreeing or determining an extension of time and/or additional cost.
- b) Sub-Clause 13.1: instructing a Variation, except;
  - i) In an emergency situation as determined by the Engineer, or
  - ii) If such a Variation would increase the Accepted Contract Amount by less than the percentage specified in the **Special Conditions of Contract.**
- c) Sub-Clause 13.3: Approving a proposal for Variation submitted by the Contractor in accordance with Sub Clause 13.1 or 13.2.
- d) Sub-Clause 13.4: Specifying the amount payable in each of the applicable three currencies.
- 3.1.7 Not withstanding the obligation, as set out above, to obtain approval, if, in the opinion of the Engineer, an emergency occurs affecting the safety of life or of the Works or of adjoining property, he may, without relieving the Contractor of any of his duties and responsibility under the Contract, instruct the Contractor to execute all such work or to do all such things as may, in the opinion of the Engineer, be necessary to abate or reduce the risk. The Contractor shall forth with comply, despite the absence of approval of the Procuring Entity, with any such instruction of the Engineer. The Architect shall determine an addition to the Contract Price, in respect of such instruction, in accordance with Clause 13 and shall notify the Contractor accordingly, with a copy to the Procuring Entity.

## 32 Delegation by the Engineer

- 32.1 The Architect may from time to time assign duties and delegate authority to assistants and may also revoke such assignment or delegation. These assistants may include a resident Engineer, and/or independent inspectors appointed to inspect and/ or test items of Plant and/or Materials. The assignment, delegation or revocation shall be in writing and shall not take effect until copies have been received by both Parties. However, unless otherwise agreed by both Parties, the Architect shall not delegate the authority to determine any matter in accordance with Sub-Clause 3.5 [Determinations].
- Each assistant, to whom duties have been assigned or authority has been delegated, shall only be authorized to issue instructions to the Contractor to the extent defined by the delegation. Any approval, check, certificate, consent, examination, inspection, instruction, notice, proposal, request, test, or similar act by an assistant, in accordance with the delegation, shall have the same effect as though the act had been an act of the Engineer. However:
  - a) Any failure to disapprove any work, Plant or Materials shall not constitute approval, and shall therefore not prejudice the right of the Architect to reject the work, Plant or Materials;
  - b) If the Contractor questions any determination or instruction of an assistant, the Contractor may refer the matter to the Engineer, who shall promptly confirm, reverse or vary the determination or instruction.

### 33 Instructions of the Engineer

- 33.1 The Architect may issue to the Contractor (at anytime) instructions and additional or modified Drawings which may benecessary for the execution of the Works and the remedying of any defects, all in accordance with the Contract. The Contractor shall only take instructions from the Engineer, or from an assistant to whom the appropriate authority has been delegated under Clause 3.2.1.
- The Contractor shall comply with the instructions given by the Architect or delegated assistant, on any matter related to the Contract. Whenever practicable, their instructions shall be given in writing. If the Architec tor a delegated assistant:
  - a) Gives an oral instruction.
  - b) receives a written confirmation of the instruction, from (or on behalf of) the Contractor, within two working days after giving the instruction, and

c) does not reply by issuing a written rejection and/or instruction within two working days after receiving the confirmation.

Then the confirmation shall constitute the written instruction of the Architect or delegated assistant (as the case may be).

## 3.4 Replacement of the Engineer

If the Procuring Entity intends to replace the Engineer, the Procuring Entity shall, in not less than 21 days before the intended ateo freplacement, give notice to the Contractor of the name, address and relevant experience of the intended person to replace the Engineer.

#### 35 Determinations

- 35.1 Whenever these Conditions provide that the Architect shall proceed in accordance with this Sub-Clause 3.5 to agreeor determine any matter, the Architect shall consult with each Party in an endeavor to reach agreement. If agreement is not achieved, the Architect shall make a fair determination in accordance with the Contract, taking due regard of all relevant circumstances.
- 3.5.1 The Architect shall give notice to both Parties of each agree mentor determination, with supporting particulars, within 30 days from the receipt of the corresponding claim or request except when otherwise specified. Each Party shall give effect to each agreement or determination unless and until revised under Clause 20 [Claims, Disputes and Arbitration].

#### 4 THE CONTRACTOR

## 4.1 Contractor's General Obligations

- 4.1.1 The Contractor shall design (to the extent specified in the Contract), execute and complete the Works in accordance with the Contract and with the Architect instructions, ands hall remedy any defects in the Works.
- 4.12 The Contractor shall provide the Plant and Contractor's Documents specified in the Contract, and all Contractor's Personnel, Goods, consumables and other things and services, whether of a temporary or permanent nature, required in and for this design, execution, completion and remedying of defects.
- 4.13 All equipment, material, and services to be incorporated in or required for the Works shall have their origin in any eligible source country.
- 4.14 The Contractor shall be responsible for the adequacy, stability and safety of all Site operations and of all methods of construction. Except to the extent specified in the Contract, the Contractor (i) shall be responsible for all Contractor's Documents, Temporary Works, and such design of each item of Plant and Materials as is required for the item to be in accordance with the Contract, and (ii) shall not otherwise be responsible for the designor specification of the Permanent Works.
- 4.15 The Contractor shall, whenever required by the Engineer, submit details of the arrangements and methods which the Contractor proposes to adopt for the execution of the Works. No significant alteration to these arrangements and methods shall be made without this having previously been notified to the Engineer.
- 4.1.6 If the Contract specifies that the Contractor shall design any part of the Permanent Works, then unless otherwise stated in the Special Conditions:
  - a) The Contractor shall submit to the Architect the Contractor's Documents for this part in accordance with the procedures specified in the Contract;
  - b) these Contractor's Documents shall be in accordance with the Specification and Drawings, shall be written in the language for communications defined in Sub-Clause 1.4 [Law and Language], and shall include additional information required by the Architect to add to the Drawings for co-ordination of each Party's designs;
  - c) the Contractor shall be responsible for this part and it shall, when the Works are completed, befit for such purposes for which the part is intended as are specified in the Contract; and
  - d) prior to the commencement of the Tests on Completion, the Contractor shall submit to the Architectthe "as-built" documents and, if applicable, operation and maintenance manuals in accordance with the Specification and in sufficient detail for the Procuring Entity to operate, maintain, dismantle, reassemble, adjust and repair this part of the Works. Such part shall not be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections] until these documents and manuals have been submitted to the Engineer.

## **42** Performance Security

- The Contractor shall obtain (at his cost) a Performance Security for proper performance, in the amount stated in the **Special Conditions of Contract** and denominated in the currency (ies) of the Contract or in a freely convertible currency acceptable to the Procuring Entity. If an amount is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- The Contractor shall deliver the Performance Security to the Procuring Entity within 30 days after receiving the Notification of Award and shall send a copy to the Engineer. The Performance Security shall be issued by a reputable bank selected by the Contractor and shall be in the form annexed to the Special Conditions, as stipulated by the Procuring Entity in the Special Conditions of Contract, or in another form approved by the Procuring Entity.
- The Contractor shall ensure that the Performance Security is valid and enforceable until the Contractor has executed and completed the Works and remedied any defects. If the terms of the Performance Security specify its expiry date, and the Contractor has not become entitled to receive the Performance Certificate by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the Performance Security until the Works have been completed and any defects have been remedied.
- The Procuring Entity shall not make a claim under the Performance Security, except for amounts to which the Procuring Entity is entitled under the Contract.
- The Procuring Entity shall indemnify and hold the Contractor harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from a claim under the Performance Security to the extent to which the Procuring Entity was not entitled to make the claim.
- The Procuring Entity shall return the Performance Security to the Contractor within 14 days after receiving a copyof the Taking-Over Certificate.
- Without limitation to the provisions of the rest of this Sub-Clause, whenever the Architect determines an addition or a reduction to the Contract Price as a result of a change in cost and/ or legislation, or as a result of a Variation, amounting to more than 25 percent of the portion of the Contract Price payable in a specific currency, the Contractor shall at the Architect request promptly increase, or may decrease, as the case may be, the value of the Performance Security in that currency by an equal percentage.

### 43 Contractor's Representative

- 43.1 The Contractor shall appoint the Contractor's Representative and shall give him all authority necessary to act on the Contractor's behalf under the Contract. The Contractor's Representative's Name and Address shall be provided in the **Special Conditions of Contract.**
- Unless the Contractor's Representative **is named in the Contract**, the Contractor shall, prior to the Commencement Date, submit to the Architect for consent the name and particulars of the person the Contractor proposes to appoint as Contractor's Representative. If consent is with held or subsequently revoked in terms of Sub-Clause 6.9 [Contractor's Personnel], or if the appointed person fails to act as Contractor's Representative, the Contractor shall similarly submit the name and particulars of an other suitable person for such appointment.
- The Contractor shall not, without the prior consent of the Engineer, revoke the appointment of the Contractor's Representative or appoint are placement.
- The whole time of the Contractor's Representative shall be given to directing the Contractor's performance of the Contract. If the Contractor's Representative is to be temporarily absent from the Site during the execution of the Works, a suitable replacement person shall be appointed, subject to the Architect prior consent, and the Architect shall be notified accordingly.
- The Contractor's Representative shall, on behalf of the Contractor, receive instructions under Sub-Clause 3.3 [Instructions of the Engineer].
- 43.6 The Contractor's Representative may delegate any powers, functions and authority to any competent person, and may at any time revoke the delegation. Any delegation or revocation shall not take effect until the Architect has received prior notice signed by the Contractor's Representative, naming the person and specifying the powers, functions and authority being delegated or revoked.
- 43.7 The Contractor's Representative shall be fluent in the language for communications defined in Sub-Clause 1.4

[Law and Language]. If the Contractor's Representative's delegates are not fluent in the said language, the Contractor shall make competent interpreter savailable during all working hours in a number deemed sufficient by the Engineer.

#### 4.4 Sub-contractors

- 4.4.1 The Contractor shall not subcontract the whole of the Works. The contractor may however subcontract the works as provided in Clause 34.2.
- The Contractor shall be responsible for the acts or defaults of any Subcontractor, his agents or employees, as if theyweret heacts or defaults of the Contractor. Unless otherwise stated in the Special Conditions:
  - a) The Contractor shall not be required to obtain consent to suppliers solely of Materials, or to a subcontract for which the Subcontractor is named in the Contract;
  - b) The prior consent of the Procuring Entity shall be obtained to other proposed Subcontractors;
  - c) the Contractor shall give the Procuring Entity not less than 14 days' notice of the intended date of the commencement of each Subcontractor's work, and of the commencement of such work on the Site; and
  - d) each subcontract shall include provisions which would entitle the Procuring Entity to require the subcontract to be assigned to the Procuring Entity under Sub-Clause 4.5 [Assignment of Benefit of Subcontract] (if or when applicable) or in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity].
- The Contractor shall ensure that the requirements imposed on the Contractor by Sub-Clause 1.12 [Confidential Details] apply equally to each Subcontractor.
- 4.4.4 Wher epracticable, the Contractor shall give fair and reasonable opportunity for contractors from Kenya to be appointed as Subcontractors.

## 45 Assignment of Benefit of Subcontract

If a Subcontractor's obligations extend beyond the expiry date of the relevant Defects Notification Period and the Engineer, prior to this date, instructs the Contractor to assign the benefit of such obligations to the Procuring Entity, then the Contractor shall do so. Unless otherwise stated in the assignment, the Contractor shall have no liability to the Procuring Entity for the work carried out by the Subcontractor after the assignment takes effect.

## 4.6 Co-operation

- 4.6.1 The Contractor shall, as specified in the Contract or as instructed by the Engineer, allow appropriate opportunities for carrying out work to:
  - a) The Procuring Entity's Personnel,
  - b) Any other contractors employed by the Procuring Entity, and
  - c) The personnel of any legally constituted public authorities, who may be employed in the execution on or near the Site of any work not included in the Contract.
- Any such instruction shall constitute a Variation if and to the extent that it cause sthe Contractor to suffer delays and/ortoincur Unforeseeable Cost. Services for these personnel and other contractors may include the use of Contractor's Equipment, Temporary Works or access arrangements which are the responsibility of the Contractor.
- 463 If, under the Contract, the Procuring Entity is required to give to the Contractor possession of any foundation, structure, plant or means of access in accordance with Contractor's Documents, the Contractor shall submit such documents to the Architect in the time and manner stated in the Specification.

## 4.7 Setting Out of the Works

- 4.7.1 The Contractor shall set out the Works in relation to original points, lines and levels of reference specified in the Contractor notified by the Engineer. The Contractor shall be responsible for the correct positioning of all parts of the Works, and shall rectify any error in the positions, levels, dimensions or alignment of the Works.
- 4.72 The Procuring Entity shall be responsible for any errors in these specified or notified items of reference, but the Contractor shall use reasonable efforts to verify their accuracy before they are used.

- 4.73 If the Contractor suffers delay and/or incurs Cost from executing work which was necessitated by an errorin these items of reference, and an experienced contractor could not reasonably have discovered such error and avoided this delay and/ or Cost, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such costs accrued, which shall be included in the Contract Price.
- 4.7.4 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent the error could not reasonably have been discovered, and (ii) the matters described in sub-paragraphs (a) and (b) above related to thise.

## 48 Safety Procedures

The Contractor shall:

- a) Comply with all applicable safety regulations,
- b) Takec are for the safety of all persons entitled to be on the Site,
- c) Use reasonable efforts to keep the Site and Works clear of unnecessary obstruction so as to avoid danger to these persons,
- d) provide fencing, lighting, guarding and watching of the Works until completion and taking over under Clause 10 [Procuring Entity's Taking Over], and
- e) provide any Temporary Works (including roadways, footways, guards and fences) which may be necessary, because of the execution of the Works, for the use and protection of the public and of owners and occupiers of adjacent land.

## 49 Quality Assurance

- 49.1 The Contractor shall institute a quality assurance system to demonstrate compliance with the requirements of the Contract. The system shall be in accordance with the details stated in the Contract. The Architect shall be entitled audit any aspect of the system.
- Details of all procedures and compliance documents shall be submitted to the Architectf or information before each design and execution stage is commenced. When any document of a technical nature is issued to the Engineer, evidence of the prior approval by the Contractor itself shall be apparent on the document itself.

Compliance with the quality assurance system shall not relieve the Contractor of any of his duties, obligations or responsibilities under the Contract.

#### 4.10 Site Data

- 4.10.1 The Procuring Entity shall have made available to the Contractor for his information, prior to the Base Date, all relevant data in the Procuring Entity's possession on sub-surface and hydrological conditions at the Site, including environmental aspects. The Procuring Entity shall similarly make available to the Contractor all such data which come into the Procuring Entity's possession after the Base Date. The Contractor shall be responsible for interpreting all such data.
- 4.102 To the extent which was practicable (taking account of cost and time), the Contractor shall be deemed to have obtained all necessary information as to risks, contingencies and other circumstances which may influence or affect the Tender or Works. To the same extent, the Contractor shall be deemed to have inspected and examined the Site, its surroundings, the above data and other available information, and to have been satisfied before submitting the Tender as to all relevant matters, including (without limitation):
  - a) The form and nature of the Site, including sub-surface conditions,
  - b) the hydrological and climatic conditions,
  - c) the extent and nature of the work and Goods necessary for the execution and completion of the Works and the remedying of any defects,
  - d) the Laws, procedures and labour practices of Kenya, and
  - e) the Contractor's requirements for access, accommodation, facilities, personnel, power, transport, water and other services.

## 4.11 Sufficiency of the Accepted Contract Amount

- 4.11.1 TheContractor shall be deemed to:
  - a) Have satisfied itself as to the correctness and sufficiency of the Accepted Contract Amount, and
  - b) have based the Accepted Contract Amount on the data, interpretations, necessary information, inspections, examinations and satisfaction as to all relevant matters referred to in Sub-Clause 4.10 [Site Data].
- 4.112 Unless otherwise stated in the Contract, the Accepted Contract Amount covers all the Contractor's obligations under the Contract (including those under Provisional Sums, if any) and all things necessary for the proper execution and completion of the Works and the remedying of any defects.

## **4.12** Unforeseeable Physical Conditions

- 4.12.1 In this Sub-Clause, "physical conditions" means natural physical conditions and man-made and other physical obstructions and pollutants, which the Contractor encounters at the Site when executing the Works, including sub-surface and hydrological conditions but excluding climatic conditions.
- 4.12.2 If the Contractor encounters adverse physical conditions which he considers to have been Unforeseeable, the Contractor shall give notice to the Architect as soon as practicable.
- 4.12.3 This notice shall describe the physical conditions, so that they can be inspected by the Architect and shall set out the reasons why the Contractor considers them to be Unforeseeable. The Contractor shall continue executing the Works, using such proper and reasonable measures as are appropriate for the physical conditions, and shall comply with any instructions which the Architect may give. If an instruction constitutes a Variation, Clause 13 [Variations and Adjustments] shall apply.
- 4.12.4 If and to the extent that the Contractor encounters physical conditions which are Unforeseeable, gives such a notice, and suffers delay and/or incurs Cost due to these conditions, the Contractor shall be entitled subject to notice under Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost, which shall be included in the Contract Price.
- 4.125 Upon receiving such notice and inspecting and/or investigating these physical conditions, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) whether and (if so) to what extent these physical conditions were Unforeseeable, and (ii) the matters described in sub-paragraphs (a) and (b) above related to this extent.
- 4.126 However, before additional Cost is finally agreed or determined under sub-paragraph (ii), the Architect may also review whether other physical conditions in similar parts of the Works (if any) were more favorable than could reasonably have been foreseen when the Contractor submitted the Tender. If and to the extent that these more favorable conditions were encountered, the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the reductions in Cost which were due to these conditions, which may be included (as deductions) in the Contract Price and Payment Certificates. However, the net effect of all adjustments under sub-paragraph (b) and all these reductions, for all the physical conditions encountered in similar parts of the Works, shall not result in a net reduction in the Contract Price.
- 4.12.7 The Architect shall take account of any evidence of the physical conditions foreseen by the Contractorwhen submitting the Tender, which shall be made available by the Contractor, but shall not be bound by the Contractor's interpretation of any such evidence.

## 4.13 Rights of Way and Facilities

Unless otherwise specified in the Contract the Procuring Entity shall provide effective access to and possession of the Site including special and/or temporary rights-of-way which are necessary for the Works. The Contractor shall obtain, at his risk and cost, any additional rights of way or facilities out side the Site

which he may require for the purposes of the Works.

#### 4.14 Avoidance of Interference

- 4.14.1 The Contractor shall not interfere unnecessarily or improperly with:
  - a) The convenience of the public, or
  - b) The access to and use and occupation of all roads and foot paths, irrespective of whether they are public or in the possession of the Procuring Entity or of others.
- 4.14.2 The Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from any such unnecessary or improper interference.

#### 4.15 Access Route

- 4.15.1 The Contractor shall be deemed to have been satisfied as to the suitability and availability of access routes to the Site at Base Date. The Contractor shall use reasonable efforts to prevent any road or bridge from being damaged by the Contractor's traffic or by the Contractor's Personnel. These efforts shall include the proper use of appropriate vehicles and routes.
- 4.152 Except as otherwise stated in these Conditions:
  - a) The Contractor shall (as be tween the Parties) be responsible for any maintenance which may be required for his use of access routes;
  - b) the Contractor shall provide all necessary signs or directions along access routes, and shall obtain any permission which may be required from the relevant authorities for his use of routes, signs and directions;
  - c) the Procuring Entity shall not be responsible for any claims which may arise from the use or otherwise of any access route;
  - d) the Procuring Entity does not guarantee the suitability or a vailability of particular access routes; and
  - e) Costs due to non-suitability or non-availability, for the use required by the Contractor, of access routes shall be borne by the Contractor.

### 4.16 Transport of Goods

Unless otherwise stated in the Special Conditions:

- a) the Contractor shall give the Architect not less than 21 days' notice of the date on which any Plant or a major item of other Goods will be delivered to the Site;
- b) the Contractor shall be responsible for packing, loading, transporting, receiving, unloading, storing and protecting all Goods and other things required for the Works; and
- c) the Contractor shall indemnify and hold the Procuring Entity harmless against and from all damages, losses and expenses (including legal fees and expenses) resulting from thetransport of Goods and shall negotiate and pay all claims arising from their transport.

## 4.17 Contractor's Equipment

The Contractor shall be responsible for all Contractor's Equipment. When brought on to the Site, Contractor's Equipment shall be deemed to be exclusively intended for the execution of the Works. The Contractor shall not remove from the Site any major items of Contractor's Equipment without the consent of the Engineer. However, consent shall not be required for vehicles transporting Goods or Contractor's Personnel off Site.

### 4.18 Protection of the Environment

- 4.18.1 The contractor shall comply with the applicable environmental laws, regulations and policies.
- 4.182 The Contractor shall take all reasonable steps to protect the environment (both on and off the Site) and to limit damage and nuisance to people and property resulting from pollution, noise and other results of his operations.
- 4.18.3 The Contractors hall ensure that emissions, surfaced is charges and effluent from the Contractor's activities shall not exceed the values stated in the Specification or prescribed by applicable Laws.

## 4.19 Electricity, Water and Gas

- 4.19.1 The Contractor shall, except as stated below, be responsible for the provision of all power, water and other services he may require for his construction activities and to the extent defined in the Specifications, for the tests.
- 4.192 The Contractor shall be entitled to use for the purposes of the Works such supplies of electricity, water, gas and other services as may be available on the Site and of which details and prices are given in the Specifications. The Contractor shall, at his risk and cost, provide any apparatus necessary for his use of these services and for measuring the quantities consumed.
- 4.193 The quantities consumed and the amounts due (at these prices) for such services shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.

### 4.20 Procuring Entity's Equipment and Free-Issue Materials

- 420.1 The Procuring Entity shall make the Procuring Entity's Equipment (if any) available for the use of the Contractor in the execution of the Works in accordance with the details, arrangements and prices stated in the Specification. Unless otherwise stated in the Specification:
  - a) The Procuring Entitys hall be responsible for the Procuring Entity's Equipment, except that
  - b) the Contractor shall be responsible for each item of Procuring Entity's Equipment whilst any of the Contractor's Personnel is operating it, driving it, directing it or in possession or control of it.
- 420.1 The appropriate quantities and the amounts due (at such stated prices) for the use of Procuring Entity's Equipment shall be agreed or determined by the Architect in accordance with Sub-Clause 2.5 [Procuring Entity's Claims] and Sub-Clause 3.5 [Determinations]. The Contractor shall pay these amounts to the Procuring Entity.
- 4202 The Procuring Entity shall supply, free of charge, the "free-issue materials" (if any) in accordance with the details stated in the Specification. The Procuring Entity shall, at his risk and cost, provide these materials at the time and place specified in the Contract. The Contractor shall then visually inspect them and shall promptly give notice to the Architect of any shortage, defect or default in these materials. Unless otherwise agreed by both Parties, the Procuring Entity shall immediately rectify the notified shortage, defector default.
- 4203 After this visual inspection, the free-issue materials shall come under the care, custody and control of the Contractor. The Contractor's obligations of inspection, care, custody and control shall not relieve the Procuring Entity of liability for any shortage, defect or default not apparent from a visual inspection.

## 4.21 Progress Reports

- 4.21.1 Unless otherwise stated in the Special Conditions, monthly progress reports shall be prepared by the Contractor and submitted to the Architect in six copies. The first report shall cover the period up to the end of the first calendar month following the Commencement Date. Reports shall be submitted monthly thereafter, each within 7 days after the last day of the period to which it relates.
- 4212 Reporting shall continue until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works. Each report shall include:
  - a) charts and detailed descriptions of progress, including each stage of design (if any), Contractor's Documents, procurement, manufacture, delivery to Site, construction, erection and testing; and including these stages for work by each nominated Subcontractor (as defined in Clause 5 [NominatedSubcontractors]),
  - b) photographs showing the status of manufacture and of progress on the Site;
  - c) for the manufacture of each main item of Plant and Materials, the name of the manufacturer, manufacture location, percentage progress, and the actual or expected dates of:
    - i) commencement of manufacture,
    - ii) Contractor's inspections,
    - iii) tests, and

- iv) shipment and arrival at the Site;
- d) the details described in Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment];
- e) copies of quality assurance documents, test results and certificates of Materials;
- f) list of notices given under Sub-Clause 2.5 [Procuring Entity's Claims] and notices given under Sub-Clause 20.1 [Contractor's Claims];
- g) safety statistics, including details of any hazardous incidents and activities relating to environmental aspects and public relations; and
- h) comparison so factual and planned progress, with details of any events or circumstances which may jeopardize the completion in accordance with the Contract, and the measures being (or to be) adopted to overcome delays.

## 4.22 Security of the Site

Unless otherwise stated in the Special Conditions:

- a) The Contractor shall be responsible for keeping unauthorized persons off the Site, and
- b) authorized persons shall be limited to the Contractor's Personnel and the Procuring Entity's Personnel; and to any other personnel notified to the Contractor, by the Procuring Entity or the Engineer, as authorized personnel of the Procuring Entity's other contractors on the Site.

## 4.23 Contractor's Operations on Site

- 423.1 The Contractor shall confine his operations to the Site, and to any additional areas which may be obtained by the Contractor and agreed by the Architect as additional working areas. The Contractor shall take all necessary precautions to keep Contractor's Equipment and Contractor's Personnel within the Site and these additional areas, and to keep them off adjacentl and.
- 4232 During the execution of the Works, the Contractor shall keep the Site free from all unnecessary obstruction and shall store or dispose of any Contractor's Equipment or surplus materials. The Contractor shall clear away and remove from the Site any wreckage, rubbish and Temporary Works which are no longer required.
- 4233 Upon the issue of a Taking-Over Certificate, the Contractor shall clear away and remove, from that part of the Site and Works to which the Taking-Over Certificate refers, all Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works. The Contractor shall leave that part of the Site and the Works in a clean and safe condition. However, the Contractor may retain on Site, during the Defects Notification Period, such Goods as are required for the Contractor to fulfil obligations under the Contract.

### 4.24 Fossils

- 424.1 All fossils, coins, articles of value or antiquity, and structures and other remains or items of geological or archaeological interest found on the Site shall be placed under the care and authority of the Procuring Entity. The Contractor shall take reasonable precautions to prevent Contractor's Personnel or other persons from removing or damaging any of these findings.
- 4242 The Contractor shall, upon discovery of any such finding, promptly give notice to the Engineer, who shall issue instructions for dealing with it. If the Contractor suffers delay and/or incurs Cost from complying with the instructions, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost, which shall be included in the Contract Price.

    After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5

    [Determinations] to agree or determine these matters.

### 5. NOMINATED SUBCONTRACTORS

## **5.1** Definition of "nominated Subcontractor"

In this Contract, "nominated Subcontractor" means a Subcontractor:

- a) Who is nominated by the Procuring Entity, or
- b) Contractor has nominated as a Subcontractor subject to Sub-Clause 5.2 [Objection to Notification].

#### 52 Objection to Nomination

The Contractor shall not be under any obligation to employ a nominated Subcontractor against whom the Contractor raises reasonable objection by notice to the Procuring Entity as soon as practicable, with supporting particulars. An objection shall be deemed reasonable if it arises from (among other things) any of the following matters, unless the Procuring Entity agrees in writing to indemnify the Contractor against and from the consequences of the matter:

- a) there are reasons to believe that the Subcontractor does not have sufficient competence, resources or financial strength;
- b) the nominated Subcontractor does not accept to indemnify the Contractor against and from any negligence or misuse of Goods by the nominated Subcontractor, his agents and employees; or
- c) the nominated Subcontractor does not accept to enter into a subcontract which specifies that, for the subcontracted work (including design, if any), the nominated Subcontractor shall:
  - i) undertake to the Contractor such obligations and liabilities as will enable the Contractor to discharge hisobligations and liabilities under the Contract;
  - ii) indemnify the Contractor against and from all obligations and liabilities arising under or in connection with the Contract and from the consequences of any failure by the Subcontractor to perform these obligations or to fulfil these liabilities, and
  - iii) be paid only if and when the Contractor has received from the Procuring Entity payments for sums due under the Subcontract referred to under Sub-Clause 5.3 [Payment to nominated Subcontractors].

# **5.3** Payments to nominated Subcontractors

The Contractor shall pay to the nominated Subcontractor the amounts shown on the nominated Subcontractor's invoices approved by the Contractor which the Architect certifies to be due in accordance with the subcontract. These amounts plus other charges shall be included in the Contract Price in accordance with sub-paragraph (b) of Sub-Clause 13.5 [Provisional Sums], except as stated in Sub-Clause 5.4 [Evidence of Payments].

## **54** Evidence of Payments

- 54.1 Before issuing a Payment Certificate which includes an amount payable to a nominated Subcontractor, the Architect may request the Contractor to supply reasonable evidence that the nominated Subcontractor has received all amounts due in accordance with previous Payment Certificates, less applicable deductions for retention or otherwise. Unless the Contractor:
  - (a) Submits this reasonable evidence to the Engineer, or
  - (b) i) Satisfies the Architect in writing that the Contractor is reasonably entitled to withhold or refuse to pay these amounts, and
    - ii) Submits to the Architect reasonable evidence that the nominated Subcontractor has been notified of the Contractor's entitlement, then the Procuring Entity may (at his sole discretion) pay, direct to the nominated Subcontractor, part or all of such amounts previously certified (less applicable deductions) as are due to the nominated Subcontractor and for which the Contractor has failed to submit the evidence described in sub-paragraphs (a) or (b) above. The Contractor shall then repay, to the Procuring Entity, the amount which the nominated Subcontractor was directly paid by the Procuring Entity.

### 6 STAFF AND LABOR

## **6.1** Engagement of Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall make arrangements for the engagement of all staff and labor, local or otherwise, and for their payment, feeding, transport, and, when appropriate, housing. The Contractor is encouraged, to the extent practicable and reasonable, to employ staff and labor with appropriate qualifications and experience from sources within Kenya.

# **62** Rates of Wages and Conditions of Labor

The Contractor shall pay rates of wages, and observe conditions of labor, which are not lower than those established for the trade or industry where the work is carried out. If no established rates or conditions are applicable, the Contractor shall pay rates of wages and observe conditions which are not lower than the general level of wages and conditions observed locally by Procuring Entity's whose trade or industry is similar

to that of the Contractor.

The Contractor shall inform the Contractor's Personnel about their liability to pay personal income taxes in Kenya in respect of such of their salaries, wages, allowances and any benefits as are subject to tax under the Laws of Kenya for the time being in force, and the Contractor shall perform such duties in regard to such deductions there of as may be imposed on him by such Laws.

## 63 Persons in the Service of Procuring Entity

The Contractor shall not recruit, or attempt to recruit, staff and labour from amongst the Procuring Entity's Personnel.

### 6.4 Lab or Laws

The Contractor shall comply with all the relevant labour Laws applicable to the Contractor's Personnel, including Laws relating to their employment, employment of children, health, safety, welfare, immigration and emigration, and shall allow them all their legal rights. The Contractor shall require his employees to obey all applicable Laws, including those concerning safety at work.

#### 6.5 Working Hours

Nowork shall be carried out on the Site on locally recognized days of rest, or outside the normal working hours stated in the **Special Conditions of Contract**, unless:

- a) Otherwise stated in the Contract,
- b) The Architect gives consent, or
- c) The work is unavoidable, or necessary for the protection of life or property or for the safety of the Works, in which case the Contractor shall immediately advise the Engineer, provided that work done outside the normal working hours shall be considered and paid for as overtime.

### 6.6 Facilities for Staff and Labor

Except as otherwise stated in the Specification, the Contractor shall provide and maintain all necessary accommodation and welfare facilities on site for the Contractor's Personnel. The Contractor shall also provide facilities for the Procuring Entity's Personnel as stated in the Specifications. The Contractor shall not permit any of the Contractor's Personnel to maintain any temporary or permanent living quarters within the structures forming part of the Permanent Works.

## 6.7 Health and Safety

- 67.1 The Contractor shall at all times take all reasonable precautions to maintain the health and safety of the Contractor's Personnel. In collaboration with loca lhealth authorities, the Contractor shall ensure that medical staff, first aid facilities, sick bay and ambulance service are available at all times at the Site and at any accommodation for Contractor's and Procuring Entity's Personnel, and that suitable arrangements are made for all necessary welfare and hygiene requirements and for the prevention of epidemics.
- The Contractor shall appoint an accident prevention officer at the Site, responsible for maintaining safety and protection against accidents. This person shall be qualified for this responsibility and shall have the authority to issue instructions and take protective measures to prevent accidents. Throughout the execution of the Works, the Contractor shall provide what ever is required by this person to exercise this responsibility and authority.
- The Contractor shall send, to the Engineer, details of any accident as soon as practicable after itsoccurrence. The Contractor shall maintain records and make reports concerning health, safety and welfare of persons, and damage to property, as the Architect may reasonably require.
- 6.74 The Contractor shall conduct an awareness programme on HIV and other sexually transmitted diseases via an approved service provider and shall undertake such other measures taken to reduce the risk of the transfer of these diseases between and among the Contractor's Personnel and the local community, to promote early diagnosis and to assist affected individuals.

## **68** Contractor's Superintendence

Throughout the execution of the Works, and as long thereafter as is necessary to fulfil the Contractor's obligations, the Contractor shall provide all necessary super intendence to plan, arrange, direct, manage,

inspect and test the work.

Superintendence shall be given by a sufficient number of persons having adequate knowledge of the language for communications (defined in Sub-Clause 1.4 [Law and Language]) and of the operations to be carried out (including the methods and techniques required, the hazards likely to be encountered and methods of preventing accidents), for the satisfactory and safe execution of the Works.

#### 69 Contractor's Personnel

- 69.1 The Contractor's Personnel shall be appropriately qualified, skilled and experienced in their respective trades or occupations. The Contractors Key personnel shall be named in the Special Conditions of Contract. The Architect may require the Contractor to remove (or cause to be removed) any person employed on the Site or Works, including the Contractor's Representative if applicable, who:
  - a) Persists in any misconduct or lack of care,
  - b) Carries out duties in competently or negligently,
  - c) fails to conform with any provisions of the Contract,
  - d) persists in any conduct which is prejudicial to safety, health, or the protection of the environment, or
  - e) based on reasonable evidence, is determined to have engaged in Fraud and Corruption during the execution of the Works.
- 692 If appropriate, the Contractor shall then appoint (or cause to be appointed) a suitable replacement person.

## 6.10 Records of Contractor's Personnel and Equipment

The Contractor shall submit, to the Engineer, details showing the number of each class of Contractor's Personnel and of each type of Contractor's Equipment on the Site. Details shall be submitted each calendar month, in a form approved by the Engineer, until the Contractor has completed all work which is known to be outstanding at the completion date stated in the Taking-Over Certificate for the Works.

## 6.11 Disorderly Conduct

The Contractor shall at all times take all reasonable precautions to prevent any unlawful, riotous or disorderly conduct by or amongst the Contractor's Personnel, and to preserve peace and protection of persons and property on and near the Site.

#### **6.12** Foreign Personnel

- 6.12.1 The Contractor shall not employ foreign personnel unless the contractor demonstrates that there are no Kenyans with the required skills.
- 6.122 The Contractor shall be responsible for the return of any foreign personnel to the place where they were recruited or to their domicile. In the event of the death in Kenya of any of these personnel or members of their families, the Contractor shall similarly be responsible for making the appropriate arrangements for their return or burial.

### 6.13 Supply of Water

The Contractor shall, having regard to local conditions, provide on the Sitea n adequate supply of drinking and other water for the use of the Contractor's Personnel.

### 6.14 Measures against Insect and Pest Nuisance

The Contractor shall a tall times take the necessary precautions to protect the Contractor's Personnel employed on the Site from insect and pest nuisance, and to reduce the danger to their health. The Contractor shall comply with all the regulations of the local health authorities, including use of appropriate insecticide.

## 6.15 Alcoholic Liquor or Drugs

The Contractor shall not, otherwise than in accordance with the Laws of Kenya, onsite, import, sell, give, barter or otherwise dispose of any alcoholic liquor or drugs, or permit or allow importation, sale, gift, barter or disposal there of by Contractor's Personnel.

#### 6.16 Prohibition of Forced or Compulsory Labour

The Contractor shall not employ forced labor, which consists of any work or service, not voluntarily performed, that is exacted from an individual under threat of force or penalty, and includes any kind of involuntary or compulsory labor, such as indentured labor, bonded labor or similar labor-contracting arrangements.

### 617 Prohibition of Harmful Child Labor

The Contractor shall not employ children in a manner that is economically exploitative, or is likely to be hazardous, or to interfere with, the child's education, or to be harmful to the child's health or physical, mental, spiritual, moral, or social development. Where the relevant labour laws of Kenya have provisions for employment of minors, the Contractor shall follow those laws applicable to the Contractor. Children below the age of 18 years shall not be employed in dangerous work.

## **6.18** Employment Records of Workers

The Contractor shall keep complete and accurate records of the employment of labour at the Site. The records shall include the names, ages, genders, hours worked and wages paid to all workers. These records shall be summarized on a monthly basis and submitted to the Engineer. These records shall be included in the details to be submitted by the Contractor under Sub-Clause 6.10 [Records of Contractor's Personnel and Equipment].

# 6.19 Workers' Organizations

The Contractor shall comply with the relevant labor laws that recognize workers' rights to form and to join workers' organizations of their choosing without interference.

## 620 Non-Discrimination and Equal Opportunity

The Contractor shall base the labour employment on the principle of equal opportunity and fair treatment and shall not discriminate with respect to aspects of the employment relationship, including recruitment and hiring, compensation (including wages and benefits), working conditions and terms of employment, access to training, promotion, termination of employ mentor retirement, and discipline.

### 7. PLANT, MATERIALS AND WORKMANSHIP

## 7.1 Manner of Execution

The Contractor shall carry out the manufacture/assemble of plant, the production and manufacture of Materials, and all other execution of the Works:

- a) In the manner (if any) specified in the Contract,
- b) in a proper workman like and careful manner, in accordance with recognized good practice, and
- c) with properly equipped facilities and non-hazardous Materials, except as otherwise specified in the Contract.

# 7.2 Samples

The Contractor shall submit the following samples of Materials, and relevant information, to the Architect for consent prior to using the Material sin or for the Works:

- a) manufacturer's standard samples of Materials and samples specified in the Contract, all at the Contractor's cost, and
- b) additional samples instructed by the Architect as a Variation.

Each sample shall be labeled as to origin and intended use in the Works.

### 7.3 Inspection

- 73.1 The Procuring Entity's Personnel shall at all reasonable times:
  - a) Have full access to all parts of the Site and to all places from which natural Materials are being obtained, and
  - b) during production, manufacture and construction (at the Site and elsewhere), be entitled to examine, inspect, measure and test the materials and workmanship, and to check the progress of manufacture of Plant and production and manufacture of Materials.

- The Contractor shall give the Procuring Entity's Personnel full opportunity to carry out these activities, including providing access, facilities, permissions and safety equipment. No such activity shall relieve the Contractor from any obligation or responsibility.
- 733 The Contractor shall give notice to the Architect whenever any work is ready and before it is covered up, put out of sight, or packaged for storage or transport. The Architect shall then either carry out the examination, inspection, measurement or testing without unreasonable delay, or promptly give notice to the Contractor that the Architect does not require to do so. If the Contractor fails to give the notice, he shall, if and when required by the Engineer, uncover the work and there after reinstate and make good, all at the Contractor's cost.

## 7.4 Testing

- 7.4.1 This Sub-Clause shall apply to all tests specified in the Contract.
- Except as otherwise specified in the Contract, the Contractor shall provide all apparatus, assistance, documents and other information, electricity, equipment, fuel, consumables, instruments, labor, materials, and suitably qualified and experienced staff, as are necessary to carry out the specified tests efficiently. The Contractor shall agree, with the Engineer, the time and placef ort he specified testing of any Plant, Materials and other parts of the Works.
- 7.43 The Architect may, under Clause 13 [Variations and Adjustments], vary the location or details of specified tests, or instruct the Contractor to carry out additional tests. If these varied or additional tests show that the tested Plant, Materials or workmanship is not in accordance with the Contract, the cost of carrying out this Variation shall be borne by the Contractor, not withstanding other provisions of the Contract.
- 7.4.4 The Architect shall give the Contractor not less than 24 hours' notice of the Architect intention to attend the tests. If the Architect does not attend at the time and place agreed, the Contractor may proceed with the tests, unless otherwise instructed by the Engineer, and the tests shall then be deemed to have been made in the Architect presence.
- 7.45 If the Contractor suffers delay and/ or incurs Cost from complying with these instructions or as a result of a delay for which the Procuring Entity is responsible, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- 7.4.6 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- 7.4.7 The Contractor shall promptly forward to the Architect duly certified reports of the tests. When the specified tests have be enpassed, the Architect shall endorse the Contractor's test certificate, or issue a certificate to him, to that effect. If the Architect has not attended the tests, he shall be deemed to have accepted the readings as accurate.

## 7.5 Rejection

- 75.1 If, as a result of an examination, inspection, measurement or testing, any Plant, Materials or workmanship is found to be defective or otherwise not in accordance with the Contract, the Architect may reject the Plant, Materials or workmanship by giving notice to the Contractor, with reasons. The Contractor shall then promptly make good the defect and ensure that the rejected item complies with the Contract.
- If the Architect requires this Plant, Materials or workmanship to be retested, the tests shall be repeated under the same terms and conditions. If the rejection and retesting cause the Procuring Entity to incur additional costs, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity.

## 7.6 Remedial Work

- 7.6.1 Not withstanding any previous test or certification, the Architect may instruct the Contractorto:
  - a) Remove from the Site and replace any Plant or Materials which is not in accordance with the Contract,
  - b) remove and re-execute any other work which is not in accordance with the Contract, and
  - c) execute any work which is urgently required for the safety of the Works, whether because of an accident, unforeseen able event or otherwise.

- 7.62 The Contractor shall comply with the instruction within a reasonable time, which shall be the time (if any) specified in the instruction, or immediately if urgency is specified under sub-paragraph (c).
- 7.63 If the Contractor fails to comply with the instruction, the Procuring Entity shall be entitled to employ and pay other persons to carry out the work. Except to the extent that the Contractor would have been entitled to payment for the work, the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity all costs arising from this failure.
- 7.64 If the contractor repeatedly delivers defective work, the Procuring Entity may consider termination in accordance with Clause 15.

## 7.7 Ownership of Plant and Materials

Except as otherwise provided in the Contract, each item of Plant and Materials shall become the property of the Procuring Entity at whichever is the earlier of the following times, free from liens and other encumbrances:

- a) When it is in corporated in the Works;
- b) when the Contractor is paid the corresponding value of the Plant and Materials under Sub-Clause 8.10 [Payment for Plant and Materials in Event of Suspension].

## 7.8 Royalties

Unless otherwise stated in the Specification, the Contractor shall pay all royalties, rents and other payments for:

- a) Natural materials obtained from outside the Site, and
- b) the disposal of material from demolitions and excavations and of other surplus material (whether natural orman-made), except to the extent that disposal are as within the Site are specified in the Contract.

## 8 COMMENCEMENT, DELAYS AND SUSPENSION

#### **81** Commencement of Works

- 8.1.1 Except as otherwise specified in the Special Conditions of Contract, the Commencement Date shall be the date at which the following precedent condition shave all been fulfilled and the Architect notification recording the agreement of both Parties on such fulfilment and instructing to commence the Work is received by the Contractor:
  - a) Signature of the Contract Agreement by both Parties, and if required, approval of the Contract by relevant authorities of Kenya;
  - b) except if otherwise specified in the Special Conditions of Contract, effective access to and possession of the Site given to the Contractor together with such permission(s) under (a) of Sub-Clause 1.13 [Compliance with Laws] as required for the commencement of the Works.
  - c) Receipt by the Contractor of the Advance Payment under Sub-Clause 14.2 [Advance Payment] provided that the corresponding bank guarantee has been delivered by the Contractor.
- 8.1.2 If the said Architect instruction is not received by the Contractor within 180 days from his receipt of the Letter of Acceptance, the Contractor shall be entitled to terminate the Contract under Sub-Clause 1 6.2 [Termination Contractor].
- 8.13 The Contractor shall commence the execution of the Works as soon as is reasonably practicable after the Commencement Date and shall then proceed with the Works with due expedition and without delay.

### **82** Time for Completion

The Contractor shall complete the whole of the Works, and each Section (if any), within the Time for Completion for the Works or Section (as the case may be), including:

- a) Achieving the passing of the Testson Completion, and
- b) completing all work which is stated in the Contract as being required for the Works or Section to be considered to be completed for the purposes of taking-over under Sub-Clause 10.1 [Taking Over of the Works and Sections].

### 83 Programme

- 83.1 The Contractor shall submit a detailed time programme to the Architect within 1 4 days after receiving the notice under Sub-Clause 8.1 [Commencement of Works]. The Contractor shall also submit a revised programme whenever the previous programme is inconsistent with actual progress or with the Contractor's obligations. Each programme shall include:
  - a) The order in which the Contractor intends to carry out the Works, including the anticipated timing of each stage of design (if any), Contractor's Documents, procurement, manufacture of Plant, delivery to Site, construction, erection and testing,
  - b) each of these stages for work by each nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]),
  - c) the sequence and timing of inspections and tests specified in the Contract, and
  - d) a supporting report which includes:
    - i) a general description of the methods which the Contractor intends to adopt, and of the major stages, in the execution of the Works, and
    - ii) details showing the Contractor's reasonable estimate of the number of each class of Contractor's Personnel and of each type of Contractor's Equipment, required on the Site for each major stage.
- Unless the Engineer, within 14 days after receiving a programme, gives notice to the Contractor stating the extent to which it does not comply with the Contract, the Contractor shall proceed in accordance with the programme, subject to his other obligations under the Contract. The Procuring Entity's Personnel shall be entitled to rely upon the programme when planning their activities.
- The Contractor shall promptly give notice to the Architect of specific probable future events or circumstances which may adversely affect the work, increase the Contract Price or delay the execution of the Works.
- If, at anytime, the Architect gives notice to the Contractor that a programme fails (to the extent stated) to comply with the Contractor to be consistent with actual progress and the Contractor's stated intentions, the Contractor shall submit a revised programme to the Architect in accordance with this Sub-Clause.

## 8.4 Extension of Time for Completion

- 84.1 The Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to an extension of the Time for Completion if and to the extent that completion for the purposes of Sub-Clause 10.1 [Taking Over of the Works and Sections] is or will be delayed by any of the following causes:
  - a) a Variation (unless an adjustment to the Time for Completion has been agreed under Sub-Clause 13.3 [Variation Procedure]) or other substantial change in the quantity of an item of work included in the Contract,
  - b) a cause of delay giving an entitlement to extension of time under a Sub-Clause of these Conditions,
  - c) exceptionally adverse climatic conditions,
  - d) Unforeseeable shortages in the availability of personnel or Goods caused by epidemic or governmental actions, or
  - e) any delay, impediment or prevention caused by or attributable to the Procuring Entity, the Procuring Entity's Personnel, or the Procuring Entity's other contractors.
- If the Contractor considers itself to be entitled to an extension of the Time for Completion, the Contractor shall give notice to the Architect in accordance with Sub-Clause 20.1 [Contractor's Claims]. When determining each extension of time under Sub-Clause 20.1, the Architect shall review previous determinations and may increase, but shall not decrease, the total extension of time.

### 8.5 Delays Caused by Authorities

If the following conditions apply, namely:

- a) The Contractor has diligently followed the procedures laid down by the relevant legally constituted public authorities in Kenya,
- b) These authorities delay or disrupt the Contractor's work, and
- c) the delay or disruption was Unforeseeable, then this delay or disruption will be considered as a cause of delay under sub-paragraph (b) of Sub-Clause 8.4 [Extension of Time for Completion].

### 8.6 Rate of Progress

- 8.6.1 If, at anytime:
  - a) Actual progress is too slow to complete within the Time for Completion, and/or
  - b) Progress has fallen (or will fall) behind the current programme under Sub-Clause 8.3 [Programme], other than as a result of a cause listed in Sub-Clause 8.4 [Extension of Time for Completion], then the Architect may instruct the Contractor to submit, under Sub-Clause 8.3 [Programme], a revised programme and supporting report describing the revised methods which the Contractor proposes to adopt in order to expedite progress and complete within the Time for Completion.
- Unless the Architect notifies otherwise, the Contractor shall adopt these revised methods, which mayrequire increases in the working hours and/or in the numbers of Contractor's Personnel and/or Goods, at the risk and cost of the Contractor. If these revised methods cause the Procuring Entity to incur additional costs, the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay these costs to the Procuring Entity, in addition to delay damages (if any) under Sub-Clause 8.7 below.
- Additional costs of revised methods including acceleration measures, instructed by the Architect to reduce delays resulting from causes listed under Sub-Clause 8.4 [Extension of Time for Completion] shall be paid by the Procuring Entity, without generating, however, any other additional payment benefit to the Contractor.

# 8.7 Delay Damages

- 87.1 If the Contractor fails to comply with Sub-Clause 8.2 [Time for Completion], the Contractor shall subject to notice under Sub-Clause 2.5 [Procuring Entity's Claims] pay delay damages to the Procuring Entity for this default. These delay damages shall be the sum stated in the **Special Conditions of Contract**, which shall be paid for everyday which shall elapse between the relevant Time for Completion and the date stated in the taking-Over Certificate. However, the total amount due under this Sub-Clause shall not exceed the maximum amount of delay damages (if any) stated in the Special Conditions of Contract.
- These delay damages shall be the only damages due from the Contractor for such default, other than in the event of termination under Sub-Clause 15.2 [Termination by Procuring Entity] prior to completion of the Works. These damages shall not relieve the Contractor from his obligation to complete the Works, or from any other duties, obligations or responsibilities which he may have under the Contract.

## 8.8 Suspension of Work

- The Architect may at anytime instruct the Contractor to suspend progress of part or all of the Works. During such suspension, the Contractor shall protect, store and secure such part or the Works a gainst any deterioration, loss or damage.
- The Architect may also notify the cause for the suspension. If and to the extent that the cause is notified and is the responsibility of the Contractor, the following Sub-Clauses 8.9, 8.10 and 8.11 shall not apply.

### 8.9 Consequences of Suspension

- 89.1 If the Contractor suffers delay and/or incurs Cost from complying with the Architect instructions under Sub-Clause 8.8 [Suspension of Work] and/or from resuming the work, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) Payment of any such Cost, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- The Contractor shall not be entitled to an extension of time for, or to payment of the Cost incurred in, making good the consequences of the Contractor's faulty design, workmanship or materials, or of the Contractor's failure to protect, store or secure in accordance with Sub-Clause 8.8 [Suspension of Work].

# 8.10 Payment for Plant and Materials in Event of Suspension

The Contractor shall be entitled to payment of the value (as at the date of suspension) of Plant and/ or Materials which have not been delivered to Site, if:

- a) The work on Plant or delivery of Plant and/ or Materials has been suspended for more than 30 days, and
- b) the Contractor has marked the Plant and/or Materials as the Procuring Entity's property in accordance with the Architect instructions.

### 8.11 ProlongedSuspension

If the suspension under Sub-Clause 8.8 [Suspension of Work] has continued for more than 84 days, the Contractor may request the Architect permission to proceed. If the Architect does not give permission within 30 days after being requested to do so, the Contractor may, by giving notice to the Engineer, treat the suspension as an omission under Clause 13 [Variations and Adjustments] of the affected part of the Works. If the suspension affects the whole of the Works, the Contractor may give notice of termination under Sub-Clause 16.2 [Termination by Contractor].

## 8.12 Resumption of Work

After the permission or instruction to proceed is given, the Contractor and the Architect shall jointly examine the Works and the Plant and Materials affected by the suspension. The Contractor shall make good any deterioration or defect in or loss of the Works or Plant or Materials, which has occurred during the suspension after receiving from the Architect an instruction to this effect under Clause 13 [Variations and Adjustments].

### 9. TESTS ON COMPLETION

## 9.1 Contractor's Obligations

- 9.1.1 The Contractor shall carry out the Tests on Completion in accordance with this Clause and Sub-Clause 7.4 [Testing], after providing the documents in accordance with sub-paragraph (d) of Sub-Clause 4.1 [Contractor's General Obligations].
- 9.12 The Contractor shall give to the Architect not less than 21 days' notice of the date after which the Contractor will be ready to carry out each of the Tests on Completion. Unless otherwise agreed, Tests on Completion shall be carried out within 14 days after this date, on such day or days as the Architect shall instruct.
- 9.13 In considering the results of the Tests on Completion, the Architect shall make allowances for the effect of any use of the Works by the Procuring Entity on the performance or other characteristics of the Works. As soon as the Works, or a Section, have passed any Tests on Completion, the Contractor shall submit a certified report of the resultsof these Tests to the Engineer.

# 92 Delayed Tests

- If the Tests on Completion are being unduly delayed by the Procuring Entity, Sub-Clause 7.4 [Testing] (fifth paragraph) and/ or Sub-Clause 10.3 [Interference with Tests on Completion] shall be applicable.
- 922 If the Tests on Completion are being unduly delayed by the Contractor, the Architect may by notice require the Contractor to carry out the Tests within 21 days after receiving the notice. The Contractor shall carry out the Testson such day or days within that period as the Contractor may fix and of which he shall give notice to the Engineer.
- 923 If the Contractor fails to carryout the Tests on Completion within the period of 21 days, the Procuring Entity's Personnel may proceed with the Test sat the risk and cost of the Contractor. The Tests on Completion shall then be deemed to have been carried out in the presence of the Contractor and the results of the Tests shall be accepted asaccurate.

### 93 Retesting of related works

If the Works, or a Section, fail to pass the Tests on Completion, Sub-Clause 7.5 [Rejection] shall apply, and the Architect or the Contractor may require the failed Tests, and Tests on Completion on any related work, to be repeated under the same terms and conditions.

# 94 Failure to Pass Tests on Completion

94.1 If the Works, or a Section, fail to pass the Tests on Completion repeated under Sub-Clause 9.3 [Retesting],

the Architect shall be entitled to:

- a) Order further repetition of Tests on Completion under Sub-Clause 9.3; or
- b) if the failure deprives the Procuring Entity of substantially the whole benefit of the Works or Section, reject the Works or Section (as the case may be), in which event the Procuring Entity shall have the same remedies as are provided in sub-paragraph (c) of Sub-Clause 1 1.4 [Failure to Remedy Defects].

#### 10. PROCURING ENTITY'S TAKING OVER

## 10.1 Taking Over of the Works and Sections

- 10.1.1 Except as stated in Sub-Clause 9.4 [Failure to Pass Tests on Completion], the Works shall be taken over by the Procuring Entity when (i) the Works have been completed in accordance with the Contract, including the matters described in Sub-Clause 8.2 [Time for Completion] and except as allowed in sub-paragraph (a) below, and (ii) a Taking-Over Certificate for the Works has been issued, or is deemed to have been issued in accordance with this Sub-Clause.
- 10.12 The Contractor may apply by notice to the Architect for a Taking-Over Certificate not earlier than 14 days before the Works will, in the Contractor's opinion, be complete and ready for taking over. If the Works are divided into Sections, the Contract or may similarly apply for a Taking-Over Certificate for each Section.
- 10.13 The Architect shall, within 30 days after receiving the Contractor's application:
  - a) Issue the Taking-Over Certificate to the Contract or, stating the date on which the Works or Section were completed in accordance with the Contract, except for any minor out standing work and defects which will not substantially affect the use of the Works or Section for their intended purpose (either until or whilst this work is completed and these defects are remedied); or
  - b) reject the application, giving reasons and specifying the work required to be done by the Contractor to enable the Taking-Over Certificate to be issued. The Contractor shall then complete this work before issuing a further notice undert his Sub-Clause.
- 10.14 If the Architect fails either to issue the Taking-Over Certificate or to reject the Contractor's application within the period of 30 days, and if the Works or Section (as the case may be) are substantially in accordance with the Contract, the Taking-Over Certificate shall be deemed to have been issued on thel ast day of that period.

## 10.2 Taking Over of Parts of the Works

- 102.1 The Architect may, at the sole discretion of the Procuring Entity, issue a Taking-Over Certificate for any part of the Permanent Works.
- 1022 The Procuring Entity shall not use any part of the Works (other than as a temporary measure which is either specified in the Contract or agreed by both Parties) unless and until the Architect has issued a Taking-Over Certificate for this part. However, if the Procuring Entity does use any part of the Works before the Taking-Over Certificate is issued:
  - a) The part which is used shall be deemed to have been taken over as from the date on which it is used,
  - b) the Contractor shall cease to be liable for the care of such part as from this date, when responsibility shall pass to the Procuring Entity, and
  - c) if requested by the Contractor, the Architect shall issue a Taking-Over Certificate for this part.
- After the Architect has issued a Taking-Over Certificate for a part of the Works, the Contractor shall be given the earliest opportunity to take such steps as may be necessary to carry out any outstanding Tests on Completion. The Contractor shall carry out these Tests on Completion as soon as practicable before the expiry date of the relevant Defects Notification Period.
- If the Contractor incurs Cost as a result of the Procuring Entity taking over and/or using a part of the Works, other than such use as is specified in the Contractor agreed by the Contractor, the Contractor shall (i) give notice to the Architect and (ii) be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to payment of any such accrued costs, which shall be included in the Contract Price. After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this accrued cost.
- If a Taking-Over Certificate has been issued for a part of the Works (other than a Section), the delay damages there after for completion of the remainder of the Works shall be reduced. Similarly, the delay damages for the remainder of the Section (if any) in which this part is included shall also be reduced. For any period of delay after the date stated in this Taking-Over Certificate, the proportional reduction in these delay damages shall be calculated as the proportion which the value of the part so certified bears to the value of the Works or

Section (as the case may be) as a whole. The Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these proportions. The provisions of this paragraph shall only apply to the daily rate of delay damages under Sub-Clause 8.7 [Delay Damages] and shall not affect the maximum amount of these damages.

## 103 Interference with Tests on Completion

- 103.1 If the Contractor is prevented, for more than 14 days, from carrying out the Tests on Completion by a cause for which the Procuring Entity is responsible, the Procuring Entity shall be deemed to have taken over the Works or Section (as the case may be) on the date when the Tests on Completion would otherwise have been completed.
- 1032 The Architect shall then issue a Taking-Over Certificate accordingly, and the Contractor shall carry out the Tests on Completion as soon as practicable, before the expiry date of the Defects Notification Period. The Architect shall require the Tests on Completion to be carried out by giving 14 days' notice and in accordance with the relevant provisions of the Contract.
- 1033 If the Contractor suffers delay and/or incurs Cost as a result of this delay in carrying out the Tests on Completion, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such accrued costs, which shall be included in the Contract Price.
- 1034 After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

## 10.4 Surfaces Requiring Reinstatement

Except as otherwise stated in a Taking-Over Certificate, a certificate for a Section or part of the Works shall not be deemed to certify completion of any ground or other surfaces requiring reinstatement.

#### 11. DEFECTS LIABILITY

### 11.1 Completion of Outstanding Work and Remedying Defects

- 11.1.1 In order that the Works and Contractor's Documents, and each Section, shall be in the condition required by the Contract (fairwear and tear excepted) by the expiry date of the relevant Defects Notification Period or as soon as practicable there after, the Contractor shall:
  - a) complete any work which is outstanding on the date stated in a Taking-Over Certificate, within such reasonable time as is instructed by the Engineer, and
  - b) execute all work required to remedy defects or damage, as may be notified by (or on behalf of) the Procuring Entity on or before the expiry date of the Defects Notification Period for the Works or Section (as the case may be).
- 11.12 If a defect appears or damage occurs, the Contractor shall be notified accordingly by the Engineer.

#### 11.2 Cost of Remedying Defects

- All work referred to in sub-paragraph (b) of Sub-Clause 11.1 [Completion of Outstanding Work and Remedying Defects] shall be executed at the risk and cost of the Contractor, if and to the extent that the work is attributable to:
  - a) Any design for which the Contractor is responsible,
  - b) Plant, Materials or workmanship not being in accordance with the Contract, or
  - c) Failure by the Contractor to comply with any other obligation.
- If and to the extent that such work is attributable to any other cause, the Contractor shall be notified promptly by (or on behalf of) the Procuring Entity, and Sub-Clause 13.3 [Variation Procedure] shall apply.

### 113 Extension of Defects Notification Period

113.1 The Procuring Entity shall be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to an extension

of the Defects Notification Period for the Works or a Section if and to the extent that the Works, Section or a major item of Plant (as the case may be, and after taking over) cannot be used for the purposes for which they are intended by reason of a defect or by reason of damage attributable to the Contractor. However, a Defects Notification Period shall not be extended by more than two years.

If delivery and/ or erection of Plant and/ or Materials was suspended under Sub-Clause 8.8 [Suspension of Work] or Sub-Clause 16.1 [Contractor's Entitlement to Suspend Work], the Contractor's obligations under this Clause shall not apply to any defectsor damage occurring more than two years after the Defects Notification Period for the Plant and/ or Materials would otherwise have expired.

## 11.4 Failure to Remedy Defects

- 114.1 If the Contractor fails to remedy any defect or damage within a reasonable time, a date may be fixed by the Engineer, on or by which the defect or damage is to be remedied. The Contractor shall be given reasonable notice of this date.
- 11.42 If the Contractor fails to remedy the defect or damage by this notified date and this remedial work was to be executed at the cost of the Contractor under Sub-Clause 11.2 [Costo f Remedying Defects], the Procuring Entity may (at his option):
  - (a) Carry out the work itself or by others, in a reasonable manner and at the Contractor's cost, but the Contractor shall have no responsibility for this work; and the Contractor shall subject to Sub-Clause 2.5 [Procuring Entity's Claims] pay to the Procuring Entity the costs reasonably incurred by the Procuring Entity in remedying the defect or damage;
  - (b) Require the Architect to agree or determine a reasonable reduction in the Contract Price in accordance with Sub-Clause 3.5 [Determinations]; or
  - (c) if the defect or damage deprives the Procuring Entity of substantially the whole benefit of the Works or any major part of the Works, terminate the Contractas a whole, or in respect of such major part which cannot be put to the intended use. Without prejudice to any other rights, under the Contractor otherwise, the Procuring Entity shall then be entitled to recover all sums paid for the Works or for such part (as the case may be), plus financing costs and the cost of dismantling the same, clearing the Site and returning Plant and Materials to the Contractor.

#### 11.5 Removal of Defective Work

If the defector damage cannot be remedied expeditiously on the Site and the Procuring Entity gives consent, the Contractor may remove from the Site for the purposes of repair such items of Plant as are defective or damaged. This consent may require the Contractor to increase the amount of the Performance Security by the full replacement cost of these items, or to provide other appropriate security.

#### 11.6 Further Tests

- 11.6.1 If the work of remedying of any defector damage may affect the performance of the Works, the Architect may require the repetition of any of the tests described in the Contract. The requirement shall be made by notice within 14 days after the defect or damage is remedied.
- These tests shall be carried out in accordance with the terms applicable to the previous tests, except that they shall be carried out at the risk and cost of the Party liable, under Sub-Clause 11.2 [Cost of Remedying Defects], for the cost of the remedial work.

### 11.7 Right of Access

Unti Ithe Completion Certificate has been issued, the Contractor shall have such right of access to the Works as is reasonably required in order to comply with this Clause, except as may be inconsistent with the Procuring Entity's reasonable security restrictions.

### 118 Contractor to Search

The Contractor shall, if required by the Engineer, search for the cause of any defecton parts of the works that have already accepted, under the direction of the Engineer. Unless the defect is to be remedied at the cost of the Contractor under Sub-Clause 11.2 [Cost of Remedying Defects], the Cost of the search plus profit shall be agreed or determined by the Architect in accordance with Sub-Clause 3.5 [Determinations] and shall be included in the Contract Price.

### 11.9 Completion Certificate

- Performance of the Contractor's obligations shall not be considered to have been completed until the Architect has issued the Completion Certificate to the Contractor, stating the date on which the Contractor completed his obligations under the Contract.
- The Architect shall issue the Completion Certificate within 30days after the latest of the expiry dates of the Defects Liability Period, or as soon there after as the Contractor has supplied all the Contractor's Documents and completed and tested all the Works, including remedying any defects. A copy of the Completionn Certificate shall be issued to the Procuring Entity.
- 1193 Only the Completion Certificate shall be deemed to constitute acceptance of the Works.

### 11.10 Unfulfilled Obligations

After the Completion Certificate has been issued, each Party shall remain liable for the fulfilment of any obligation which remains unperformed at that time. For the purposes of determining the nature and extent of unperformed obligations, the Contract shall be deemed to remain in force.

#### 11.11 Clearance of Site

- 11.11.1 Upon receiving the Completion Certificate, the Contractor shall remove any remaining Contractor's Equipment, surplus material, wreckage, rubbish and Temporary Works from the Site.
- 11.112 If all these items have not been removed within 30 days after receipt by the Contractor of the Completion Certificate, the Procuring Entity may sell or otherwise dispose of any remaining items. The Procuring Entity shall be entitled to be paid the costs incurred in connection with, or attributable to, such sale or disposal and restoring the Site.
- 11.113 Any balance of the moneys from the sale shall be paid to the Contractor. If these moneys are less than the Procuring Entity's costs, the Contractor shall pay the outstanding balance to the Procuring Entity.

### 12 MEASUREMENT AN DEVALUATION

### 12.1 Works to be Measured

- 12.1.1 The Works shall be measured, and valued for payment, in accordance with this Clause. The Contractorshall show in each application under Sub-Clauses 14.3 [Application for Interim Payment Certificates], 14.10 [Statement on Completion] and 14.11 [Application for Final Payment Certificate] the quantities and other particulars detailing the amounts which he considers to be entitled under the Contract.
- Whenever the Architect requires any part of the Works to be measured, reasonable notice shall be given to the Contractor's Representative, who shall:
  - a) promptly either attend or send another qualified representative to assist the Architect in making the measurement, and
  - b) supply any particulars requested by the Engineer.
- 12.13 If the Contractor fails to attend or send a representative, the measurement made by the Architect shall be accepted as accurate.
- 12.14 Except as otherwise stated in the Contract, wherever any Permanent Works are to be measured from records, these shall be prepared by the Engineer. The Contractor shall, as and when requested, attend to examine and agreet her ecords with the Engineer, and shall sign the same when agreed. If the Contractor does not attend, the records shall be accepted as accurate.
- 12.15 If the Contractor examines and disagrees the records, and/ or does not sign them as agreed, then the Contractor shall give notice to the Architect of the respects in which the records are asserted to be inaccurate. After receiving this notice, the Architect shall review the records and either confirm or vary them and certify the paymentofthe undisputed part. If the Contractor does not so give notice to the Architect within 14 days after being requested to examine the records, they shall be accepted as accurate.

## 122 Method of Measurement

Except as otherwise stated in the Contract:

- a) Measurement shall be made of the net actual quantity of each item of the Permanent Works, and
- b) the method of measurement shall be in accordance with the Bill of Quantities or other applicable Schedules.

#### 123 Evaluation

- Except as otherwise stated in the Contract, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of workd one by evaluating each item of work, applying the measurement agreed or determined in accordance with the above Sub-Clauses 12.1 and 12.2 and the appropriate rate or price for the item.
- For each item of work, the appropriate rate or price for the item shall be the rate or price specified for such item in the Contractor, if there is no such item, specified for similar work.
- Any item of work included in the Bill of Quantities for which no rate or price was specified shall be considered as included in other rates and prices in the Bill of Quantities and will not be paid for separately.
- However, for a new item of work, a new rate or price shall be appropriate for such item of work if:
  - a) The work is instructed under Clause 13 [Variations and Adjustments],
  - b) no rate or price is specified in the Contract for this item, and
  - c) no specified rate or price is appropriate because the item of work is not of similar character, or is not executed under similar conditions, as any item in the Contract.
- Each new rate or price shall be derived from any relevant rates or prices in the Contract. If no rates or prices are relevant for the new item of work, it shall be derived from the reasonable Cost of executing such work, prevailing market rates, together with profit, taking account of any other relevant matters.
- 123.6 Until such time as an appropriate rate or price is agreed or determined, the Architect shall determine a provisional rate or price for the purposes of Interim Payment Certificates as soon as the concerned work commences.
- 123.7 Where the contract price is different from the corrected tender price, in order to ensure the contractor is not paid less or more relative to the contract price (*which would be the tender price*), payment valuation certificates and variation orders on omissions and additions valued based on rates in the Bill of Quantities or schedule of rates in the Tender, will be adjusted by a <u>plus or minus</u> percentage. The percentage already worked out during tender evaluation is worked out as follows: (*corrected tender price tender price*)/ *tender price X 100*.

#### 124 Omissions

Whenever the omission of any work forms part (or all) of a Variation, the value of which has not been agreed, if:

- a) The Contractor will incur (or has incurred) cost which, if the work had not been omitted, wouldhavebeen deemed to be covered by a sum forming part of the Accepted Contract Amount;
- b) The omission of the work will result (or has resulted) in this sum not forming part of the Contract Price; and
- c) this cost is not deemed to be included in the evaluation of any substituted work; then the Contractor shall give notice to the Architect accordingly, with supporting particulars. Upon receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine this cost, which shall be included in the Contract Price.

#### 13. VARIATIONS AND ADJUSTMENTS

## 13.1 Right to Vary

- 13.1.1 Variations may be initiated by the Architect at any time prior to issuing the Taking-Over Certificate for the Works, either by an instruction or by a request for the Contractor to submit a proposal. No Variation instructed by the Architect under this Clause shall in any way vitiate or in validate the Contract.
- 13.12 The Contractor shall execute and be bound by each Variation, unless the Contractor promptly gives notice to the Architect stating (with supporting particulars) that (i) the Contractor cannot readily obtain the Goods required for the Variation, or (ii) such Variation triggers a substantial change in the sequence or progress of the Works. Upon receiving this notice, the Architect shall cancel, confirm or vary the instruction.
- 13.13 Each Variation may include:

- a) changes to the quantities of any item of work included in the Contract (however, such changes do not necessarily constitute a Variation),
- b) changes to the quality and otherc haracteristics of any item of work,
- c) changes to the levels, positions and/ or dimensions of any part of the Works,
- d) omission of any work unless it is to be carried out by others,
- e) any additional work, Plant, Materials or services necessary for the Permanent Works, including any associated Tests on Completion, boreholes and other testing and exploratory work, or
- f) changes to the sequence or timing of the execution of the Works.
- 13.14 The Contractor shall not make any alteration and/or modification of the Permanent Works, unless and until the Architect instructs after obtaining approval of the Procuring Entity.

#### 132. Variation Order Procedure

- Priortoany Variation Order under Sub-Clause 13.1.4 the Architect shall notify the Contractor of the nature and form of such variation. As soon as possible after having received such notice, the Contractor shall submit to the Engineer:
  - a) A description of work, if any, to be performed and a programme for its execution, and
  - b) the Contractor's proposals for any necessary modifications to the Programme according to Sub-Clause 8.3 or to any of the Contractor's obligations under the Contract, and
  - c) the Contractor's proposals for adjustment to the Contract Price.

Following the receipt of the Contractor's submission the Architect shall, after due consultation with the Employer and the Contractor, decide as soon as possible whether or not the variation shall be carried out. If the Architect decides that the variation shall be carried out, he shall issue a Variation Order clearly identified as such in accordance with the Contractor's submission or as modified by agreement.

If the Architect and the Contractor are unable to agree the adjustment of the Contract Price, the provisions of Sub-Clause 13.2.2 shall apply.

## 1322 Disagreement on Adjustment of the Contract Price

If the Contractor and the Architecture unable to agree on the adjustment of the Contract Price, the adjustment shall be determined in accordance with the rates specified in the Bills of Quantities or Schedule of Daywork Prices. If the rates contained in the Bills of Quantities or Dayworks Prices are not directly applicable to the specific work in question, suitable rates shall be established by the Architect reflecting the level of pricing in the Dayworks Prices. Where rates are not contained in the said Prices, the amount shall be such as is in all the circumstances reasonable, reflecting a market price. Due account shall be taken of any over-or underrecovery of overheads by the Contractor in consequence of the variation. The Contractor shall also be entitled to be paid:

- a) The cost of any partial execution of the Work srendered useless by any such variation,
- b) The cost of making necessary alterations to Plant already manufactured or in the course of manufacture or of any work done that has to be altered in consequence of such a variation,
- c) any additional costs incurred by the Contractor by the disruption of the progress of the Works as detailed in the Programme, and
- d) the net effect of the Contractor's financec osts, including interest, caused by the variation.

The Architect shall on this basis determine the rates or prices to enable on-account payment to be included in certificates of payment.

## 1323 Contractor to Proceed

On receipt of a Variation Order, the Contractor shall forth with proceed to carry out the variation and be bound to these Conditions in so doing as if such variation was stated in the Contract. The work shall not be delayed pending the granting of an extension of the Time for Completion or an adjustment to the Contract Price under Sub-Clause31.3.

### 133 Value Engineering

13.3.1 The Contractor may, at anytime, submit to the Architect written proposal which (in the Contractor's opinion) will, if adopted, (i) accelerate completion, (ii) reduce the cost to the Procuring Entity of executing, maintaining or operating the Works, (iii) improve the efficiency or value to the Procuring Entity of the completed Works,

- (iv) otherwise be of benefit to the Procuring Entity.
- 13.3.2 The proposal shall be prepared at the cost of the Contractor and shall include the items listed in Sub-Clause 13.3 [Variation Procedure].
- 1323 If a proposal, which is approved by the Engineer, includes a change in the design of part of the Permanent Works, then unless otherwise agreed by both Parties:
  - a) The Contractor shall design this part,
  - b) sub-paragraphs (a) to (d) of Sub-Clause 4.1 [Contractor's General Obligations] shall apply, and
  - c) if this change results in a reduction in the contract value of this part, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine a fee, which shall be included in the Contract Price. This fee shall behalf (50%) of the difference between the following amounts:
    - i) such reduction in contract value, resulting from the change, excluding adjustments under Sub-Clause 13.8 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost], and
    - ii) the reduction (if any) in the value to the Procuring Entity of the varied works, taking account of any improvement in quality, anticipated life or operational efficiencies.
- 13.3.4 However, if the amount established in item 13.2.3 (c) (i) is less than amount established in item 13.2.3 (c) (ii), there shall not be a fee. However, if the if the amount established in item 13.2.3 (c) (i) is more than amount established in item 13.2.3 (c) (ii), it shall result in a price variation to the Procuring Entity.

## 134 Variation Procedure for Value Engineering proposal

- 134.1 If the Architect requests a proposal, prior to instructing a Variation, the Contractor shall respond in writing a soon as practicable, either by giving reasons why he cannot comply (if this is the case) or by submitting:
  - a) A description of the proposed work to be performed and a programme for its execution,
  - b) the Contractor's proposal for any necessary modifications to the programme according to Sub-Clause 8.3 [Programme] and to the Time for Completion, and
  - c) the Contractor's proposal for evaluation of the Variation.
- The Architect shall, as soon as practicable after receiving such proposal (under Sub-Clause 13.2 [Value Project Engineering] or otherwise), respond with approval, disapproval or comments. The Contractor shall not delay any work whilst a waiting a response.
- Each instruction to execute a Variation, with any requirements for the recording of Costs, shall be issued by the Architect to the Contractor, who shall acknowledge receipt.
- Each Variation shall be evaluated in accordance with Clause 12 [Measurement and Evaluation], unless the Architect instructs or approves otherwise in accordance with this Clause.

### 135 Paymentin Applicable Currencies

If the Contract provides for payment of the Contract Price in more than one currency, then whenever an adjustment is agreed, approved or determined as stated above, the amount payable in each of the applicable currencies shall be specified. For this purpose, reference shall be made to the actual or expected currency proportions of the Cost of the varied work, and to the proportions of various currencies specified for payment of the Contract Price.

## 136 Provisional Sums

- 13.6.1 Each Provisional Sum shall only be used, in whole or inpart, in accordance with the Architect instructions, and the Contract Price shall be adjusted accordingly. The total sum paid to the Contractor shall include onlysuch amounts, for the work, supplies or services to which the Provisional Sum relates, as the Architect shall have instructed. For each Provisional Sum, the Architect May instruct:
  - a) Work to be executed (including Plant, Materialso r services to be supplied) by the Contractor and valued under Sub-Clause 13.3 [Variation Procedure]; and/or
  - b) Plant, Materials or services to be purchased by the Contractor, from a nominated Subcontractor (as defined in Clause 5 [Nominated Subcontractors]) or otherwise; and for which there shall be included in the Contract Price:
    - i) The actual amounts paid (or due to be paid) by the Contractor, and
    - ii) a sum for overhead charges and profit, calculated as a percentage of these actual amounts by

applying the relevant percentage rate (if any) stated in the appropriate Schedule. If there is no such rate, the percentage rate stated in **the Special Conditions of Contract** shall be applied.

13.62 The Contractor shall, when required by the Engineer, produce quotations, invoices, vouchers and accounts or receipts in substantiation.

## 137 Dayworks

- 13.7.1 For work of a minor or incidental nature, the Architect may instruct that a Variation shall be executed on a daywork basis. The work shall then be valued in accordance with the Daywork Schedule included in the Contract, and the following procedure shall apply. If a Daywork Schedule is not included in the Contract, this Sub-Clause shall not apply.
- 13.72 Before ordering Goods for the work, the Contractor shall submit quotations to the Engineer. When applying for payment, the Contractor shall submit invoices, vouchers and accounts or receipts for any Goods.
- 13.73 Except for any items for which the Daywork Schedule specifies that payment is not due, the Contractor shall delive reach day to the Architect accurate statements induplicate which shall include the following details of the resources used in executing the previous day's work:
  - a) The names, occupations and time of Contractor's Personnel,
  - b) the identification, type and time of Contractor's Equipment and Temporary Works, and
  - c) the quantities and types of Plant and Materials used.
- One copy of each statement will, if correct, or when agreed, be signed by the Architect and returned to the Contractor. The Contractor shall then submit priced statements of these resources to the Engineer, prior to their inclusion in the next Statement under Sub-Clause 14.3 [Application for Interim Payment Certificates].

## 138 Adjustments for Changes in Legislation

- 138.1 The Contract Price shall be adjusted to take account of any increase or decrease in Cost resulting from a change in the Laws of Kenya (including the introduction of new Laws and the repeal or modification of existing Laws) or in the judicial or official governmental interpretation of such Laws, made after the Base Date, which affect the Contractor in the performance of obligations under the Contract.
- 1382 If the Contractor suffers (or will suffer) delay and/or incurs (or will incur) additional Cost as a result of these changes in the Laws or in such interpretations, made after the Base Date, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.
- Not withstanding the foregoing, the Contractor shall not be entitled to an extension of time if the relevant delay has already been taken into account in the determination of a previous extension of time and such Cost shall not be separately paid if the same shall already have been taken into account in the indexing of any inputs to the table of adjustment data in accordance with the provisions of Sub-Clause 13.8 [Adjustments for Changes in Cost].

#### 139 Adjustments for Changes in Cost

- 13.9.1 In this Sub-Clause, "table of adjustment data" means the completed table of adjustment data for local and foreign currencies included in the Schedules. If there is no such table of adjustment data, this Sub-Clause shall not apply.
- 1392 If this Sub-Clause applies, the amounts payable to the Contractor shall be adjusted for rises or falls in the cost of labor, Goods and other inputs to the Works, by the addition or deduction of the amounts determined by the formulae prescribed in this Sub-Clause. To the extent that full compensation for any rise or fall in Costs is not covered by the provisions of this or other Clauses, the Accepted Contract Amount shall be deemed to have included a mounts to cover the contingency of other rises and falls in costs.
- 13.93 The adjustment to be applied to the amount otherwise payable to the Contractor, as valued in accordance with

the appropriate Schedule and certified in Payment Certificates, shall be determined from formulae for each of the currencies in which the Contract Price is payable. No adjustment is to be applied to work valued on the basis of Cost or current prices. The formulae shall be of the following general type:

## **Price Adjustment Formula**

Prices shall be adjusted for fluctuations in the cost of inputs only if **provided for in the SCC.** If so provided, the amounts certified in each payment certificate, before deducting for Advance Payment, shall be adjusted by applying the respective price adjustment factor to the payment amounts due in each currency. A separate formula of the type specified below applies:

## P = A + B Im/Io

where:

**P** is the adjustment factor for the portion of the Contract Price payable.

**A** and **B** a recoefficients **specified in the SCC**, representing then on adjustable and adjustable portions, respectively, of the Contract Price payable and

**I m** is the index prevailing at the end of the month being invoiced and **Io**c is the index prevailing 30 days before Bid opening for inputs payable.

**NOTE:** The sum of the two coefficients A and B should be 1 (one) in the formula for each currency. Normally, both coefficients shall be the same in the formulae for all currencies, since coefficient A, for the non adjustable portion of the payments, is a very approximate figure (usually 0.15) to take account of fixed cost elements or other nonadjustable components. The sum of the adjustments for each currency are added to the Contract Price.

- The cost indices or reference prices stated in the table of adjustment data shall be used. If their source is in doubt, itshall be determined by the Engineer. Forth is purpose, reference shall be made to the values of the indices at stated dates (quoted in the fourth and fifth columns respectively of the table) for the purposes of clarification of the source; although these dates (and thus these values) may not correspond to the base cost indices.
- Incases where the "currency of index" is not the relevant currency of payment, each index shall be converted into the relevant currency of payment at the selling rate, established by the Central Bank of Kenya, of this relevant currency on the above date for which the index is required to be applicable.
- Until such time as each current cost index is available, the Architect shall determine a provisional index for the issue of Interim Payment Certificates. When a current cost index is available, the adjustment shall be recalculated accordingly.
- 139.7 If the Contractor fails to complete the Works within the Time for Completion, adjustment of prices there after shall be made using either (i) each index or price applicable on the date 49 days prior to the expiry of the Time for Completion of the Works, or (ii) the current index or price, whichever is more favorable to the Procuring Entity.
- The weightings (coefficients) for each of the factors of cost stated in the table(s) of adjustment data shall only be adjusted if they have been rendered unreasonable, unbalanced or in applicable, as a result of Variations.

#### 14. CONTRACT PRICE AND PAYMENT

#### 14.1 The Contract Price

- 14.1.1 Unless otherwise stated in the Special Conditions:
  - a) The value of the payment certificate shall be agreed or determined under Sub-Clause 12.3 [Evaluation] and be subject to adjustments in accordance with the Contract;
  - b) the Contractor shall pay all taxes, duties and fees required to be paid by him under the Contract, and the Contract Price shall not be adjusted for any of these costs except as stated in Sub-Clause 13.7 [Adjustments for Changes in Legislation];
  - c) any quantities which may be set out in the Bill of Quantities or other Schedule are estimated quantities

and are not to be taken as the actual and correct quantities:

- i) of the Works which the Contractor is required to execute, or
- ii) for the purposes of Clause12 [Measurement and Evaluation]; and
- d) the Contractor shall submit to the Engineer, within 30 days after the Commencement Date, a proposed breakdown of each lump sum price in the Schedules. The Architect may take account of the break down when preparing Payment Certificates but shall not be bound by it.
- 14.12 Notwithstanding the provisions of subparagraph (b), Contractor's Equipment, including essential spare parts there for, imported by the Contractor for the sole purpose of executing the Contract shall not be exempt from the payment of import duties and taxes upon importation.

## 14.2 Advance Payment

- The Procuring Entity shall make an advance payment, as an interest-free loan for mobilization and cashflow support, when the Contractor submits a guarantee in accordance with this Clause. The total advance payment, the number and timing of instalments (if more than one), and the applicable currencies and proportions, shall be as stated in the **Special Conditions of Contract.**
- Unless and until the Procuring Entity receives this guarantee, or if the total advance payment is not stated in the Special Conditions of Contract, this Sub-Clause shall not apply.
- 14.23 The Architect shall deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate for the advance payment or its first instalment after receiving a Statement (under Sub-Clause 14.3 [Application for Interim Payment Certificates]) and after the Procuring Entity receives (i) the Performance Security in accordance with Sub-Clause 4.2 [Performance Security] and (ii) a guarantee in amounts and currencies equal to the a dvance payment. This guarantee shall be issued by a reputable bank or financial institutions elected by the Contractor and shall be in the form annexed to the Special Conditions or in another form approved by the Procuring Entity.
- The Contractor shall ensure that the guarantee is valid and enforceable until the advance payment has been repaid, but its amount shall be progressively reduced by the amount repaid by the Contractor as indicated in the Payment Certificates. If the terms of the guarantee specify its expiry date, and the advance payment has not been repaid by the date 30 days prior to the expiry date, the Contractor shall extend the validity of the guarantee until the advance payment has been repaid.
- Unless stated otherwise in **the Special Conditions of Contract**, the advance payment shall be repaid through percentage deductions from the interim payments determined by the Architect in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates], as follows:
  - a) Deductions shall commence in the next interim Payment Certificate following that in which the total of all certified interim payments (excluding the advance payment and deductions and repayments of retention) exceeds 30 percent (30%) of the Accepted Contract Amount less Provisional Sums; and
  - b) deductions shall be made at the amortization rate stated in the **Special Conditions of Contract** of the amount of each Interim Payment Certificate (excluding the advance payment and deductions for its repayments as well as deductions for retention money) in the currencies and proportions of the advance payment until such time as the advance payment has been repaid; provided that the advance payment shall be completely repaid prior to the time when 90 percent (90%) of the Accepted Contract Amount less Provisional Sums has been certified for payment.
- 1426 If the advance payment has not been repaid prior to the issue of the Taking-Over Certificate for the Works or prior to termination under Clause 15 [Termination by Procuring Entity], Clause 16 [Suspension and Termination by Contractor] or Clause 19 [Force Majeure] (as thec ase may be), the whole of the balance then outstanding shall immediately become due and in case of termination under Clause 15 [Termination by Procuring Entity], except for Sub-Clause 14.2.7 [Procuring Entity's Entitlement to Termination for Convenience], payable by the Contractor to the Procuring Entity.

## **143** Application for Interim Payment Certificates

143.1 The Contractor shall submit a Statement (in number of copies indicated in the Special Conditions of

**Contract**) to the Architect after the end of each month, in aform approved by the Engineer, showing in detail the amounts to which the Contractor considers itself to be entitled, together with supporting documents which shall include there porton the progress during this month in accordance with Sub-Clause4.21 [Progress Reports].

- The Statement shall include the following items, as applicable, which shall be expressed in the various currencies in which the Contract Price is payable, in the sequence listed:
  - a) the estimated contract value of the Works executed and the Contractor's Documents produced up to the end of the month (including Variations but excluding items described in sub-paragraphs (b) to (g) below);
  - b) any amounts to be added and deducted for changes in legislation and changes in cost, in accordance with Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost];
  - any amount to be deducted for retention, calculated by applying the percentage of retention stated in the Special Conditions of Contract to the total of the above amounts, until the amount so retained by the Procuring Entity reaches the limit of Retention Money (if any) stated in the Special Conditions of Contract;
  - d) any amounts to be added for the advance payment and (if more than one instalment) and to be deducted for its repayments in accordance with Sub-Clause 14.2 [Advance Payment];
  - e) any amounts to be added and deducted for Plant and Materials in accordance with Sub-Clause 14.5 [Plant and Materials intended for the Works];
  - f) any other additions or deductions which may have become due under the Contractor otherwise, including those under Clause 20 [Claims, Disputes and Arbitration]; and
  - g) the deduction of amounts certified in all previous Payment Certificates.

## 14.4 Schedule of Payments

- 14.4.1 I fthe Contract includes a schedule of payments specifying the instalments in which the Contract Price will be paid, then unless otherwise stated in this schedule:
  - a) The instalments quoted in this schedule of payments shall be the estimated contract values for the purposes of sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates];
  - b) Sub-Clause 14.5 [Plant and Materials intended for the Works] shall not apply; and
  - c) If these instalments are not defined by reference to the actual progress achieved in executing the Works, and if actual progress is found to be less or more than that on which this schedule of payments was based, then the Architect may proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine revised instalments, which shall take account of the extent to which progress is less or more than that on which the instalments were previously based.
- 14.4.2 If the Contract does not include a schedule of payments, the Contractor shall submit non-binding estimates of the payments which he expects to become due during each quarterly period. The first estimate shall be submitted within 42 days after the Commencement Date. Revised estimates shall be submitted at quarterly intervals, until the Taking-Over Certificate has been issued for the Works.

#### 14.5 Plant and Materials intended for the Works

- 145.1 If this Sub-Clause applies, Interim Payment Certificates shall include, under sub-paragraph (e) of Sub-Clause 14.3, (i) an amount for Plant and Materials which have been sent to the Site for incorporation in the Permanent Works, and (ii) a reduction when the contract value of such Plant and Materials is included as part of the Permanent Works under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates].
- 1452 If the lists referred to in sub-paragraphs (b)(i) or (c)(i) below are not included in the Schedules, this Sub-Clause shall not apply.
- 1453 The Architect shall determine and certify each addition if the following conditions a resatisfied:
  - a) The Contractor has:
    - i) kept satisfactory records (including the orders, receipts, Costs and use of Plant and Materials) which are available for inspection, and
    - (ii) submitted statement of the Cost of acquiring and delivering the Plant and Materials to the Site, supported by satisfactory evidence;

and either:

- b) the relevant Plant and Materials:
  - i) are those listed in the Schedules for payment when shipped,
  - ii) have been shipped to Kenya, enroute to the Site, in accordance with the Contract; and
  - iii) are described in a clean shipped bill of lading or other evidence of shipment, which has been submitted to the Architect together with evidence of payment of freight and insurance, any other documents reasonably required, and a bank guarantee in a form and issued by an entity approved by the Procuring Entity in amounts and currencies equal to the amount due under this Sub-Clause: this guarantee may be in a similar form to the form referred to in Sub-Clause14.2 [Advance Payment] and shall be valid until the Plant and Materials are properly stored on Site and protected against loss, damage or deterioration; or
- c) the relevant Plant and Materials:
  - i) are those listed in the Schedules for payment when delivered to the Site, and
  - ii) have been delivered to and are properly stored on the Site, are protected against loss, damage or deterioration and appear to be in accordance with the Contract.
- 145.4 The additional amount to be certified shall be the equivalent of eighty percent (80%) of the Architect determination of the cost of the Plant and Materials (including delivery to Site), taking account of the documents mentioned in this Sub-Clause and of the contract value of the Plant and Materials.
- The currencies for this additional amount shall be the same as those in which payment will become due when the contract value is included under sub-paragraph (a) of Sub-Clause 14.3 [Application for Interim Payment Certificates]. At that time, the Payment Certificate shall include the applicable reduction which shall be equivalent to, and in the same currencies and proportions as, this additional amount for the relevant Plant and Materials.

## 14.6 Issue of Interim Payment Certificates

- No amount will be certified or paid until the Procuring Entity has received and approved the Performance Security. Thereafter, the Architect shall, within 30 days after receiving a Statement and supporting documents, deliver to the Procuring Entity and to the Contractor an Interim Payment Certificate which shall state the amount which the Architect fairly determines to be due, with all supporting particulars for any reduction or withholding made by the Architect on the Statemen tif any.
- 14.62 However, prior to issuing the Taking-Over Certificate for the Works, the Architect shall not be bound to issue an Interim Payment Certificate in an amount which would (after retention and other deductions) be less than the minimum amount of Interim Payment Certificates (if any) stated in the Special Conditions of Contract. In this event, the Architect shall give notice to the Contractor accordingly.
- 14.63 An Interim Payment Certificate shall not be withheld for any other reason, although:
  - if anything supplied or work done by the Contractor is not in accordance with the Contract, the cost of rectification or replacement may be withheld until rectification or replacement has been completed; and/or
  - b) if the Contractor was or is failing to perform any work or obligation in accordance with the Contract, and had been so notified by the Engineer, the value of this work or obligation may be withheld until the work or obligation has been performed.
- 4.6.4 The Architect may in any Payment Certificate make any correction or modification that should properly be made to any previous Payment Certificate. A Payment Certificate shall not be deemed to indicate the Architect acceptance, approval, consent or satisfaction.

#### 14.7 Payment

- 14.7.1 The Procuring Entity shall pay to the Contractor:
  - a) The advance payment shall be paid within 60 days after signing of the contract by both parties or within 60 days after receiving the documents in accordance with Sub-Clause 4.2 [Performance Security] and Sub-Clause 14.2 [Advance Payment], which ever is later;
  - b) The amount certified in each Interim Payment Certificate within 60 days after the Architect Issues Interim Payment Certificate; and

- c) the amount certified in the Final Payment Certificate within 60 days after the Procuring Entity Issues Interim Payment Certificate; or after determination of any disputed amount shown in the Final Statement in accordance with Sub-Clause 16.2 [Terminationby Contractor].
- 14.72 Payment of the amount due in each currency shall be made into the bank account, nominated by the Contractor, in the payment country (forth is currency) specified in the Contract.

## 14.8 Delayed Payment

- 14.8.1 If the Contractor does not receive payment in accordance with Sub-Clause 14.7 [Payment], the Contractor shall be entitled to receive financing charges (simple interest) monthly on the amount unpaid during the period of delay. This period shall be deemed to commence on the date for payment specified in Sub-Clause 14.7 [Payment], irrespective (in the case of its sub-paragraph (b) of the date on which any Interim Payment Certificate is is sub-paragraph.
- 14.82 These financing charges shall be calculated at the annual rate of three percentage points above the mean rate of the Central Bank in Kenya of the currency of payment, or if not available, the inter bank offered rate, and shall be paid in such currency.
- 14.8.3 The Contractor shall be entitled to this payment without formal notice and certification, and without prejudice to any other right or remedy.

### 14.9 Payment of Retention Money

- When the Taking-Over Certificate has been issued for the Works, the first half of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate is issued for a Section or part of the Works, a proportion of the Retention Money shall be certified and paid. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section or part, by the estimated final Contract Price.
- Promptly after the latest of the expiry dates of the Defects Liability Periods, the outstanding balance of the Retention Money shall be certified by the Architect for payment to the Contractor. If a Taking-Over Certificate was issued for a Section, a proportion of the second half of the Retention Money shall be certified and paid promptly after the expiry date of the Defects Notification Period for the Section. This proportion shall behalf (50%) of the proportion calculated by dividing the estimated contract value of the Section by the estimated final Contract Price.
- 14.93 However, if any work remains to be executed under Clause 11 [Defects Liability], the Architects hall be entitled to withhold certification of the estimated cost of this work until it has been executed.
- When calculating these proportions, no account shall be taken of any adjustments under Sub-Clause 13.7 [Adjustments for Changes in Legislation] and Sub-Clause 13.8 [Adjustments for Changes in Cost].
- Unless otherwise stated in the Special Conditions, when the Taking-Over Certificate has been issued for the Works and the first half of the Retention Money has been certified for payment by the Engineer, the Contractor shall be entitled to substitute a Retention Money Security guarantee, in the form annexed to the Special Conditions or in another form approved by the Procuring Entity and issued by a reputable bank or financial institution selected by the Contractor, for the second half of the Retention Money.
- 14.9.6 The Procuring Entity shall return the Retention Money Security guarantee to the Contractor within 14 days after receiving a copy of the Completion Certificate.

### 14.10 Statement at Completion

- 14.10.1 Within 84 days after receiving the Taking-Over Certificate for the Works, the Contractor shall submit to the Architect three copies of a Statement at completion with supporting documents, in accordance with Sub-Clause 14.3 [Application for Interim Payment Certificates], showing:
  - a) the value of all work done in accordance with the Contract up to the date stated in the Taking-Over Certificate for the Works,
  - b) any further sums which the Contractor considers to be due, and

- an estimate of any other amounts which the Contractor considers will become due to him under the Contract. Estimated amounts shall be shown separately in this Statement at completion.
- 14.10.2 The Architect shall then certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates].

## 14.11 Application for Final Payment Certificate

- 14.11.1 Within 60 days after receiving the Completion Certificate, the Contractor shall submit, to the Engineer, six copies of a draft final statement with supporting documents showing in detail in a form approved by the Engineer:
  - a) The value of all work done in accordance with the Contract, and
  - b) Any further sums which the Contractor considers to be due to him under the Contractor otherwise.
- 14.11.2 If the Architect disagrees with or cannot verify any part of the draft final statement, the Contractor shall submit such further information as the Architect may reasonably require within 30 days from receipt of said draft and shall make such changes in the draft as may be agreed between them. The Contractor shall then prepare and submit to the Architect the final statement as agreed. This agreed statement is referred to in these Conditions as the "Final Statement".
- 14.11.3 However, if, following discussions between the Architect and the Contractor and any changes to the draft final statement which are agreed, it be comes evident that a dispute exists, the Architect shall deliver to the Procuring Entity (with a copy to the Contractor) an Interim Payment Certificate for the agreed parts of the draft final statement. Thereafter, if the dispute is finally resolved under Sub-Clause 20.4 [Obtaining Dispute Board's Decision] or Sub-Clause 20.5 [Amicable Settlement], the Contractor shall then prepare and submit to the Procuring Entity (with a copy to the Engineer) a Final Statement.

## 14.12 Discharge

When submitting the Final Statement, the Contractor shall submit a discharge which confirms that the total of the Final Statement represents full and final settlement of all moneys due to the Contractor under or in connection with the Contract. This discharge may state that it becomes effective when the Contractor has received the Performance Security and the out standing balance of this total, in which event the discharge shall be effective on such date.

### 14.13 Issue of Final Payment Certificate

- 14.13.1 Within 30days after receiving the Final Statement and discharge in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall deliver, to the Procuring Entity and to the Contractor, the Final Payment Certificate which shall state:
  - a) The amount which he fairly determines is finally due, and
  - b) After giving credit to the Procuring Entity for all amounts previously paid by the Procuring Entity and for all sums to which the Procuring Entity is entitled, the balance (if any) due from the Procuring Entity to the Contractor or from the Contractor to the Procuring Entity, as the case may be.
- 14.13.2 If the Contractor has not applied for a Final Payment Certificate in accordance with Sub-Clause 14.11 [Application for Final Payment Certificate] and Sub-Clause 14.12 [Discharge], the Architect shall request the Contractor to do so. If the Contractor fails to submit an application within a period of 30 days, the Architect shall issue the Final Payment Certificate for such amount as he fairly determines to be due.

## 14.14 Cessation of Procuring Entity's Liability

- 14.14.1 The Procuring Entity shall not be liable to the Contractor for any matter or thing under or in connection with the Contract or execution of the Works, except to the extent that the Contractor shall have included an amount expressly for it:
  - a) in the Final Statement and also,
  - b) (except for matters or things arising after the issue of the Taking-Over Certificate for the Works) in the Statement at completion described in Sub-Clause 14.10 [Statement at Completion].
- 14.14.2 However, this Sub-Clause shall not limit the Procuring Entity's liability under his in demnification

obligations, or the Procuring Entity's liability in any case of fraud, deliberate default or reckless misconduct by the Procuring Entity.

## 14.15 Currencies of Payment

The Contract Price shall be paid in the currency or currencies named in the Schedule of Payment Currencies. If more than one currency is so named, payments shall be made as follows:

- a) If the Accepted Contract Amount was expressed in Local Currency only:
  - i) the proportions or amounts of the Local and Foreign Currencies, and the fixed rates of exchange to be used for calculating the payments, shall be as stated in the Schedule of Payment Currencies, except as otherwise agreed by both Parties;
  - ii) payments and deductions under Sub-Clause 13.5 [Provisional Sums] and Sub-Clause 13.7 [Adjustments for Changes in Legislation] shall be made in the applicable currencies and proportions; and
  - iii) otherpaymentsanddeductions under sub-paragraphs (a) to (d) of Sub-Clause 14.3 [Application for Interim Payment Certificates] shall be made in the currencies and proportions specified in sub-paragraph (a) (i) above;
- b) payment of the damages specified in the Special Conditions of Contract, shall be made in the currencies and proportions specified in the Schedule of Payment Currencies;
- c) other payments to the Procuring Entity by the Contractor shall be made in the currency in which the sum was expended by the Procuring Entity, or in such currency as may be agreed by both Parties;
- d) if any amount payable by the Contractor to the Procuring Entity in a particular currency exceeds the sum payable by the Procuring Entity to the Contractor in that currency, the Procuring Entity may recover the balance of this amount from the sums otherwise payable to the Contractor in other currencies; and
- e) if no rates of exchange are stated in the Schedule of Payment Currencies, they shall be those prevailing on the Base Date and determined by the Central Bank of Kenya.

#### 15. TERMINATION BY PROCURING ENTITY

## 15.1 Notice to correct any defects or failures

If the Contractor fails to carry out any obligation under the Contract, the Architect may by notice require the Contractor to make good the failure and to remedy it within 30 days.

## 15.2 Termination by Procuring Entity

- 152.1 The Procuring Entity shall be entitled to terminate the Contract if the Contractor breaches the contract based on following circumstances which shall include but not limited to:
  - a) fails to comply with Sub-Clause 4.2 [Performance Security] or with a notice under Sub-Clause 15.1 [Notice to Correct],
  - b) abandons the Works or otherwise plainly demonstrates the intention not to continue performance of his obligations under the Contract,
  - c) without reasonable excuse fails:
    - i) to proceed with the Works in accordance with Clause 8 [Commencement, Delays and Suspension], or
    - ii) to comply with a notice issued under Sub-Clause 7.5 [Rejection] or Sub-Clause 7.6 [Remedial Work], within 30 days after receiving it,
  - d) subcontracts the major part or whole of the Works or assigns the Contract without the consent of the Procuring Entity,
  - e) becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of theseacts or events, or
  - f) gives or offers to give (directly or indirectly) to any person any bribe, gift, gratuity, commission or other thing of value, as an induce mentor reward:
  - i) for doing or for bearing to do any action in relation to the Contract, or
  - ii) for showing or for bearing to show favor or disfavor to any person in relation to the Contract, or
  - iii) if any of the Contractor's Personnel, agents or Subcontractors gives or offers to give (directly or indirectly) to any person any such induce mentor reward as is described in this sub-paragraph (f).

- However, lawful inducements and rewards to Contractor's Personnel shall not entitle termination, or
- g) If the contract or repeatedly fails to remedy delivers defective work,
- h) based on reasonable evidence, has engaged in Fraud and Corruption as defined in paragraph 2.2 of the Appendix B to these General Conditions, incompeting for or in executing the Contract.
- In any of these events or circumstances, the Procuring Entity may, upon giving 14 days' notice to the Contractor, terminate the Contract and expel the Contractor from the Site. However, in the case of subparagraph (e) or (f) or (g) or (h), the Procuring Entity may by notice terminate the Contract immediately.
- 1523 The Procuring Entity's election to terminate the Contract shall not prejudice any other rights of the Procuring Entity, under the Contractor otherwise.
- The Contractor shall then leave the Site and deliver any required Goods, all Contractor's Documents, and other design documents made by or for him, to the Engineer. However, the Contractor shall use his best efforts to comply immediately with any reasonable instructions included in the notice (i) for the assignment of any subcontract, and (ii) for the protection of life or property or for the safety of the Works.
- After termination, the Procuring Entity may complete the Works and/ or arrange for any other entities to do so. The Procuring Entity and these entities may then use any Goods, Contractor's Documents and other design documents made by or on behalf of the Contractor.
- The Procuring Entity shall then give notice that the Contractor's Equipment and Temporary Works will be released to the Contractor at or near the Site. The Contractor shall promptly arrange their removal, at the risk and cost of the Contractor. However, if by this time the Contractor has failed to make a payment due to the Procuring Entity, these items may be sold by the Procuring Entity in order to recover this payment. Any balance of the proceeds shall then be paid to the Contractor.

#### 153 Valuation at Date of Termination

Assoon as practicable after a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine the value of the Works, Goods and Contractor's Documents, and any other sums due to the Contractor for work executed in accordance with the Contract.

## 15.4 Payment after Termination

After a notice of termination under Sub-Clause 15.2 [Termination by Procuring Entity] has taken effect, the Procuring Entity may:

- a) Proceed in accordance with Sub-Clause 2.5 [Procurin Entity's Claims],
- b) withhold further payments to the Contractor until the costs of execution, completion and remedying of any defects, damages for delay in completion (if any), and all other costs incurred by the Procuring Entity, have been established, and/ or
- c) recover from the Contractor any losses and damages incurred by the Procuring Entity and any extra costs of completing the Works, after allowing for any sum due to the Contractor under Sub-Clause 15.3 [Valuation at Date of Termination]. After recovering any such losses, damages and extra costs, the Procuring Entity shall pay any balance to the Contractor.

## 155 Procuring Entity's Entitlement to Termination for Convenience

The Procuring Entity shall be entitled to terminate the Contract, at any time at the Procuring Entity's convenience, by giving notice of such termination to the Contractor. The termination shall take effect 30 days after the later of the dates on which the Contractor receives this notice or the Procuring Entity returns the Performance Security. The Procuring Entity shall not terminate the Contract under this Sub-Clausein order to execute the Works itself or to arrange for the Works to be executed by another contractor or to avoid a termination of the Contract by the Contractor under Clause 16.2 [Termination by Contractor]. After this termination, the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment] and shall be paid in accordance with Sub-Clause 16.4 [Payment on Termination].

## 15.6 Fraud and Corruption

The Contractor shall ensure compliance with the Kenya Government's Anti-Corruption Laws and its prevailing sanctions.

## 15.7 Corrupt gifts and payments of commission

#### 15.7.1 The Contractor shall not:

- a) Offer or give or agree to give to any person in the service of the Procuring Entity any gift or consideration of any kind as an inducement or reward for doing or for bearing to door for having done or for borne to do any act in relation to the obtaining or execution of this or any other Contract for the Procuring Entity or for showing or for bearing to show favor or disfavor to any person in relation to this or any other contract for the Procuring Entity.
- b) Enter into this or any other contract with the Procuring Entity in connection with which commission has been paid or agreed to be paid by him or on his behalf or to his knowledge, unless before the Contract is made particulars of any such commission and of the terms and conditions of any agreement for the payment there of have been disclosed in writing to the Procuring Entity.
- 15.72 Any breach of this Condition by the Contractor or by anyone employed by him or acting on his behalf (whether with or without the knowledge of the Contractor) shall be an offence under the provisions of the Public Procurement and Asset Disposal Act (2015) and the Anti-Corruption and Economic Crimes Act (2003) of the Laws of Kenya.

#### 16 SUSPENSION AND TERMINATION BY CONTRACTOR

## 16.1 Contractor's Entitlement to Suspend Work

- If the Architect fails to certify in accordance with Sub-Clause 14.6 [Issue of Interim Payment Certificates] or Sub-Clause 14.7 [Payment], or not receiving instructions that would enable the contractor to proceed with the works in accordance with the program, the Contractor may, after giving not less than 30 days' notice to the Procuring Entity, suspend work (or reduce the rate of work) unless and until the Contractor has received the Payment Certificate, reasonable evidence or payment, as the case may be and as described in the notice.
- The Contractor's action shall not prejudice his entitlements to financing charges under Sub-Clause 14.8 [Delayed Payment] and to termination under Sub-Clause 16.2 [Terminationby Contractor].
- 16.13 If the Contractor subsequently receives such Payment Certificate, evidence or payment (as described in the relevant Sub-Clause and in the above notice) before giving a notice of termination, the Contractor shall resume normal working as soon as is reasonably practicable.
- 16.14 If the Contractor suffers delay and/ori neurs Cost as a result of suspending work (or reducing the rate of work) in accordance with this Sub-Clause, the Contractor shall give notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) payment of any such Cost-plus profit, which shall be included in the Contract Price.
- After receiving this notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

### 163 Termination by Contractor

- 163.1 The Contractor shall be entitled to terminate the Contract if:
  - a) the Architect fails, within 60 days after receiving a Statement and supporting documents, to issue the relevant Payment Certificate,
  - the Contractor does not receive the amount due under an Interim Payment Certificate within 90 days after the expiry of the time stated in Sub-Clause 1 4.7 [Payment] within which payment is to be made (except for deductions in accordance with Sub-Clause 2.5 [Procuring Entity's Claims]),
  - c) the Procuring Entity substantially fails to perform his obligations under the Contract in such manner as to materially and adversely affect the economic balance of the Contract and/or the ability of the Contractor to perform the Contract,
  - d) a prolonged suspension affects the whole of the Works as described in Sub-Clause 8.11 [Prolonged Suspension], or
  - e) the Procuring Entity becomes bankrupt or insolvent, goes into liquidation, has a receiving or administration order made against him, compounds with his creditors, or carries on business under a

- receiver, trustee or manager for the benefit of his creditors, or if any act is done or event occurs which (under applicable Laws) has a similar effect to any of these acts or events.
- f) the Contractor does not receive the Architect instruction recording the agreement of both Parties on the fulfilment of the conditions for the Commencement of Works under Sub-Clause 8.1 [Commencement of Works].
- In any of these events or circumstances, the Contractor may, upon giving 14 days' notice to the Procuring Entity, terminate the Contract. However, in the case of sub-paragraph (f) or (g), the Contractor may by notice terminate the Contract immediately.
- 1633 The Contractor's election to terminate the Contract shall not prejudice any other rights of the Contractor, under the Contractor otherwise.

## 164 Cessation of Work and Removal of Contractor's Equipment

After a notice of termination under Sub-Clause 15.5 [Procuring Entity's Entitlement to Termination for Convenience], Sub-Clause 16.2 [Termination by Contractor] or Sub-Clause 19.6 [Optional Termination, Payment and Release] has taken effect, the Contractor shall promptly:

- a) cease all further work, except for such work as may have been instructed by the Architect for the protection of life or property or for the safety of the Works,
- b) hand over Contractor's Documents, Plant, Materials and other work, for which the Contractor has received payment, and
- c) remove all other Goods from the Site, except as necessary for safety, and leave the Site.

## 165 PaymentonTermination

After a notice of termination under Sub-Clause 16.2 [Termination by Contractor] has taken effect, the Procuring Entity shall promptly:

- a) Return the Performance Security to the Contractor,
- b) pay the Contractor in accordance with Sub-Clause 19.6 [Optional Termination, Payment and Release], and
- c) pay to the Contractor the amount of any loss or damage sustained by the Contractor as a result of this termination.

## 17. RISK AND RESPONSIBILITY

#### 17.1 Indemnities

- 17.1.1 The Contractor shall indemnify and hold harmless the Procuring Entity, the Procuring Entity's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of:
  - a) Bodily injury, sickness, disease or death, of any person what so ever arising outo for in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless attributable to any negligence, willful actor breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and
  - b) damage to or loss of any property, real or personal (other than the Works), to the extent that such damage or loss arises out of or in the course of or by reason of the Contractor's design (if any), the execution and completion of the Works and the remedying of any defects, unless and to the extent that any such damage or loss is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.
- 17.12 The Procuring Entity shall indemnify and hold harmless the Contractor, the Contractor's Personnel, and their respective agents, against and from all claims, damages, losses and expenses (including legal fees and expenses) in respect of (1) bodily injury, sickness, disease or death, which is attributable to any negligence, willful act or breach of the Contract by the Procuring Entity, the Procuring Entity's Personnel, or any of their respective agents, and (2) the matters for which liability may be excluded from insurance cover, as described in sub-paragraphs (d)(i), (ii) and (iii) of Sub-Clause 18.3 [Insurance Against Injury to Persons and Damage to Property], unless and to the extent that any such damage or loss is attributable to any negligence, willful actor breach of the Contract by the contractor, the contractor's Personnel, their respective agents, or anyone directly or indirectly employed by any of them.

### 17.2 Contractor's Care of the Works

- The Contractor shall take full responsibility for the care of the Works and Goods from the Commencement Date until the Taking-Over Certificate is issued (or is deemed to be issued under Sub-Clause 10.1 [Taking Over of the Works and Sections]) for the Works, when responsibility for the care of the Works shall pass to the Procuring Entity. If a Taking-Over Certificate is issued (or is so deemed to be issued) for any Section or part of the Works, responsibility for the care of the Section or part shall then pass to the Procuring Entity.
- After responsibility has accordingly passed to the Procuring Entity, the Contractor shall take responsibility for the care of any work which is outstanding on the date stated in a Taking-Over Certificate, until this outstanding work has been completed.
- If any loss or damage happens to the Works, Goods or Contractor's Documents during the period when the Contractorisresponsible for their care, from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks], the Contractor shall rectify the loss or damage at the Contractor's risk and cost, so that the Works, Goods and Contractor's Documents conform with the Contract.
- 17.24 The Contractor shall be liable for any loss or damage caused by any actions performed by the Contractor after a Taking-Over Certificate has been issued. The Contractor shall also be liable for any loss or damage which occurs after a Taking-Over Certificate has been issued and which arose from a previous event for which the Contractor was liable.

## 173 Procuring Entity's Risks

The risks referred to in Sub-Clause 17.4 [Consequences of Procuring Entity's Risks] below, in so far as they directly affect the execution of the Works in Kenya, are:

- a) War hostilities (whether war be declared or not),
- b) rebellion, riot, commotion or disorder, terrorism, sabotage by persons other than the Contractor's Personnel,
- c) explosive materials, ionizing gradiation or contamination by radio-activity, except as may be attributable to the Contractor's use of such explosives, radiation or radio-activity,
- d) pressure waves caused by aircraft or other aerial devices traveling at sonic or supersonic speeds,
- e) use or occupation by the Procuring Entity of any part of the Permanent Works, except as may be specified in the Contract,
- f) design of any part of the Works by the Procuring Entity's Personnel or by others for whom the Procuring Entity is responsible, and
- g) any operation of the forces of nature which is Unforeseeable or against which an experienced contractor could not reasonably have been expected to have taken adequate preventive precautions.

## 174 Consequences of Procuring Entity's Risks

- 17.4.1 If and to the extent that any of the risks listed in Sub-Clause 17.3 above results in loss or damage to the Works, Goods or Contractor's Documents, the Contractor shall promptly give notice to the Architect and shall rectify this loss or damage to the extent required by the Engineer.
- 17.42 If the Contractor suffers delay and/ or incurs Cost from rectifying this loss or damage, the Contractor shall give a further notice to the Architect and shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
- (a) An extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of TimeforCompletion], and
- (b) paymentofany such Cost, which shall be included in the Contract Price. In the case of sub-paragraphs (e)and (g) of Sub-Clause 17.3 [Procuring Entity's Risks], Accrued Costs shall be payable.
- 17.43 After receiving this further notice, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

## 175 Intellectual and Industrial Property Rights

In this Sub-Clause, "infringement" shall refer to an infringement (or alleged infringement) of any patent, registered design, copyright, trade mark, trade name, trade secret or other intellectual or industrial property right relating to the Works; and "claim" shall refer to a claim (or proceedings pursuing a claim) alleging an

infringement.

- Whenever a Party does not give notice to the other Party of any claim within 30 days of receiving the claim, the first Party shall be deemed to have waived any right to indemnity under this Sub-Clause.
- 1753 The Procuring Entity shall indemnify and hold the Contractor harmless against and from any claim alleging an infringement which is or was:
  - a) An un avoidable result of the Contractor's compliance with the Contract, or
  - b) A result of any Works be ingused by the Procuring Entity:
    - i) for a purpose other than that indicated by, or reasonably to be inferred from, the Contract, or
    - ii) in conjunction with anything not supplied by the Contractor, unless such use was disclosed to the Contractor prior to the Base Date or is stated in the Contract.
- 1754 The Contractor shall indemnify and hold the Procuring Entity harmless again stand from any other claim which arises out of or in relation to (i) the manufacture, use, sale or import of any Goods, or (ii) any design for which the Contractor is responsible.
- IfaPartyisentitledtobeindemnified under this Sub-Clause, the indemnifying Party may (at its cost) conduct negotiations for the settlement of the claim, and any litigation or arbitration which may arise from it. The other Party shall, at the request and cost of the indemnifying Party, assist in contesting the claim. This other Party (and its Personnel) shall not make any admission which might be prejudicial to the indemnifying Party, unless the indemnifying Party failed to take over the conduct of any negotiations, litigation or arbitration upon being requested to do so by such other Party.
- 175.6 For operation and maintenance of any plan to requipment installed, the contractor shall grant a non-exclusive and non-transferable license to the Procuring Entity under the patent, utility models ,or other intellectual rights owned by the contractor or a third party from whom the contract or has received the rights to grant sub-licenses and shall also grant to the Procuring Entity a non-exclusive and non-transferable rights (without the rights to sub-license) to use the know how and other technical information disclosed to the contract or under the contract. Nothing contained here-in shall be construed as transferring ownership of any patent, utility model, trademark, design, copy right, know-how or other intellectual rights from the contractor or any other third party to the Procuring Entity.

## 17.6 Limitation of Liability

- Neither Party shall be liable to the other Party for loss of use of any Works, loss of profit, loss of any contractor for any in director consequential loss or damage which may be suffered by the other Party in connection with the Contract, other than as specifically provided in Sub-Clause 8.7 [Delay Damages]; Sub-Clause 11.2 [Cost of Remedying Defects]; Sub-Clause 15.4 [Payment after Termination]; Sub-Clause 16.4 [Payment on Termination]; Sub-Clause 17.1 [Indemnities]; Sub-Clause 17.4(b) [Consequences of Procuring Entity's Risks] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights].
- The total liability of the Contractor to the Procuring Entity, under or in connection with the Contract other than under Sub-Clause 4.19 [Electricity, Water and Gas], Sub-Clause 4.20 [Procuring Entity's Equipment and Free- Issue Materials], Sub-Clause 17.1 [Indemnities] and Sub-Clause 17.5 [Intellectual and Industrial Property Rights], shall not exceed the sum resulting from the application of a multiplier (less or greater than one) to the Accepted Contract Amount, as stated in **the Special Conditions of Contract**, or (if such multiplier or other sum is not so stated) the Accepted Contract Amount.
- 17.63 This Sub-Clause shall not limit liability in any case of fraud, deliberate default or reckless misconduct by the defaulting Party.

## 17.7 Use of Procuring Entity's Accommodation/Facilities

- 17.7.1 The Contractor shall take full responsibility for the care of the Procuring Entity provided accommodation and facilities, if any, as detailed in the Specification, from the respective dates of hand-over to the Contractor until cessation of occupation (where hand-over or cessation of occupation may take place after the date stated in the Taking-Over Certificate for the Works).
- 17.72 If any loss or damage happens to any of the above items while the Contractor is responsible for their care arising from any cause whatsoever other than those for which the Procuring Entity is liable, the Contractor shall, at his own cost, rectify the loss or damage to the satisfaction of the Engineer.

#### 18. INSURANCE

## **18.1** General Requirements for Insurances

- 18.1.1 In this Clause, "insuring Party" means, for each type of insurance, the Party responsible for effecting and maintaining the insurance specified in the relevant Sub-Clause.
- 18.12 Wherever the Contractor is the insuring Party, each insurance shall be effected with insurers and in terms approved by the Procuring Entity. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- 18.13 Wherever the Procuring Entity is the insuring Party, each insurance shall be effected with insurers and in terms acceptable to the Contractor. These terms shall be consistent with any terms agreed by both Parties before the date of the Letter of Acceptance. This agreement of terms shall take precedence over the provisions of this Clause.
- If a policy is required to indemnify joint insured, the cover shall apply separately to each insured as though a separate policy had been issued for each of the joint insured. If a policy indemnifies additional joint insured, namely in addition to the insured specified in this Clause, (i) the Contractor shall act under the policy on behalf of these additional joint insured except that the Procuring Entity shall act for Procuring Entity's Personnel, (ii) additional joint insured shall not be entitled to receive payments directly from the insurer or to have any other direct dealings with the insurer, and (iii) the insuring Party shall require all additional joint insured to comply with the conditions stipulated in the policy.
- 18.15 Each policy insuring against loss or damage shall provide for payments to be made in the currencies required to rectify the loss or damage. Payments received from insurers shall be used for the rectification of the loss or damage.
- 18.1.6 The relevant insuring Party shall, within the respective periods stated in **the Special Conditions of Contract** (calculated from the Commencement Date), submit to the other Party:
  - a) Evidence that the insurances described in this Clause have been affected, and
  - b) copies of the policies for the insurances described in Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment] and Sub-Clause 18.3 [Insurance against Injury to Persons and Damage to Property].
- 18.1.7 When each premium is paid, the insuring Party shall submit evidence of payment to the other Party. Whenever evidence or policies are submitted, the insuring Party shall also give notice to the Engineer.
- 18.18 Each Party shall comply with the conditions stipulated in each of the insurance policies. The insuring Party shall keep the insurers informed of any relevant changes to the execution of the Works and ensure that insurance is maintained in accordance with this Clause.
- 18.19 Neither Party shall make any material alteration to the terms of any insurance without the prior approval of the other Party. If an insurer makes (or at tempts to make) any alteration, the Party first notified by the insurer shall promptly give notice to the other Party.
- 18.1.10 If the insuring Party fails to effect and keep in force any of the insurances it is required to effect and maintain under the Contractor fails to provide satisfactory evidence and copies of policies in accordance with this Sub- Clause, the other Party may (at its option and without prejudice to any other right or remedy) effect insurance for the relevant coverage and pay the premiums due. The insuring Party shall pay the amount of these premiums to the other Party, and the Contract Price shall be adjusted accordingly.
- 18.1.11 Nothing in this Clause limits the obligations, liabilities or responsibilities of the Contractor or the Procuring Entity, under the other terms of the Contractor otherwise. Any amounts not insured or not recovered from the insurers shall be borne by the Contractor and/or the Procuring Entity.
- 18.1.12 Procuring Entity in accordance with these obligations, liabilities or responsibilities. However, if the insuring Party fails to effect and keep in force an insurance which is available and which it is required to effect and maintain under the Contract, and the other Party neither approves the omission nor effects insurance for the coverage relevant to this default, any moneys which should have been recoverable under this insurance shall be paid by the insuring Party.

- 18.1.13 Payments by one Party to the other Party shall be subject to Sub-Clause 2.5 [Procuring Entity's Claims] or Sub-Clause 20.1 [Contractor's Claims], as applicable.
- 18.1.14 The Contractor shall be entitled to place all insurance relating to the Contract (including, but not limited to the insurance referred to Clause 18) with insurers from any eligible source country.

## 182 Insurance for Works and Contractor's Equipment

- The insuring Party shall insure the Works, Plant, Material sand Contractor's Documents for not less than the full reinstatement cost including the costs of demolition, removal of debris and professional fees and profit. This insurance shall be effective from the date by which the evidence is to be submitted under sub-paragraph (a) of Sub-Clause 18.1 [General Requirements for Insurances], until the date of issue of the Taking-Over Certificate for the Works.
- The insuring Party shall maintain this insurance to provide cover until the date of issue of the Performance Certificate, for loss or damage for which the Contractor is liable arising from a cause occurring prior to the issue of the Taking-Over Certificate, and for loss or damage caused by the Contractor in the course of any other operations (including those under Clause 11 [Defects Liability]).
- 18.2.3 The insuring Party shall insure the Contractor's Equipment for not less than the full replacement value, including delivery to Site. For each item of Contractor's Equipment, the insurance shall be effective while it is being transported to the Site and until it is no longer required as Contractor's Equipment.
- 1824 Unless otherwise stated in the Special Conditions, insurances under this Sub-Clause:
  - a) Shal lbe effected and maintained by the Contractor as insuring Party,
  - b) shall be in the joint names of the Parties, who shall be jointly entitled to receive payments from the insurers, payments being held or allocated to the Party actually bearing the costs of rectifying the loss or damage,
  - c) shall cover all loss and damage from any cause not listed in Sub-Clause 17.3 [Procuring Entity's Risks],
  - d) shall also cover, to the extent specifically required in the tendering documents of the Contract, loss or damage to a part of the Works which is attributable to the use or occupation by the Procuring Entity of another part of the Works, and loss or damage from the risks listed in sub-paragraphs (c), (g) and (h)of Sub-Clause 17.3 [Procuring Entity's Risks], excluding (in each case) risks which are not insurable at commercially reasonable terms, with deductibles per occurrence of not more than the amount stated in the Special Conditions of Contract (if an amount is not so stated,t his sub-paragraph (d) shall not apply), and
  - e) may however exclude loss of, damage to, and reinstatement of:
    - i) a part of the Works which is in a defective condition due to a defect in its design, materials or workmanship (but cover shall include any other parts which are lost or damaged as a direct result of this defective condition and not as described in sub-paragraph (ii) below),
    - ii) apart of the Works which is lost or damaged inorder to reinstate any other part of the Works if this other part is in a defective condition due to a defect in its design, materials or workmanship,
    - iii) apart of the Works which has been taken over by the Procuring Entity, except to the extent that the Contractor is liable for the loss or damage, and
    - iv) Goods while they are not in Kenya, subject to Sub-Clause 14.5 [Plant and Materials intended for the Works].
- If, more than one year after the Base Date, the cover described in sub-paragraph (d) above ceases to be available at commercially reasonable terms, the Contractor shall (as insuring Party) give notice to the Procuring Entity, with supporting particulars. The Procuring Entity shall then (i) be entitled subject to Sub-Clause 2.5 [Procuring Entity's Claims] to payment of an amount equivalent to such commercially reasonable terms as the Contractor should have expected to have paid for such cover, and (ii) be deemed, unless he obtains the cover at commercially reasonable terms, to have approved the omission under Sub-Clause 18.1 [General Requirements for Insurances].

## 183 Insurance against Injury to Persons and Damage to Property

183.1 The insuring Party shall insure against each Party's liability for any loss, damage, death or bodily injury which may occur to any physical property (except things insured under Sub-Clause 18.2 [Insurance for Works and Contractor's Equipment]) or to any person (except persons insured under Sub-Clause 18.4 [Insurance for Contractor's Personnel]), which may arise out of the Contractor's performance of the Contract and occurring

before the issue of the Performance Certificate.

- This insurance shall be for a limit per occurrence of not less than the amount stated in **the Special Conditions of Contract**, with no limit on the number of occurrences. If an amount is not stated in the **Special Conditions of Contract**, this Sub-Clause shall not apply.
- 1833 Unless otherwise stated in the Special Conditions, the insurances specified in this Sub-Clause:
  - a) Shall be effected and maintained by the Contractor as insuring Party,
  - b) shall be in the joint names of the Parties,
  - c) shall be extended to cover liability for all loss and damage to the Procuring Entity's property (except things insured under Sub-Clause 18.2) arising out of the Contractor's performance of the Contract, and
  - d) may however exclude liability to the extent that it arises from:
    - i) the Procuring Entity's right to have the Permanent Works executed on, over, under, in or
    - ii) through any land, and to occupy this land for the Permanent Works,
    - iii) damage which is an unavoidable result of the Contractor's obligations to execute the
    - iv) Works and remedy any defects, and
    - v) a cause listed in Sub-Clause 17.3 [Procuring Entity's Risks], except to the extent that cover is available at commercially reasonable terms.

#### 184 Insurance for Contractor's Personnel

- 184.1 The Contractor shall effect and maintain insurance against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractor or any other of the Contractor's Personnel.
- The insurance shall cover the Procuring Entity and the Architect against liability for claims, damages, losses and expenses (including legal fees and expenses) arising from injury, sickness, disease or death of any person employed by the Contractoror any other of the Contractor's Personnel, except that this insurance may exclude losses and claims to the extent that they arise from any act or neglect of the Procuring Entity or of the Procuring Entity's Personnel.
- The insurance shall be maintained in full force and effect during the whole time that these personnel are assisting in the execution of the Works. For a Subcontractor's employees, the insurance may be effected by the Subcontractor, but the Contractor shall be responsible for compliance with this Clause.

### 19. FORCE MAJEURE

#### 19.1 Definition of Force Majeure

- 19.1.1 In this Clause, "Force Majeure" means an exceptional event or circumstance:
  - a) Which is beyond a Party's control,
  - b) Which such Party could not reasonably have provided against before entering into the Contract,
  - c) which, having arisen, such Party could not reasonably have avoided or over come, and
  - d) which is not substantially attributable to the other Party.
- 19.12 Force Majeure may include, but is not limited to, exceptional events or circumstances of the kind listed below, s olong as conditions (a) to (d) above are satisfied:
  - a) war, hostilities (whether war be declared or not), invasion, act of foreign enemies,
  - b) rebellion, terrorism, sabotage by persons other than the Contractor's Personnel, revolution, insurrection, military or usurped power, or civil war,
  - c) riot, commotion, disorder, strike or lock out by persons other than the Contractor's Personnel,
  - d) munitions of war, explosive materials, ionizing radiation or contamination by radio-activity, except as maybeattributabletotheContractor's use of such munitions, explosives, radiation or radio-activity, and
  - e) natural catastrophes such as earthquake, hurricane, typhoon or volcanic activity.

### 19.2 Notice of Force Majeure

If a Party is or will be prevented from performing its substantial obligations under the Contract by Force Majeure, then it shall give notice to the other Party of the event or circumstances constituting the Force Majeure and shall specify the obligations, the performance of which is or will be prevented. The notice shall be given within 14 days after the Party became aware, or should have become aware, of the relevant event or circumstance constituting Force Majeure.

- 1922 The Party shall, having given notice, be excused performance of its obligations for so long as such Force Majeure prevents it from performing them.
- 1923 Not withstanding any other provision of this Clause, Force Majeure shall not apply to obligations of either Party to make payments to the other Party under the Contract.

## 193 Duty to Minimize Delay

Each Party shall at all times use all reasonable endeavors to minimize any delay in the performance of the Contract as a result of Force Majeure. A Party shall give notice to the other Party when it ceases to be affected by the Force Majeure.

## 19.4 Consequences of Force Majeure

- 19.4.1 If the Contractor is prevented from performing his substantial obligations under the Contract by Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], and suffers delay and/ or incurs Cost by reason of such Force Majeure, the Contractor shall be entitled subject to Sub-Clause 20.1 [Contractor's Claims] to:
  - a) an extension of time for any such delay, if completion is or will be delayed, under Sub-Clause 8.4 [Extension of Time for Completion], and
  - b) if the event or circumstance is of the kind described in sub-paragraphs (i) to (iv) of Sub-Clause 19.1 [Definition of Force Majeure] and, in sub-paragraphs (ii) to (iv), occurs in Kenya, payment of any such Cost, including the costs of rectifying or replacing the Works and/or Goods damaged or destroyed by Force Majeure, to the extent they are not indemnified through the insurance policy referred to in Sub-Clause18.2 [Insurance for Works and Contractor's Equipment].
- 1942 After receiving this notice, the Architect shall proceed in a ccordance with Sub-Clause 3.5 [Determinations] to agree or determine these matters.

## 195 Force Majeure Affecting Subcontractor

If any Subcontractor is entitled under any contract or agreement relating to the Works to relief from force majeure on terms additional to or broader than those specified in this Clause, such additional or broader force majeure events or circumstances shall not excuse the Contractor's non-performance or entitle him to relief under this Clause.

### 19.6 Optional Termination, Payment and Release

- If the execution of substantially all the Works in progress is prevented for a continuous period of 84 days by reason of Force Majeure of which notice has been given under Sub-Clause 19.2 [Notice of Force Majeure], or for multiple periods which total more than 140 days due to the same notified Force Majeure, then either Party may give to the other Party a notice of termination of the Contract. In this event, the termination shall take effect 7 days after the notice is given, and the Contractor shall proceed in accordance with Sub-Clause 16.3 [Cessation of Work and Removal of Contractor's Equipment].
- 19.62 Upon such termination, the Architect shall determine the value of the work done and issue a Payment Certificate which shall include:
  - a) theamountspayableforanyworkcarriedoutforwhichapriceisstatedintheContract;
  - b) the Cost of Plant and Materials ordered for the Works which have been delivered to the Contractor, or of which the Contractor is liable to accept delivery: this Plant and Materials shall become the property of (and be at the risk of) the Procuring Entity when paid for by the Procuring Entity, and the Contractor shall place the same at the Procuring Entity'sdisposal;
  - c) other Cost or liabilities which in the circumstances were reasonably and necessarily incurred by the Contractor in the expectation of completing the Works;
  - d) the Cost of removal of Temporary Works and Contractor's Equipment from the Site and the return of these items to the Contractor's works in his country (or to any other destination at no greater cost); and
  - e) the Cost of repatriation of the Contractor's staff and lab or employed wholly in connection with the Works at the date of termination.

#### 19.7 Release from Performance

Not withstanding any other provision of this Clause, if any event or circumstance outside the control of the Parties (including, but not limited to, Force Majeure) arises which makes it impossible or unlawful for either or both Parties to fulfil its or their contractual obligations or which, under the law governing the Contract,

entitles the Parties to be released from further performance of the Contract, then upon notice by either Party to the other Partyofsucheventorcircumstance:

- a) The Parties shall be discharged from further performance, without prejudice to the rights of either Party in respect of any previous breach of the Contract, and
- b) The sum payable by the Procuring Entity to the Contractor shall be the same as would have been payable under Sub-Clause 19.6 [Optional Termination, Payment and Release] if the Contract had been terminated under Sub-Clause 19.6.

#### 20. SETTLEMENT OF CLAIMS AND DISPUTES

## 20.1 Contractor's Claims

- 20.1.1 If the Contractor considers itself to be entitled to any extension of the Time for Completion and/or any additional payment, under any Clause of these Conditions or otherwise in connection with the Contract, the Contractor shall give Notice to the Engineer, describing the event or circumstance giving rise to the claim. The notice shall be given as soon as practicable, and not later than 30 days after the Contractor became aware, or should have become aware, of the event or circumstance.
- 20.12 If the Contractor fails to give notice of a claim within such period of 30 days, the Time for Completion shall not be extended, the Contractor shall not be entitled to additional payment, and the Procuring Entity shall be discharged from all liability in connection with the claim. Otherwise, the following provisions of this Sub-Clause shall apply.
- 20.13 The Contractor shall also submit any other notices which are required by the Contract, and supporting particulars for the claim, all as relevant to such event or circumstance.
- 20.1.4 The Contractorshall keepsuch contemporary records as may be necessary to substantiate any claim, either on the Site or at an other location acceptable to the Engineer. Without admitting the Procuring Entity's liability, the Architect may, after receiving any notice under this Sub-Clause, monitor the record-keeping and/ or instruct the Contractor to keep further contemporary records. The Contractor shall permit the Architect to inspect all these records and shall (if instructed) submit copies to the Engineer.
- 20.15 Within 42days after the Contractor became aware (or should have become aware) of the event or circumstance giving rise to the claim, or within such other period as may be proposed by the Contractor and approved by the Engineer, the Contractor shall send to the Architect fully detailed claim which includes full supporting particulars of the basis of the claim and of the extension of time and/ or additional payment claimed. If the event or circumstance giving rise to the claim has a continuing effect:
  - a) This fully detailed claim shall be considered as interim;
  - b) The Contractor shall send further interim claims at monthly intervals, giving the accumulated delay and/ or amount claimed, and such further particulars as the Architect may reasonably require; and
  - c) The Contractor shall send a final claim within 30 days after the end of the effects resulting from the eventor circumstance, or within such other period as may be proposed by the Contractor and approved by the Engineer.
- 20.1.6 Within 42 days after receiving a Notice of a claim or any further particulars supporting a previous claim, or within such other period as may be proposed by the Architect and approved by the Contractor, the Architect shall respond with approval, or with disapproval and detailed comments. He may also request any necessary further particulars but shall nevertheless give his response on the principles of the claim within the above defined time period.
- 20.1.7 Within the above defined period of 42 days, the Architect shall proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the extension (if any) of the Time for Completion (before or after its expiry) in accordance with Sub-Clause 8.4 [Extension of Time for Completion], and/or (ii) the additional payment (if any) to which the Contractor is entitled under the Contract.
- 20.18 Each Payment Certificate shall include such additional payment for any claim as has been reasonably substantiated as due under the relevant provision of the Contract. Unless and until the particulars supplied are sufficient to substantiate the whole of the claim, the Contractor shall only be entitled to payment for such part of the claim as he has been able to substantiate.
- 20.19 If the Architect does not respond within the time frame defined in this Clause, either Party may consider that the claim is rejected by the Architect and any of the Parties may refer the dispute for amicable settlement in

accordance with Clause 20.3.

20.1.10 The requirements of this Sub-Clause are in addition to those of any other Sub-Clause which may apply to a claim. If the Contractor fails to comply with this or another Sub-Clause in relation to any claim, any extension of time and/ or additional payment shall take account of the extent (if any) to which the failure has prevented or prejudiced proper investigation of the claim, unless the claim is excluded under the second paragraph of this Sub-Clause 20.3.

## **20.2** Procuring Entity's Claims

- If the Procuring Entity considers itself to be entitled to any payment under any Clause of these Conditionsor otherwise in connection with the Contract, and/or to any extension of the Defects Notification Period, the Procuring Entity or the Architect shall give notice and particulars to the Contractor. However, notice is not required for payments due under Sub-Clause 4.19 [Electricity, Water and Gas], under Sub-Clause 4.20 [Procuring Entity's Equipment and Free-Issue Materials], or for other services requested by the Contractor.
- The notice shall be given as soon as practicable and no longer than 30 days after the Procuring Entity became aware, or should have become aware, of the event or circumstances giving rise to the claim. A notice relating to any extension of the Defects Notification Period shall be given before the expiry of such period.
- The particulars shall specify the Clause or other basis of the claim and shall include substantiation of the amount and/or extension to which the Procuring Entity considers itself to be entitled in connection with the Contract. The Architect shall then proceed in accordance with Sub-Clause 3.5 [Determinations] to agree or determine (i) the amount (if any) which the Procuring Entity is entitled to be paid by the Contractor, and/or (ii) the extension (if any) of the Defects Notification Period in accordance with Sub-Clause 11.3 [Extension of Defects Notification Period].
- This amount may be included as a deduction in the Contract Price and Payment Certificates. The Procuring Entity shall only be entitled to set off against or make any deduction from an amount certified in a Payment Certificate, or to otherwise claim against the Contractor, in accordance with this Sub-Clause.

#### 203 Amicable Settlement

Where a notice of a claim has been given, both Parties shall attempt to settle the dispute amicably before the commencement of arbitration. However, unless both Parties agree otherwise, the Party giving a notice of a claim in accordance with Sub-Clause 20.1 above should move to commence arbitrationa fter 60 days from the day on which a notice of a claim was given, even if no attempt at an amicable settlement has been made.

## 20.4 Matters that may be referred to arbitration

Notwithstanding anything stated herein the following matters may be referred to arbitration before the practical completion of the Works or abandonment of the Works or termination of the Contract by either party:

- a) Whether or not the issue of an instruction by the Architect is empowered by these Conditions.
- b) Whether or not a certificate has been improperly withheld or is not in accordance with these Conditions.
- c) Any dispute arising in respect risks arising from matters referred to in Clause 17.3 and Clause 19.
- e) All other matters shall only be referred to arbitration after the completion or alleged completion of the Works or termination or alleged termination of the Contract, unless the Procuring Entity and the Contractor agree otherwise in writing.

## 205 Arbitration

- 205.1 Any claim or dispute between the Parties arising out of or in connection with the Contract not settled amicably in accordance with Sub-Clause 20.3 shall be finally settled by arbitration.
- No arbitration proceedings shall be commenced on any claim or dispute where notice of a claim or dispute has not been given by the applying party within ninety days of the occurrence or discovery of the matter or issue giving rise to the dispute.
- Not withstanding the issue of a notice as stated above, the arbitration of such a claim or dispute shall not commence unless an attempt has in the first instance been made by the parties to settle such claim or dispute amicably with or without the assistance of third parties. Proof of such attempt shall be required.
- 205.4 The Arbitrator shall, without prejudice to the generality of his powers, have powers to direct such

measurements, computations, tests or valuations as may in his opinion be desirable in order to determine the rights of the parties and assess and a ward any sums which ought to have been the subject of or included in any certificate.

- The Arbitrator shall, without prejudice to the generality of his powers, have powers to open up, review and revise any certificate, opinion, decision, requirement or notice and to determine all matters in dispute which shall be submitted to him in the same manner as if no such certificate, opinion, decision require mentor notice had been given.
- The arbitrators shall have full power to open up, review and revise any certificate, determination, instruction, opinion or valuation of the Engineer, relevant to the dispute. Nothing shall disqualify representatives of the Parties and the Architect from being called as a witness and giving evidence before the arbitrators on any matter whatsoever relevant to the dispute.
- Neither Party shall be limited in the proceedings before the arbitrators to the evidence, or to the reasons for dissatisfaction given in its Notice of Dissatisfaction.
- 205.7 Arbitration may be commenced prior to or after completion of the Works. The obligations of the Parties, and the Architect shall not be altered by reason of any arbitration being conducted during the progress of the Works.
- 2058 The terms of the muneration of each or all the members of Arbitration shall be mutually agreed upon by the Parties when agreeing the terms of appointment. Each Party shall be responsible for paying one-half of this remuneration.

#### 20.6 Arbitration with National Contractors

- 20.6.1 If the Contractis with national contractors, arbitration proceedings will be conducted in accordance with the Arbitration Laws of Kenya. In case of any claim or dispute, such claim or dispute shall be notified in writing by either party to the other with a request to submit it to arbitration and to concur in the appointment of an Arbitrator within thirty days of the notice. The dispute shall be referred to the arbitration and final decision of a person to be agreed between the parties. Failing agreement to concur in the appointment of an Arbitrator, the Arbitrator shall be appointed, on the request of the applying party, by the Chairman or Vice Chairman of any of the following professional institutions;
  - i) Architectural Association of Kenya
  - ii) Institute of Quantity Surveyors of Kenya
  - iii) Association of Consulting Engineers of Kenya
  - iv) Chartered Institute of Arbitrators (Kenya Branch)
  - v) Institution of Engineers of Kenya
- 20.62 The institution written to first by the aggrieved party shall take precedence over all other institutions.

### **20.7** Arbitration with Foreign Contractors

- 207.1 Arbitration with foreign contractors shall be conducted in accordance with the arbitration rules of the United Nations Commission on International Trade Law (UNCITRAL); or with proceedings administered by the International Chamber of Commerce (ICC) and conducted under the ICC Rules of Arbitration; by one or more arbitrators appointed in accordance with said arbitration rules.
- The place of arbitration shall be a location specified in the SCC; and the arbitration shall be conducted in the language for communications defined in Sub-Clause1.4 [Law and Language].

### **20.8** Alternative Arbitration Proceedings

Alternatively, the Parties may refer the matter to the Nairobi Centre for International Arbitration (NCIA) which offers a neutral venue for the conduct of national and international arbitration with commitment to providing institutional support to the arbitral process.

### 20.9 Failureto Comply with Arbitrator's Decision

- 209.1 The award of such Arbitrator shall be final and binding up on the parties.
- In the even that a Party fails to comply with a final and binding Arbitrator's decision, then the other Party may, without prejudice to any other rights it may have, refer the matter to a competent court of law.

## 20.10 Contract operations to continue

Notwithstanding any reference to arbitration herein,

- 1.1.1 the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
- 1.12 the Procuring Entity shall pay the Contractor any monies due the Contractor.

# **Section IX - Special Conditions of Contract**

The following Special Conditions shall supplement the GCC. Whenever there is a conflict, the provisions here in shall prevail over those in the GCC.

Conditions	Sub- Clause	Data	
Part A - Contract Data			
Procuring Entity's name and address	Heading	KENYA MEDICAL RESEARCH INSTITUTE	
Name and Reference No. of the Contract	Heading and 1.1	PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE KENYATTA NATIONAL HOSPITAL, NAIROBI COUNTY- PHASE I KEMRI/HQ/015/2023-2024	
Engineers Name and address	Heading and 3.1.1	STATE DEPARTMENT FOR PUBLIC WORKS  P. O. BOX 30743-00100, NAIROBI  THE FIRM SHALL PROVIDE THE FOLLOWING CONSULTANTS: PROJECT MANAGER: WORKS SECRETARY. PROJECT ARCHITECT: CHIEF ARCHITECT. PROJECT QUANTITY SURVEYOR: CHIEF QUANTITY SURVEYOR. PROJECT MECHANICAL ENGINEER: CHIEF ENGINEER MECHANICAL, (BS). PROJECT ELECTRICAL ENGINEER: CHIEF ENGINEER ELECTRICAL ENGINEER: CHIEF ENGINEER STRUCTURAL/CIVIL ENGINEER: CHIEF ENGINEER STRUCTURAL/CIVIL.  PROJECT INTERIOR & GRAPHICS DESIGNER: CHIEF DESIGNER.	
Contractor's Representative's name	4.3.1	[Contractor to insert insert]	
Key Personnel names	16.9.1	[Contractor to insert names] 1. Project Manager 2. Site Agent 3. Foreman	
Time for Completion	1.1.	42 Weeks from Commencment date	
Defects Notification Period Sections Electronic transmission systems	1.1 1.1 1.3	Immediately Not Applicable	
Time for the Parties entering into a Contract Agreement	1.6	Within 14days	
Commencement Date Time for access to the Site	8.1.1	To be agreed with the Project Manager  No later than the Commencement Date, and not later than 7 days after Commencement Date	
Architect Duties and Authority	3.1.6 (b) (ii)	Variations resulting in an increase above the Contract Amount shall require approval of the Procuring Entity	
Performance Security	4.2.1	The performance security will be in the form of a performance bond in the amount(s) of <b>5 percent</b> of the Accepted Contract Amount and in the same currency (ies) of the Accepted Contract Amount.	
Normal working hours	6.5	As agreed by the project Manager	

Conditions	Sub-	Data
	Clause	
Delay damages for the Works	8.7 &	
	14.15(b)	0.01 % of the Contract Price per Week.
Maximum amount of delay	8.7.1	5% of the final Contract Price
damages		
Provisional Sums		
		for adjustment of Provisional Sums]
	12.0	%
Adjustments for Changes in Cost	13.9	Applicable
Total advance payment	14.2.1	Not Applicable
Repayment amortization rate of	14.2.5 (b)	Not Applicable
advance payment		
Percentage of Retention	14.3.2 (c)	10%
Limit of Retention Money	14.3.2 (c)	5% of the Accepted Contract Amount
Plant and Materials		If Sub-Clause 14.5 applies:
	14.5.3(b)(i)	Plant and Materials for payment Free on Board
	14.5.3(c)(i)	Plant and Materials for payment when delivered to
		the Site _ Plant And Materials to be Incorporated into
		Permanent WorK.
Minimum Amount of Interim	14.6.2	Not Applicable
Payment Certificates		
Publishing source of commercial	14.8	Central Bank of Kenya at 3 percentage points above
interest rates for financial charges		the average rate for base lending
in case of delayed payment		prevailing as of the first day the payment
36 1 1111111 01	17.10	becomes overdue
Maximum total liability of the	17.6.2	The product of zero point one (0.10) times the
Contractor to the Procuring Entity	1016	Accepted Contract Amount.
Periods for submission of	18.1.6	
insurance:		14.1
a. evidence of insurance.		14 days
b. relevant policies	10.2.4.(1)	14 days
Maximum amount of deductibles	18.2.4 (d)	Nil
for insurance of the Procuring		
Entity's risks	10.2.2	Vala 5 000 000 00
Minimum amount of third-party	18.3.2	Kshs. 5,000,000.00
insurance The place of orbitration	20.7.2	Noinghi Vanna
The place of arbitration	20.7.2	Nairobi, Kenya

## **SECTION X - CONTRACT FORMS**

FORM No. 1 - NOTIFICATION OF INTENTION TO AWARD

FORM NO. 2 – REQUEST FOR REVIEW

FORM No. 3-LETTEROF AWARD

FORM No. 4 - CONTRACT AGREEMENT

FORM No. 5 - PERFORMANCE SECURITY [Option 1 - Unconditional Demand Bank Guarantee]

FORM No. 6- PERFORMANCE SECURITY [Option 2– Performance Bond]

FORM No. 7 - ADVANCE PAYMENT SECURITY

FORM No. 8 - RETENTION MONEY SECURITY

FORM No. 9. BENEFICIAL OWNERSHIP DISCLOSURE FORM

## FORM No 1: NOTIFICATION OF INTENTION TOAWARD OF CONTRACT

This Notification of Award shall be sent to each Tenderer that submitted a Tender and was not successful. Send this Notification to the Tenderer's Authorized Representative named in the Tender Information Form on the format below.

## **FORMAT**

1.	For the attention of Tenderer's Authorized Representative				
	i)	Name: [insert Authorized Representative's name]			
	ii)	Address: [insert Authorized Representative's Address]			
	iii)	Telephone: [insert Authorized Representative's telephone/fax numbers]			
	iv)	Email Address: [insert Authorized Representative's email address]			
	[IMPORTANT: insert the date that this Notification is transmitted to Tenderers. The Notification must be sent to all Tenderers simultaneously. This means on the same date and as close to the same time as possible.]				
2.	<u>Date of transmission</u> : [email] on [date] (local time)				
	This	Notification is sent by (Name and designation)			
3.	Notification of Award				
	i)	Procuring Entity: [insert the name of the ProcuringEntity]			
	ii)	Project: [insert name ofproject]			
	iii)	Contract title: [insert the name of thecontract]			
	iv)	ITT No: [insert ITT reference number from ProcurementPlan]			
		Notification of Intention to Award (Notification) notifies you of our decision to award the above contract. transmission of this Notification begins the Standstill Period. During the Standstill Period, you may:			
4.		uest a debriefing in relation to the evaluation of your tender by submitting a Procurement-related aplaint in relation to the decision to award the contracts.			
	a)	The successful tenderers			
	i)	Name of successful Tender			
	ii)	Address of the successful Tender			
	iii)	Contract price of the successful Tender Kenya Shillings			
		(in words)			
		b) The reasons for your tender being unsuccessful are as follows:			
		c) OtherTenderers			
		nes of all Tenderers that submitted a Tender. If the Tender's price was evaluated include the evaluated price as the Tender price as read out.			

as

SNo	Name of Tender	Tender Price	Tender's evaluated	One Reason Why Not Evaluated
		as read out	price (Note a)	
1				
2				
3				
4				
5				

(Note a) State NE if not evaluated

## 5. How to request a debriefing

- a) DEADLINE: The dead line to request a debriefing expires at midnight on [insert date] (local time).
- b) You may request a debriefing in relation to the results of the evaluation of your Tender. If you decide to request a debriefing your written request must be made within three (5) Business Days of receipt of this Notification of Intention to Award.
- c) Provide the contract name, reference number, name of the Tenderer, contact details; and address the request for debriefing as follows:
  - i) Attention: [insert full name of person, if applicable]
  - ii) Title/position: [insert title/position]
  - iii) Agency: [insert name of Procuring Entity]
  - iv) Email address: [insert email address]
- d) If your request for a debriefing is received within the 3 Days deadline, we will provide the debriefing within five (3) Business Days of receip tof your request. If we are unable to provide the debriefing within this period, the Standstill Period shall be extended by five (3) Days after the date that the debriefing is provided. If this happens, we will notify you and confirm the date that the extended Standstill Period will end.
- e) The debriefing may be in writing, by phone, video conference call or in person. We shall promptly advise you in writing how the debriefing will take place and confirm the date and time.
- f) If the deadline to request a debriefing has expired, you may still request a debriefing. In this case, we will provide the debriefing as soon as practicable, and normally no later than fifteen (15) Days from the date of publication of the Contract Award Notice.

### 6. How to make a complaint

- a) Period: Procurement-related Complaint challenging the decision to award shall be submitted by midnight, [insert date] (local time).
- b) Provide the contract name, reference number, name of the Tenderer, contact details; and address the Procurement-related Complaint as follows:
  - i) Attention: [insert full name of person, if applicable]
  - ii) Title/position: [insert title/position]
  - iii) Agency: [insert name of Procuring Entity]
  - iv) Email address: [insert email address]
- c) At this point in the procurement process, you may submit a Procurement-related Complaint challenging the decision to award the contract. You do not need to have requested, or received, a debriefing before making this complaint. Your complaint must be submitted within the Standstill Period and received by us before the Standstill Period ends.
- d) Further information: For more information refer to the Public Procurement and Disposals Act 2015 and its Regulations a vailable from the Website <a href="https://www.ppra.go.ke">www.ppra.go.ke</a>.

You should read these documents before preparing and submitting your complaint.

- e) There are four essential requirements:
  - i) You must be an 'interested party'. In this case, that means a Tenderer who submitted a Tender in this tendering process and is the recipient of a Notification of Intention to Award.
  - ii) The complaint can only challenge the decision to award the contract.
  - iii) You must submit the complaint within the period stated above.
  - iv) You must include, in your complaint, all of the information required to support your complaint.

## 7. Standstill Period

- i) DEADLINE: The Standstill Period is due to end at midnight on [insert date] (local time).
- ii) The Standstill Period lasts ten (14) Days after the date of transmission of this Notification of Intention to Award.
- iii) The Standstill Period may be extended as stated in paragraph Section 5(d) above.

If you have any questions regarding this Notification please do not hesitate to contact us. On behalf of the Procuring Entity:

Signature:					
Name:					
Title/position:					
Telephone:					

**Board Secretary** 

#### FORM FOR REVIEW (r.203(1))

# PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD APPLICATION NO......OF......20...... **BETWEEN** .....APPLICANT **AND** ......RESPONDENT (Procuring Entity) Request for review of the decision of the............ (Name of the Procuring Entity of .......dated the...day of ......20......in the matter of Tender No..........of ...............20...... (Tender description). REQUEST FOR REVIEW Tel. No......Email ....., hereby request the Public Procurement Administrative Review Board to review the whole/part of the above mentioned decision on the following grounds, namely: 1. By this memorandum, the Applicant requests the Board for an order/orders that: 1. 2. FOR OFFICIAL USE ONLY Lodged with the Secretary Public Procurement Administrative Review Board on......day of .....20...... **SIGNED**

# FORM NO 3: LETTER OF AWARD

	letterhead paper of the Procuring Entity]
,	[date]
	To: [name and address of the Contractor]  This is to notify you that your Tender dated [date] for execution of the [name of the Contract and identification]
	number, as given in the Contract Data] for the Accepted Contract Amount [amoun tin numbers and words] [name of currency], as corrected and modified in accordance with the Instructions to Tenderers, is here by accepted by (name of Procuring Entity).
	You are requested to furnish the Performance Security within in accordance with the Conditions of Contract, using, for that purpose, one of the Performance Security Forms included in Section VIII, Contract Forms, of the Tender Document.
	Authorized Signature:
	Name and Title of Signatory:
	Name of Procuring Entity:
	Attachment: Contract Agreement:

# FORM NO 4: CONTRACT AGREEMENT

		GREEMENT made the day ofof	(herei	nafter "the Procuring	
Ent	tity"),	of the one part, and	of	(hereinafter	
τn	e Con	atractor"), of the other part:			
WI exe Wo	HERE ecuted orksan	AS the Procuring Entity desires that the Woll by the Contractor, and has accepted a Tended the remedying of any defects there in,	orksknownasler by the Contractor for the execution an	should be nd completion of these	
The	e Proc	curing Entity and the Contractor agree as followers	lows:		
1.	In this Agreement words and expressions shall have the same meanings as are respectively assigned to them the Contract documents referred to.				
2.		following documents shall be deemed to for element shall prevail over all other Contract		f this Agreement. This	
	a)	theNotification of Award			
	b)	the Form of Tender			
	c)	the addenda Nos(if any)			
	d)	the Special Conditions of Contract			
	e)	the General Conditions of Contract;			
	f)	the Specifications			
	g)	the Drawings; and			
	h)	the completed Schedules and any other do	ocuments forming part of the contract.		
3.	In consideration of the payments to be made by the Procuring Entity to the Contractor as specified in the Agreement, the Contractor here by covenants with the Procuring Entity to execute the Works and to remed defects therein in conformity in all respects with the provisions of the Contract.				
4.	of tl	Procuring Entity here by covenants to pay the Works and the remedying of defects there er the provisions of the Contract at the times	in, the Contract Price or such other sum a	s may become payable	
	INWITNESS where of the parties here to have caused this Agreement to be executed in accordance with the Laws of Kenya on the day, month and year specified above.				
	Sign	neda nd sealed by	(for the	Procuring Entity)	
	Sign	ned and sealed by	(for t	he Contractor).	

# FORM NO. 5 - PERFORMANCE SECURITY

[O <sub>]</sub>	tion 1 - Unconditional Demand Bank Guarantee]
[Gı	urantor letterhead]
Bei	eficiary: [insert name and Address of Procuring Entity]
Dat	: [Insert date of issue]
Gu	rantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informedthat (hereinafter called "the
	Contractor") has entered into Contract Nodatedwith (name of
	Procuring Entity)(the Procuring Entity as the Beneficiary), for the execution of(hereinafter called "the Contract").
2.	Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required.
3.	Atthe request of the Contractor, we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of(in words),¹ such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of the Beneficiary's complying demand supported by the Beneficiary's statement, whether in the demand it self or in a separate signed document accompanying or identifying the demand, stating that the Applicant is in breach of its obligation(s) under the Contract, without the Beneficiary needing to prove or to show grounds for your demand or the sum specified therein.
4.	This guarantee shall expire, no later than the
5.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], inresponse to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee."
	[Name of Authorized Official, signature(s) and seals/stamps]
	<b>Note:</b> All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

<sup>&</sup>lt;sup>1</sup>The Guarantor shall insert an amount representing the percentage of the Accepted Contract Amount specified in the Letter of Acceptance, less provisional sums, if any, and denominated either in the currency of the Contract or a freely convertible currency acceptable to the Beneficiary.

<sup>&</sup>lt;sup>2</sup>Insert the date twenty-eight days after the expected completion date as described in GC Clause 11.9. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

# FORM No. 6- PERFORMANCE SECURITY

# [Option 2– Performance Bond]

[Note: Procuring Entities a readvised to use Performance Security – Unconditiona lDemand Bank Guarantee in stead of Performance Bond due to difficulties involved in calling Bond holder to action]

[G	Guarantor lei	tterhead or SWIFT ident	tifier code]			
Be	neficiary:	[insertnameandAddre	essofProcuringEntity)	,		
Da	nte:	[Insert da	ite of issue]			
PE	ERFORMA	NCE BONDNo.:				
Gı	ıarantor: []	Insert name and address	s of place of issue, un	less indicated in the le	tterhead]	
1.	By this Bo	ond		as Principal (hereina	fter called "the Contractors" as Surety (hereinafte	or") and er called
	amount of types and	proportions of currencie	for the period of the fermion for the period of the contract of the contract of the contract of the period of the	payment of which sum ract Price is payable, t	] as Surety (hereinafted "the Procuring Entity" well and truly to be made he Contractor and the Surently and severally, firmly	le in the ety bind
	presents.	.,,	,			J
2.	of	,20	, for	in accord	curing Entity dated thedance with the documents or, are by reference made p	s, plans,
		here in after referred to		ntent nere in provided i	or, are by reference made p	7411 HOTO
3.	perform the otherwise, Entity to	he said Contract (includ, it shall remain in full for	ding any amendmen rce and effect. When he Contract, the Pro	ts thereto), then this of ever the Contractor shall curing Entity having	ractor shall promptly and fabligation shall be null are libe, and declared by the Properformed the Procuring promptly:	nd void; rocuring
	a) Comp	plete the Contract in acco	ordance with its term	s and conditions; or		
	the Co and the Procusucce suffice include first p	ontract in accordance we he Surety of the lowest uring Entity and make a ession of defaults under tient funds to pay the coding other costs and damparagraph hereof. The te	rith its terms and cort responsive Tenderda vailable as work par the Contract or Cost of completion less that the Sorm "Balance of the Couring Entity to Contract or Cost of the Couring Entity to Cost of the Cost of the Couring Entity to Cost of the Cos	ditions, and upon deters, arrange for a Conprogresses (even though ontracts of completions the Balance of the Courety may be liable her Contract Price," as used	e Procuring Entity for confirmation by the Procuring tract between such Tender, there should be a defandant arranged under this paracontract Price; but not exceunder, the amount set for d in this paragraph, shall nact, less the amount proper	g Entity erer, and sult or a ragraph) ceeding, th in the nean the
		he Procuring Entity the its terms and conditions			mplete the Contract in acc s Bond.	ordance
4.	The Surety	y shall not be liable for a	a greater sum than the	e specified penalty of the	nis Bond.	
5.	Taking-Ov other than	ver Certificate. No right of	of action shall accrue	on this Bond to or for the	from the date of the issuin he use of any person or corp strators, successors, and as	poration
6.					nis seal, and the Surety has ure of his legal representat	

SIGNED ON	on behalf of	
By	in the capacity of	
Inthepresenceof		
SIGNED ON	on behalf of	
By	in the capacity of	
Inthepresence of		

# FORM NO. 7 - ADVANCE PAYMENT SECURITY

	emand Bank Guarantee] Guarantor letterhead]			
Beneficiary:		_[Insert name and Address of ProcuringEntity]		
Da	ate:	_[Insert date of issue]		
ΑĽ	DVANCE PAYMENT GUARAN	TEE No.: [Insert guarantee reference number]		
Gu	uarantor: [Insert name and addre	ess of place of issue, unless indicated in the letterhead]		
1.	We have been informed that No	(hereinafter called "the Contractor") has entered into Contract with the Beneficiary, for the execution of		
2.		t, according to the conditions of the Contract, an advance payment in the sum  is to be made against an advance payment guarantee.		
3.	or sums not exceeding in total a receipt by us of the Beneficiary demand itself or in a separate si Applicant:  a) Has used the advance paym	we as Guarantor, here by irrevocably undertake to pay the Beneficiary any sum namount of		
4.	A demand under this guarantee the Beneficiary's bank stating th	may be presented as from the presentation to the Guarantor of a certificate from at the advance payment referred to above has been credited to the Contractor onat		
5.	repaid by the Contractor as spepresented to us. This guarantee certificate indicating that ninety certified for payment, oronthe	uarantee shall be progressively reduced by the amount of the advance payment ecified in copies of interim statements or payment certificates which shall be shall expire, at the latest, upon our receipt of a copy of the interim payment (90) percent of the Accepted Contract Amount, less provisional sums, has been dayof, whichever is earlier. payment under this guarantee must be received by us at this office on or before		
6.		time extension of this guarantee for a period not to exceed [six months] [one liciary's written request for such extension, such request to be presented to the he guarantee.		
	[Name of Authorized Official, si	gnature(s) and seals/stamps]		
	<b>Note:</b> All italicized text (including final product.	ng footnotes) is for use in preparing this form and shall be deleted from the		

<sup>&</sup>lt;sup>1</sup>The Guarantor shall insert an amount representing the amount of the advance payment and denominated either in the currency of the advance paymen tas specified in the Contract.

<sup>&</sup>lt;sup>2</sup>Insert the expected expiration date of the Time for Completion. The Procuring Entity should note that in the event of an extension of the time for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

# FORM NO. 8 – RETENTION MONEY SECURITY

[D	emand Bank Guarantee]
[G	[uarantor letterhead]
Be	neficiary:[Insert name and Address of Procuring Entity]
Da	te:[Insert date of issue]
Ac	lvance payment guarantee no. [Insert guarantee reference number]
Gı	narantor: [Insert name and address of place of issue, unless indicated in the letterhead]
1.	We have been informed that[insert name of Contractor, which in the case of a joint venture shall be the name of the joint venture] (hereinafter called "the Contractor") has entered into Contract No[insert reference number of the contract] dated with the Beneficiary, for the execution of[insert name of contract and brief description of Works] (hereinafter called "the Contract").
2.	Furthermore, we understand that, according to the conditions of the Contract, the Beneficiary retains moneys upto the limit set forth in the Contract ("the Retention Money"), and that when the Taking-Over Certificate has been issued under the Contract and the first half of the Retention Money has been certified for payment, and payment of [insert the second half of the Retention Money] is to be made against a Retention Money guarantee.
3.	At the request of the Contractor, we, as Guarantor, hereby irrevocably undertake to pay the Beneficiary any sum or sums not exceeding in total an amount of <code>[insert amount in figures] ([insert amount in words])^l upon receipt by us of the Beneficiary's complying demands upported by the Beneficiary's statement, whether in the demand itself or in a separate signed document accompanying or identifyingthedemand, stating that the Contractor is in breach of its obligation(s) under the Contract, without your needing to prove or showgrounds for your demand or the sum specified there in.</code>
4.	A demand under this guarantee may be presented as from the presentation to the Guarantor of a certificate from the Beneficiary's bank stating that the second half of the Retention Money as referred to above has been credited to the Contractor on its account numberat [insert name and address of Applicant's bank].
5.	This guarantee shall expire no later than the
6.	The Guarantor agrees to a one-time extension of this guarantee for a period not to exceed [six months] [one year], in response to the Beneficiary's written request for such extension, such request to be presented to the Guarantor before the expiry of the guarantee.
	[Name of Authorized Official, signature(s) and seals/stamps]
	<b>Note:</b> All italicized text (including footnotes) is for use in preparing this form and shall be deleted from the final product.

<sup>&</sup>lt;sup>1</sup>The Guarantor shall insert an amount representing the amount of the second half of the Retention Money.

<sup>2</sup>Insert a date that is twenty-eight days after the expiry of retention period after the actua lcompletion date of the contract. The Procuring Entity should note that in the event of an extension of this date for completion of the Contract, the Procuring Entity would need to request an extension of this guarantee from the Guarantor. Such request must be in writing and must be made prior to the expiration date established in the guarantee.

## FORM NO. 9 BENEFICIAL OWNERSHIP DISCLOSURE FORM

(Amended and issued pursuant to PPRA CIRCULAR No. 02/2022)

#### INSTRUCTIONS TO TENDERERS: DELETE THIS BOX ONCE YOU HAVE COMPLETED THE FORM

This Beneficial Ownership Disclosure Form ("Form") is to be completed by the successful tenderer pursuant to Regulation 13 (2A) and 13 (6) of the Companies (Beneficial Ownership Information) Regulations, 2020. In case of joint venture, the tenderer must submit a separate Form for each member. The beneficial ownership information to be submitted in this Form shall be current as of the date of its submission.

For the purposes of this Form, a Beneficial Owner of a Tenderer is any natural person who ultimately owns or controls the legal person (tenderer) or arrangements or a natural person on whose behalf a transaction is conducted, and includes those persons who exercise ultimate effective control over a legal person (Tenderer) or arrangement.

Tender Reference No.:	[insert identification no]
Name of the Tender Title/Description:	[insert name of the assignment] to:
[inse	ert complete name of Procuring Entity]
In response to the requirement in your notif additional information on beneficial owners options that are not applicable]	ication of award dated[insert date of notification of award] to furnish hip:[select one option as applicable and delete the

I) We here by provide the following beneficial ownership information.

**Details of Beneficial ownership** 


	Details of all Beneficial Owners	% of shares a person holds in the company Directly or indirectly	% of voting rights a person holds in the company	Whether a person directly or indirectly holds a right to appoint or remove a member of the board of directors of the company or an equivalent governing body of the Tenderer (Yes / No)	Whether a person directly or indirectly exercises significant influence or control over the Company (tenderer) (Yes / No)
	Full Name	Directly	Directly	1. Having the right to appoint a majority of	1. Exercises significant influence or control
1.	National identity card number or Passport number	of shares	% of voting rights	the board of the directors or an equivalent governing	over the Company body of the Company (tenderer)
	Personal Identification Number (where applicable)	Indirectly % of vorights  (where	Indirectly % of voting rights	2. Is this right held directly or indirectly?: 2.	YesNo  2. Is this influence or control exercised
	Nationality				directly or
	Date of birth [dd/mm/yyyy]			Direct	indirectly?
	Postal address				Direct
	Residential address			Indirect	Indirect
	Telephone number				
	Email address				
	Occupation or profession				

Directly or indirectly	directors of the company or an equivalent governing body of the Tenderer (Yes / No)
National identity card number or Passport number  Indire	directors or an equivalent governing body of the Tenderer: Yoting YesNo YesNo

- II) Am fully aware that beneficial ownership information above shall be reported to the Public Procurement Regulatory Authority together with other details in relation to contract awards and shall be maintained in the Government Portal, published and made publicly available pursuant to Regulation 13(5) of the Companies (Beneficial Ownership Information) Regulations, 2020.(Notwithstanding this paragraph Personally Identifiable Information in line with the Data Protection Act shall not be published or made public). Note that Personally Identifiable Information (PII) is defined as any information that can be used to distinguish one person from another and can be used to deanonymize previously anonymous data. This information includes National identity card number or Passport number, Personal Identification Number, Date of birth, Residential address, email address and Telephone number.
- III) In determining who meets the threshold of who a beneficial owner is, the Tenderer must consider a natural person who in relation to the company:
  - (a) holds at least ten percent of the issued shares in the company either directly or indirectly;
  - (b) exercises at least ten percent of the voting rights in the company either directly or indirectly;
  - (c) holds a right, directly or indirectly, to appoint or remove a director of the company; or
  - (d) exercises significant influence or control, directly or indirectly, over the company.
- IV) What is stated to herein above is true to the best of my knowledge, information and belief.

Name of the Tenderer:*[insert complete name of the Tenderer]
Name of the person duly authorized to sign the Tender on behalf of the Tenderer: ** [insert complete name of person
duly authorized to sign the Tender]
Designation of the person signing the Tender:[insert complete title of the person signing the Tender]
Signature of the person named above: [insert signature of person whose name and capacity are shown
above]
Date this [insert date of signing] day of [Insert month], [insert year]

Bidder Official Stamp





ITEM	DESCRIPTION	AMOUNT (Kshs).
	PARTICULAR PRELIMINARIES	
A	PRICING ITEMS OF PRELIMINARIES	
	Prices SHALL BE INSERTED against items of "preliminaries" in the tenderer's priced Bills of Quantities. The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract. The contractor is advised to read and understand all preliminary items.	
В	SCOPE OF THE CONTRACT	
	The works to be carried out under this contract comprise of Demolition Works,Construction of a Reinforced Concrete Frame for Basement to fifth floor associated Electrical and Mechanical works as described in these Bills of Quantities	
	FLOOR AREA	
С	Total gross floor area is approximately Twelve Thousand, Seven Hundred and Twenty Square Metres . The total gross area is given without warranty but for guidance only.	
	Total Approx Area <u>12,720 SM</u>	
D	LOCATION OF SITE	
	The site is located at KEMRI CMR/CPHR site at Kenyatta National Hospital in Nairobi County. The Contractor is advised to visit the site, to familiarize with the nature and position of the site. No claims arising from the Contractor's failure to do so will be entertained.	
E	DESCRIPTION OF THE WORKS	
	The works to be carried out under this contract involves Demolition Works,Construction of a Reinforced Concrete Frame for Basement to fifth floor associated Electrical and Mechanical works at KEMRI CMR/CPHR site at Kenyatta National Hospital in Nairobi County.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT (Kshs).
A	MEASUREMENTS	
В	In the event of any discrepancies arising between the Bills of Quantities and the actual works, the site measurements shall generally take precedence. However, such discrepancies between any contract documents shall immediately be referred to the PROJECT MANAGER in accordance with Clause 14 (contract Price and Payment) of the Conditions of Contract. The discrepancies shall then be treated as a variation and be dealt with in accordance with Clause 13 (variations and adjustment) of the said Conditions.  CLEARING AWAY	
	The Contractor shall remove all temporary works, rubbish, debris and surplus materials from the site as they accumulate and upon completion of the works, remove and clear away all plant, equipment, rubbish, unused materials and stains and leave in a clean and tidy state to the reasonable satisfaction of the Project Manager.	
	The whole of the works shall be delivered up clean, complete and in perfect condition in every respect to the satisfaction of the Project Manager.	
С	CLAIMS	
	It shall be a condition of this contract that upon it becoming reasonably apparent to the Contractor that he has incurred losses and/or expenses due to any of the contract conditions, or by any other reason whatsoever, he shall present such claim or intent to claim notice to the PROJECT MANAGER within the contract period. No claims shall be entertained upon the expiry of the said contract period.	
D	PAYMENTS	
	The tenderer's attention is drawn to the fact that the GOVERNMENT DOES NOT MAKE ADVANCE PAYMENTS but pays for work done and materials delivered to site: all in accordance with Clause 14 of the General Conditions of contract. In order to facilitate this, a list of the general component elements for the works is given at the summary page of these specifications and the tenderer is requested to break down his tender sum commensurate to the said elements	
Е	PREVENTION OF ACCIDENT, DAMAGE OR LOSS	
	The Contractor is notified that these works are to be carried out on a restricted site where the client is going on with other normal activities. The Contractor is instructed to take reasonable care in the execution of the works as to prevent accidents, damage or loss and disruption of normal activities being carried out by the Client. The Contractor shall allow in his rates any expense he deems necessary by taking such care within the site.	
·	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT (Kshs).
A	WORKING CONDITIONS	
	The contractor must control noise and dust throughout the course of the contract.	
В	SIGNBOARD	
	Allow for providing, erecting, maintaining throughout the course of the Contract and afterwards clearing away a signboard as designed, specified and approved by the Project Manager.	
С	LABOUR CAMPS	
	The Contractor shall not be allowed to house labour on site. Allow for transporting workers to and from the site during the tenure of the contract.	
D	MATERIALS FROM DEMOLITIONS	
	Any materials arising from demolitions and not re-used shall become the property of the government. The Contractor shall allow in his rates the cost of transporting the demolished materials to the County Works Offices, Industrial Area, Nairobi.	
E	PRICING RATES The tenderer shall include for all costs in executing the whole of the works, including transport, replacing damaged items, fixing, all to comply with the said Conditions of Contract.	
F	SECURITY	
	The Contractor shall allow for providing adequate security for the works all the works stores, materials, plant, personnel, etc., both his own and sub-contractors' and must provide all necessary watching, lighting and other precautions as necessary to ensure security against theft, loss or damage and the protection of the public and the workers in the course of execution of this contract. No claim will be entertained from the Contractor for not maintaining adequate security for both the works and workers.	
G	URGENCY OF THE WORKS	
	The Contractor is notified that these "works are urgent" and should be completed within the period stated in these Particular Preliminaries. The Contractor shall allow in his rates for any costs he deems that he may incur by having to complete the works within the stipulated contract period.	
	Carried to Collection	
	CMITTED TO COMPETITION	

ITEM	DESCRIPTION	AMOUNT (Kshs).
A	PAYMENT FOR MATERIALS ON SITE	
	All materials for incorporation in the works must be stored on site before payment is effected, unless specifically exempted by the Project Manager. This is to include materials of the Contractor, nominated sub-Contractors and nominated suppliers.	
В	EXISTING SERVICES	
	Prior to the commencement of any work, the Contractor is to ascertain from the relevant authority the exact position, depth and level of all existing services in the area and he/she shall make whatever provisions may be required by the authorities concerned for the support, maintenance and protection of such services.	
С	BID SECURITY	
	The Bidder shall furnish, as part of his bid, a security as specified in the tender advertisement.	
	The bid security shall, at the bidder's option, be in the form of a certified cheque, bank draft, standby letter of credit or guarantee from a reputable bank located in Kenya or foreign bank which has been determined by the bidder to be acceptable to the Government. The format of the bank guarantee shall be in accordance with the sample forms of bid security included in the post qualification forms, other formats may be permitted, subject to the prior approval of the Government. Letters of credit, bank	
	Guarantees issued as surety for the bid shall be valid for a period of One Hundred and Four <u>(154)</u> days from the date of Tender Opening.	
D	PERFORMANCE BOND	
	The Contractor shall find and submit on the Form of Tender an approved bank and who will be willing to be bound the Government in and amount equal to five per cent (5%) of the Contract amount for the due performances of the Contract up to the date of completion as certified by the PROJECT MANAGER and who will when and if called upon, sign a Bond to that effect on the relevant standard form included herein. (without the addition of any limitations) on the same day as the Contract Agreement is signed, by the Government, the Contractor shall furnish within seven days another Surety to the approval of the Government.	
	No payment on account for the works executed will be made to the contractor until he has submitted the Performance Bond to the Project Manager duly signed, sealed and stamped from an approved Bank	
Е	TENDER DOCUMENTS	
	Tender documents are as listed in Clause 6.1 of the Instruction to Tenderer's Page 5	
	Carried to Collection	
	•	

ITEM	DESCRIPTION	AMOUNT (Kshs).
A	DELIVERY OF TENDER  Tenders will be opened at the time specified in the letter accompanying these  Tender Documents or as indicated in the advertisement. Tenders delivered/received later than the above time will not be opened.	
В	VALUE ADDED TAX The Contractor's attention is drawn to the Legal Notice in the Finance Act part 3 Section 21(b) operative from 1 <sup>st</sup> September, 1993 which requires payment of VAT on all contracts. The Contractor should therefore include allowance in his rates and prices for prices for VAT and any other Government taxes currently in force.	
	NB: VAT SHALL BE INCLUDED IN THE RATES	
С	FIRM PRICE CONTRACT	
	Unless otherwise specifically stated, this is a firm price contract and the Contractor must allow in his tender rates for any increase in the cost of labour and/or materials during the currency of the contract.	
	Carried to Collection	
	Carried to Concetion	

ITEM	DESCRIPTION	AMOUNT (Kshs).
	SPECIAL PRELIMINARIES	
	PROECT MANAGER'S SUPERVISION EXPENSES	
	<u>Hire Project Vehicle</u>	
	Provide a 14,seater Van (in good supervised condition) for transporting 10 No. Ministry of Lands, Public Works, Housing and Urban Development. (State Department for Public Works) Officers to KEMRI offices at Kenyatta National Hospital in Nairobi County and back to Public Works Headquarters for 20 No. trips approximately 25 kilometres per trip	
A	Allow for provision of vehicle as described including, drivers, maintenance, fuel, oil and lubricant, licences and comprehensive insurance	
	Allow rate of Kshsper visit x 20 no visits	
	Project Manager's Subsistence Allowance	
В	Allow a sum of Kenya shillings, One Million Five Hundred Thousand <b>(Kshs. 1,500,000.00)</b> Only for subsistence allowances for Project Manager's Supervision Team.	1,500,000.00
С	Allow for profits and attendance%	
	<u>Clerk of Works Expenses</u>	
D	Allow a sum of Kenya Shillings Four Hundred and Fifty Thousand <b>(Kshs. 450,000.00)</b> Only Clerk of Works allowances	450,000.00
Е	Allow for profits and attendance%	
	Project Manager's Stationery	
F	Allow a sum of Kenya Shillings Two Million five Hundred Thousand (Kshs. 2,500,000.00) only for Project Manager team Stationery as per the Project manager specifications.	2,500,000.00
G	Allow for profits and attendance%	
	Training	
Н	Allow a sum of Kenya Shillings One Million <b>(Kshs. 1,000,000.00)</b> only for Training	1,000,000.00
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT (Kshs).
	PARTICULARS OF INSERTIONS TO BE MADE IN APPENDIX TO CONTRACT AGREEMENT	
	The following are the insertions to be made in the appendix to the contract Agreement:-	
A	Period of Final Measurement3 Months from Practical Completion	
В	Defects Liability Period6 Months from Practical Completion	
С	Date for Possession To be agreed with the Project Manager	
D	Date for Completion42 WEEKS from the Date of possession	
Е	Liquidated and Ascertained Damages. At a rate of 0.01% Per week or part thereof	
F	Period of Interim CertificatesMonthly	
G	Period of Honouring Certificates60 Days	
Н	Percentage of Certified Value Retained 10%	
J	Limit of Retention Fund 5%	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT (Kshs).
	<u>COLLECTION</u>	
	Brought forward from page PP/1	
	Brought forward from page PP/2	
	Brought forward from page PP/3	
	Brought forward from page PP/4	
	Brought forward from page PP/5	
	Brought forward from page PP/6	
	Brought forward from page PP/7	
	TOTAL FOR PARTICULAR PRELIMINARIES CARRIED TO GRAND SUMMARY	7,542,500.00



ITEM	DESCRIPTION	AMOUNT(Kshs)
	GENERAL PRELIMINARIES	
A.	PRICING OF ITEMS OF PRELIMINARIES AND PREAMBLES	
	Prices will be inserted against items of Preliminaries in the Contractor's priced Bills of Quantities and Specification.	
	The Contractor shall be deemed to have included in his prices or rates for the various items in the Bills of Quantities or Specification for all costs involved in complying with all the requirements for the proper execution of the whole of the works in the Contract.	
	ABBREVIATIONS	
В.	Throughout these Bills, units of measurement and terms are abbreviated and shall be interpreted as follows:-	
	C.M. Shall mean cubic metre	
	S.M. Shall mean square metre	
	L.M. Shall mean linear metre	
	MM Shall mean Millimetre	
	Kg. Shall mean Kilogramme	
	No. Shall mean Number	
	Prs. Shall mean Pairs	
	B.S. Shall mean the British Standard Specification Published by theBritish Standards Institution, 2 Park Street, London W.I., England.	
	Ditto Shall mean the whole of the preceding description except as qualified in the description in which it occurs.	
	m.s. Shall mean measured separately.	
	a.b.d Shall mean as before described.	
С	EXCEPTION TO THE STANDARD METHOD OF MEASUREMENT	
	Attendance; Clause B19(a) of the Standard Method of Measurement is deleted and the following clause is	
	Attendance on nominated Sub-Contractors shall be given as an item in each case shall be deemed to include: allowing use of standing scaffolding, mess rooms, sanitary accommodation and welfare facilities; provision of special scaffolding where necessary;providing space for office accommodation and for storage of plant and materials;providing light and water for their work: clearing away rubbish; unloading checking and hoisting: providing electric power and removing and replacing duct covers, pipe casings and the like necessary for the execution and testing of Sub- Contractors' work and being responsible for the accuracy of the same.	
	Fix Only:-	
	"Fix Only" shall mean take delivery at nearest railway station (Unless otherwise stated), pay all demurrage charges, load and transport to site where necessary, unload, store, unpack, assemble as necessary, distribute to position, hoist and fix only.	
	Carried to collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
A	EMPLOYER	
	The "Employer" is "KENYA MEDICAL RESEARCH INSTITUTE"	
	The term "Employer" and "Government" wherever used in the contract document shall be synonymous	
В	PROJECT MANAGER	
	The term 'P.M.' wherever used in these Bills of Quantities shall be deemed to imply the Project Manager as defined in Condition 1 of the Conditions of Contract or such person or persons as may be duly authorised to represent him on behalf of the Government.	
С	ARCHITECT	
	The term "Architect" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is State Department for Public Works, P.O. Box 30743, NAIROBI.	
D	QUANTITY SURVEYOR	
	The term "Quantity Surveyor" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is State Department for Public Works, P.O. Box 30743, NAIROBI.	
Е	ELECTRICAL ENGINEER	
	The term 'Electrical Engineer' shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is State Department for Public Works, P.O. Box 30743, NAIROBI.	
F	MECHANICAL ENGINEER	
	The term "Mechanical Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is State Department for Public Works, P.O. Box 30743, NAIROBI.	
G	STRUCTURAL ENGINEER	
	The term "Structural Engineer" shall be deemed to mean "The P.M." as defined above whose address unless otherwise notified is State Department for Public Works, P.O. Box 30743, NAIROBI.	
Н	FORM OF CONTRACT	
	The Form of Contract shall be as stipulated in the Republic of Kenya's Standard Tender Document for Procurement of Works (Building and associated Civil Engineering Works)- April 2022 Edition included herein The Conditions of Contract are also included herein Conditions of Contract These are numbered from 1 to 20 as set out in pages 74 to 128 of these tender documents. Particulars of insertions to be made in the Appendix to the Contract Agreement will be found in the Particular Preliminaries part of these Bills of Quantities	
	Carried to collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
A.	PLANT, TOOLS AND VEHICLES	
	Allow for providing all scaffolding, plant, tools and vehicles required for the worksexcept in so far as may be stated otherwise herein and except for such items specifically and only required for the use of nominated Sub-Contractors as described herein. No timber used for scaffolding, formwork or temporary works of any kind shall be used afterwards in the permanent work.	
В.	TRANSPORT.	
	Allow for transport of workmen, materials, etc., to and from the site at such hours and by such routes as may be permitted by the competent authorities.	
C.	MATERIALS AND WORKMANSHIP.	
	All materials and workmanship used in the execution of the work shall be of the best quality and description unless otherwise stated. The Contractor shall order all materials to be obtained from overseas immediately after the Contract is signed and shall also order materials to be obtained from local sources as early as necessary to ensure that they are onsite when required for use in the works. The Bills of Quantities shall not be used for the purpose of ordering materials.	
D.	SIGN FOR MATERIALS SUPPLIED.	
	The Contractor will be required to sign a receipt for all articles and materials supplied by the PROJECT MANAGER at the time of taking deliver thereof, as having received them in good order and condition, and will thereafter be responsible for any loss or damage and for replacements of any such loss or damage with articles and/or materials which will be supplied by the PROJECT MANAGER at the current market prices including Customs Duty and V.A.T., all at the Contractor's own cost and expense, to the satisfaction of the PROJECT MANAGER	
E.	STORAGE OF MATERIALS	
	The Contractor shall provide at his own risk and cost where directed on the site weather proof lock-up sheds and make good damaged or disturbed surfaces upon completion to the satisfaction of the PROJECT MANAGER Nominated Sub-Contractors are to be made liable for the cost of any storage accommodation provided especially for their use.	
F	SAMPLES	
	The Contractor shall furnish at his own cost any samples of materials or workmanship including concrete test cubes required for the works that may be called for by the PROJECT MANAGER for his approval until such samples are approved by the PROJECT MANAGER and the PROJECT MANAGER, may reject any materials or workmanship not in his opinion to be up to approved samples. The PROJECT MANAGER shall arrange for the testing of such materials as he may at his discretion deem desirable, but the testing shall be made at the expense of the Contractor and not at the expense of the PROJECT MANAGER. The Contractor shall pay for the testing in accordance with the current scale of testing charges laid down by the Ministry of Public Works.	
	The procedure for submitting samples of materials for testing and the method of marking for identification shall be as laid down by the PROJECT MANAGER The Contractor shall allow in his tender for such samples and tests except those in connection with nominated sub-contractors' work.	
	Carried to collection	

A. GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.  Allow for complying with all Government Acts, Orders and Regulations in connection with the employment of Labour and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1990 and his tender must include for all costs arising or resulting from complyance with any Act, Order or Regulation relating to Insurances, pensions and holdurys for workpeople or so the sately-health and welfare of the workpeople. He Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullset information regarding all such regulations and/or restrictions which may affect the information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender.  No claim in respect of want of knowledge in this connection will be entertained.  B. PUBLIC AND PRIVATE ROADS.  Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER  C. EXISTING PROPERTY.  The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deem	ITEM	DESCRIPTION	AMOUNT(Kshs)
and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1970 and his tender must include for all costs strising or resulting from compliance with any Act. Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the information regarding all such regulations and/or restrictions which may affect the organisation of the works, supply and control of labour, etc., and allow accordingly in his tender.  No claim in respect of want of knowledge in this connection will be entertained.  B. PUBLIC AND PRIVATE ROADS.  Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER  C. EXISTING PROPERTY.  The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminates hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access to the Site shall be deemed to have acquainted himself therewith as to its	A.	GOVERNMENT ACTS REGARDING WORKPEOPLE ETC.	
B. PUBLIC AND PRIVATE ROADS.  Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER  C. EXISTING PROPERTY.  The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		and other matters related to the execution of the works. In particular the Contractor's attention is drawn to the provisions of the Factory Act 1950 and his tender must include for all costs arising or resulting from compliance with any Act, Order or Regulation relating to Insurances, pensions and holidays for workpeople or so the safety, health and welfare of the workpeople. The Contractor must make himself fully acquainted with current Acts and Regulations, including Police Regulations regarding the movement, housing, security and control of labour, labour camps, passes for transport, etc. It is most important that the Contractor, before tendering, shall obtain from the relevant Authority the fullest information regarding all such regulations and/or restrictions which may affect the information regarding all such regulations and/or restrictions of the works, supply	
Maintain as required throughout the execution of the works and make good any damage to public or private roads arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER  C. EXISTING PROPERTY.  The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		No claim in respect of want of knowledge in this connection will be entertained.	
arising from or consequent upon the execution of the works to the satisfaction of the local and other competent authority and the PROJECT MANAGER  C. EXISTING PROPERTY.  The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting	В.	PUBLIC AND PRIVATE ROADS.	
The Contractor shall take every precaution to avoid damage to all existing property including roads, cables, drains and other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		arising from or consequent upon the execution of the works to the satisfaction of the local and other competent	
other services and he will be held responsible for and shall make good all such damage arising from the execution of this contract at his own expense to the satisfaction of the PROJECT MANAGER  D. VISIT SITE AND EXAMINE DRAWINGS.  The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting	C.	EXISTING PROPERTY.	
The Contractor is recommended to examine the drawings and visit the site the location of which is described in the Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		other services and he will be held responsible for and shall make good all such damage arising from the execution of	
Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this recommendation will be considered.  E. ACCESS TO SITE AND TEMPORARY ROADS.  Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting	D.	VISIT SITE AND EXAMINE DRAWINGS.	
Means of access to the Site shall be agreed with the PROJECT MANAGER prior to commencement of the work and Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		Particular Preliminaries hereof. He shall be deemed to have acquainted himself therewith as to its nature, position, means of access or any other matter which, may affect his tender. No claim arising from his failure to comply with this	
Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and surfaces disturbed to the satisfaction of the PROJECT MANAGER  F. AREA TO BE OCCUPIED BY THE CONTRACTOR  The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting	E.	ACCESS TO SITE AND TEMPORARY ROADS.	
The area of the site which may be occupied by the Contractor for use of storage and for the purpose of erecting		Contractor must allow for building any necessary temporary access roads for the transport of the materials, plant and workmen as may be required for the complete execution of the works including the provision of temporary culverts, crossings, bridges, or any other means of gaining access to the Site. Upon completion of the works, the Contractor shall remove such temporary access roads; temporary culverts, bridges, etc., and make good and reinstate all works and	
	F.	AREA TO BE OCCUPIED BY THE CONTRACTOR	
Carried to collection		Carried to collection	


A. OFFICE FIC. FOR THE PROJECT MANAGER  The Contractor shall provide, erect and maintain where directed on site and afterwards dismantle the site office of the type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hop and shall selected and involved by the Add provide, erect and institutian above help the water or backer desired for the sole use of the PROJECT MANAGER including making temporary connections to the complete desired the sole use of the PROJECT MANAGER including making temporary connections to the complete of both of the confession of the works and dismantle and make good disturbula surfaces. The office and closed shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER a modern and accurate level together with levelling staff, ranging rods and 30 metar metallic or linent size. and to rewest back to the client after completion of the contractor.  B. WATER AND ELECTRICITY SUPPLY FOR THE WORKS  The Contractor shall provide at his own risk and cost all recessary water, electric light and power required for use in the works. The Contractor was all provide at his own risk and cost all recessary water, electric light and power required for use in the works. The Contractor shall pay all charges in connection between the provide temporary ranks and meters as required at his own cost and clear away when no longer required and make good no completion to the entire sadistation of the ROJECT MANAGER. The Contractors shall pay all charges in connection hereotic, hosquarance is given or implied that sufficient water will be available from mains and the Contractor of the contractor of any water or electric current used and for any installation provided especially for their own use.  C. SANITATION OF THE WORKS  The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government	ITEM	DESCRIPTION	AMOUNT(Kshs)
type noted in the Particular Preliminates, complete with Furniture. He shall also provide a strong metal trunk complete with strong hesp and staped festering and two losys. He shall provide, ere at and maintain is lost, up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of corremented and conflict of the contract of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement on the complete febror the Contractor is permitted to commence the worker. The Contractor shall make available on the Site as and when required by the PROJECT MANAGER and eligened and secure the long-through stability of the contractor.  B. WATER AND ELECTRICITY SUPPLY FOR THE WORKS  The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor shall provide at his own arrangements for connection to the nearest satisfied water main and for metering the water used. He must also provide temporary that san diverses are required at his own or and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implicit that sufficient water will be available from anists and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated solvi-outratexture are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own ose.  C. SANITATION OF THE WORKS  The Sunitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or I coal Authorities, I abour Department and the PROJECT MANAGER.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(1)	A.	OFFICE ETC. FOR THE PROJECT MANAGER	
The Contractor shall provide at his own risk and cost all necessary water, electric light and power required for use in the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cast and clear away when no longer required and make good no completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub-contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.  C.  SANITATION OF THE WORKS  The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER  D. SUPERVISION AND WORKING HOURS  The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.  E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(0) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and lik materials or goods are described herein as Nominated Sub-Contractors Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors Persons or firms so nominated on the PROJECT MANAGER		type noted in the Particular Preliminaries, complete with Furniture. He shall also provide a strong metal trunk complete with strong hasp and staple fastening and two keys. He shall provide, erect and maintain a lock-up type water or bucket closet for the sole use of the PROJECT MANAGER including making temporary connections to the drain where applicable to the satisfaction of Government and Medical Officer of Health and shall provide services of cleaner and pay all conservancy charges and keep both office and closet in a clean and sanitary condition from commencement to the completion of the works and dismantle and make good disturbed surfaces. The office and closet shall be completed before the Contractor is permitted to commence the works. The Contractor shall make available on the Site as and when required by the "PROJECT MANAGER" a modern and accurate level together with levelling staff,	
the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this surphy a his own cost. Nominated Sub-contractors are to be made liable for the cost of any water or electric current used and for any installation provided especially for their own use.  C. SANITATION OF THE WORKS  The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER  D. SUPERVISION AND WORKING HOURS  The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.  E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(1) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and it materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors shall provide Jefore signing the contract and in agreement with the PROJECT MANAGER to determine work of the provided and it materials or goods are described herein as Nomina	В.	WATER AND ELECTRICITY SUPPLY FOR THE WORKS	
The Sanitation of the works shall be arranged and maintained by the Contractor to the satisfaction of the Government and/or Local Authorities, Labour Department and the PROJECT MANAGER  D. SUPERVISION AND WORKING HOURS  The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.  E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.  F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide. before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.		the works. The Contractor must make his own arrangements for connection to the nearest suitable water main and for metering the water used. He must also provide temporary tanks and meters as required at his own cost and clear away when no longer required and make good on completion to the entire satisfaction of the PROJECT MANAGER. The Contractor shall pay all charges in connection herewith. No guarantee is given or implied that sufficient water will be available from mains and the Contractor must make his own arrangements for augmenting this supply at his own cost. Nominated Sub-contractors are to be made liable for the cost of any water or electric current used and for any	
<ul> <li>and/or Local Authorities, Labour Department and the PROJECT MANAGER</li> <li>SUPERVISION AND WORKING HOURS  The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.</li> <li>E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.</li> <li>F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.</li> <li>G. PROGRESS CHART.</li> <li>The Contractor shall provide, before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.</li> </ul>	C.	SANITATION OF THE WORKS	
The works shall be executed under the direction and to the entire satisfaction in all respects of the PROJECT MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.  E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.  F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Sub-Contractors shall provide, before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.			
MANAGER who shall at all times during normal working hours have access to the works and to the yards and workshops of the Contractor and sub-Contractors or other places where work is being prepared for the contract.  E. PROVISIONAL SUMS.  The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.  F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide, before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	D.	SUPERVISION AND WORKING HOURS	
The term 'Provisional Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.  F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.		MANAGER who shall at all times during normal working hours have access to the works and to the yards and	
A7(i) of the Standard Method of Measurement. Such sums are net and no addition shall be made to them for profit.  F. PRIME COST (OR P.C.) SUMS.  The term 'Prime Cost Sum' or 'P.C. Sum' wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	E.	PROVISIONAL SUMS.	
The term "Prime Cost Sum" or "P.C. Sum" wherever used in these Bills of Quantities shall have the meaning stated in Section A item A7 (ii) of the Standard Method of Measurement. Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide , before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.			
Section A item A7 (ii) of the Standard Method of Measurement . Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-Contractors. Persons or firms so nominated to supply goods or materials are described herein as Nominated Suppliers.  G. PROGRESS CHART.  The Contractor shall provide ,before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	F.	PRIME COST (OR P.C.) SUMS.	
The Contractor shall provide ,before signing the contract and in agreement with the PROJECT MANAGER, a Progress Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.		Section A item A7 (ii) of the Standard Method of Measurement . Persons or firms nominated by the PROJECT MANAGER to execute work or to provide and fix materials or goods are described herein as Nominated Sub-	
Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as necessary as the work proceeds.	G.	PROGRESS CHART.	
Carried to collection		Chart for the whole of the works including the works of Nominated Sub-Contractors; one copy to be handed to the PROJECT MANAGER and a further copy to be retained on Site. Progress to be recorded and chart to be amended as	
		Carried to collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
A.	ADJUSTMENT OF P.C. SUMS.	
	In the final account all P.C. Sums shall be deducted and the amount properly expended upon the PROJECT MANAGER'S order in respect of each of them added to the Contract sum. The Contractor shall produce to the PROJECT MANAGER such quotations, invoices or bills, properly receipted, as may be necessary to show the actual details of the sums paid by the Contractor. Items of profit upon P.C. Sums shall be adjusted in the final account prorata to the amount paid. Items of "attendance" (as previously described) following P.C. Sums shall be adjusted pro-rata to the physical extent of the work executed (not pro-rata to the amount paid) and this shall apply even though the Contractor's priced Bill shows a percentage in the rate column in respect of them. Should the Contractor be permitted to tender and his tender be accepted of any work for which a P.C. Sum is included in these Bill of Quantities profit and attendance will be allowed at the same rate as it would be if the work were executed by a Nominated Sub-Contractor.	
В.	ADJUSTMENT OF PROVISIONAL SUMS.	
	In the final account all Provisional Sums shall be deducted and the value of the work properly executed in respect of them upon the PROJECT MANAGER's order added to the Contract Sum. Such work shall be valued, but should any part of the work be executed by a Nominated Sub-Contractor, the value of such work or articles for the work to be supplied by a Nominated Supplier, the value of such work or articles shall be treated as a P.C. Sum and profit and attendance comparable to that contained in the priced Bills of Quantities for similar items added.	
C.	NOMINATED SUB-CONTRACTORS	
	When any work is ordered by the PROJECT MANAGER to be executed by nominated sub-contractors, the Contractor shall enter into sub-contracts and shall thereafter be responsible for such sub-contractors in every respect. Unless otherwise described the Contractor is to provide for such Sub-Contractors any or all of the facilities described in these Preliminaries. The Contractor should price for these with the nominated Sub-contract Contractor's work concerned in the P.C. Sums under the description "add for Attendance".	
D.	DIRECT CONTRACTS	
	Notwithstanding the foregoing conditions, the Government reserves the right to place a "Direct Contract" for any goods or services required in the works which are covered by a P.C. Sum in the Bills of Quantities and to pay for the same direct. In any such instances, profit relative to the P.C. Sum the priced Bills of Quantities will be adjusted as described for P.C. Sums and allowed.	
E.	ATTENDANCE UPON OTHER TRADESMEN, ETC.	
	The Contractor shall allow for the attendance of trade upon trade and shall afford any tradesmen or other persons employed for the execution of any work not included in this Contract every facility for carrying out their work and also for use of his ordinary scaffolding. The Contractor, however, shall not be required to erect any special scaffolding for them. The Contractor shall perform such cutting away for and making good after the work of such tradesmen or persons as may be ordered by the PROJECT MANAGER and the work will be measured and paid for to the extent executed at rates provided in these Bills.	
	Carried to collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
A.	INSURANCE	
	The Contractor shall insure as required in Conditions No. 18 of the General Conditions of Contract. No payment on account of the work executed will be made to the Contractor until he has satisfied the PROJECT MANAGER either by production of an Insurance Policy or and Insurance Certificate that the provision of the foregoing Insurance Clauses have been complied with in all respects. Thereafter the PROJECT MANAGER shall from time to time ascertain that premiums are duly paid up by the Contractor who shall if called upon to do so, produce the receipted premium renewals for the PROJECT MANAGER's inspection.	
B.	PROVISIONAL WORK	
	All work described as "Provisional" in these Bills of Quantities is subject to remeasurement in order to ascertain the actual quantity executed for which payment will be made. All "Provisional" and other work liable to adjustment under this Contract shall left uncovered for a reasonable time to allow all measurements needed for such adjustment to be taken by the PROJECT MANAGER Immediately the work is ready for measuring, the Contractor shall give notice to the PROJECT MANAGER. If the Contractor makes default in these respects he shall if the PROJECT MANAGER so directs uncover the work to enable all measurements to be taken and afterwards reinstate at his own expense.	
C.	ALTERATIONS TO BILLS, PRICING, ETC.	
	Any unauthorised alteration or qualification made to the text of the Bills of Quantities may cause the Tender to be disqualified and will in any case be ignored. The Contractor shall be deemed to have made allowance in his prices generally to cover any items against which no price has been inserted in the priced Bills of Quantities. All items of measured work shall be priced in detail and the Tenders containing Lump Sums to cover trades or groups of work must be broken down to show the price of each item before they will be accepted.	
D.	BLASTING OPERATIONS	
	Blasting will only be allowed with the express permission of the PROJECT MANAGER in writing. All blasting operations shall be carried out at the Contractor's sole risk and cost in accordance with any Government regulations in force for the time being, and any special regulations laid down by the PROJECT MANAGER governing the use and storage of explosives.	
E.	MATERIALS ARISING FROM EXCAVATIONS	
	Materials of any kind obtained from the excavations shall be the property of the Government. Unless the PROJECT MANAGER directs otherwise such materials shall be dealt with as provided in the Contract. Such materials shall only be used in the works, in substitution of materials which the Contractor would otherwise have had to supply with the written permission of the PROJECT MANAGER Should such permission be given, the Contractor shall make due allowance for the value of the materials so used at a price to be agreed.	
F.	PROTECTION OF THE WORKS.	
	Provide protection of the whole of the works contained in the Bills of Quantities, including casing, casing up, covering or such other means as may be necessary to avoid damage to the satisfaction of the PROJECT MANAGER and remove such protection when no longer required and make good any damage which may nevertheless have been done at completion free of cost to the Government.	
G.	REMOVAL OF RUBBISH ETC.	
	Removal of rubbish and debris from the Buildings and site as it accumulates and at the completion of the works and remove all plant, scaffolding and unused materials at completion.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
A.	WORKS TO BE DELIVERED UP CLEAN	
	Clean and flush all gutters, rainwater and waste pipes, manholes and drains, wash (except where such treatment might cause damage) and clean all floors, sanitary fittings, glass inside and outside and any other parts of the works and remove all marks, blemishes, stains and defects from joinery, fittings and decorated surfaces generally, polish door furniture and bright parts of metalwork and leave the whole of the buildings watertight, clean, perfect and fit for occupation to the approval of the PROJECT MANAGER	
В.	GENERAL SPECIFICATIONS	
	For the full description of materials and workmanship, method of execution of the work and notes for pricing, the Contractor is referred to the Ministry of Roads and Public Works and Housing General Specification dated 1976 or any subsequent revision thereof which is issued as a separate document, and which shall be allowed in all respects unless it conflicts with the General Preliminaries, Trade Preambles or other items in these Bills of Quantities.	
C.	TRAINING LEVY	
	The Contractor's attention is drawn to legal notice No. 237 of October, 1971, which requires payment by the Contractor of a Training Levy at the rate of 1/4 % of the Contract sum on all contracts of more than Kshs. 50,000.00 in value.	
D.	MATERIALS ON SITE	
	All materials for incorporation in the works must be stored on or adjacent to the site before payment is effected unless specifically exempted by the PROJECT MANAGER. This includes the materials of the Main Contractor, Nominated Sub-Contractors and Nominated Suppliers.	
E.	HOARDING	
	The Contractor shall enclose the site or part of the works under construction with a hoarding 3000 mm high consisting of iron sheets on $100 \times 50$ mm timber posts firmly secured at $1800$ mm centres with two $75 \times 50$ mm timber rails for a total length of approximately Three hundred meters. The Contractor is in addition required to take all precautions necessary for the safe custody of the works,materials, plant, public and Employer's property on the site <i>and to revert back to the client after completion of the contract</i> .	
F.	CONTRACTOR'S SUPERINTENDENCE/SITE AGENT	
	The Contractor shall constantly keep on the works a literate English speaking Agent or Representative, competent and experienced in the kind of work involved who shall give his whole experience in the kind of work involved and shall give his whole time to the superintendence of the works. Such Agent or Representative shall receive on behalf of the Contractor all directions and instructions from the Project Manager and such directions shall be deemed to have been given to the Contractor in accordance with the Conditions of Contract.	
	Carried to Collection	

ITEM	DESCRIPTION	AMOUNT(Kshs)
	<u>COLLECTION</u>	
	Brought Forward From Page GP/1	
	Brought Forward From Page GP/2	
	Brought Forward From Page GP/3	
	Brought Forward From Page GP/4	
	Brought Forward From Page GP/5	
	Brought Forward From Page GP/6	
	Brought Forward From Page GP/7	
	Brought Forward From Page GP/8	
	TOTAL FOR GENERAL PRELIMINARIES CARRIED TO GRAND SUMMARY	



# PREAMBLES AND PRICING NOTES

#### A. GENERALLY

All work to be carried out in accordance with the Ministry of Public Works General Specifications for Building Works issued in 1976 or as qualified or amended below.

#### B. MANUFACTURERS' NAMES

Where manufacturers' names and catalogue references are given for guidance to quality and standard only. Alternative manufacturer of equal quality will be accepted at the discretion of the Project Manager.

## C. WALLING

All precast concrete blocks shall be manufactured by the methods and to the sizes specified in the Ministry of Public Works "Specification for Metric Sized Concrete Blocks for Building (1972)"

Walling of 100 mm thickness or under shall be reinforced with hoop iron every alternate course.

Prices for walling must allow for all costs in preparing, packing and sending sample blocks for testing as and when required by the Project Manager.

# D. CARPENTRY

The grading rules for cypress shall be the same for podocarpus and all timber used for structural work shall be select (second grade).

All structural timber must conform to the minimum requirements for moisture content and preservative treatment and timber prices must allow for preparing, packing and sending samples for testing when required.

Prices must also include for all nails and fasteners.

#### A. JOINERY

Cypress for joinery shall be second grade in accordance with the latest grading rules of the Kenya Government.

Where Mahogany is specified, this refers to prime grade only. The Contractor may with the approval of the Project Manager; use either Msharagi or Mvuli in lieu of Mahogany but such approval will be given only in the case of shortages of the hardwoods specified.

Plugging shall be carried out by drilling walling or concrete with masonry drill and filling with propriety plugs of the correct sizes. Cutting with hammer and chisel will not be allowed.

Prices for joinery must include for pencil rounded arises, protection against damage, nails, screws, framing and bedding in cement mortar as required.

Sizes given for joinery items are nominal sizes and exact dimensions of doors, etc, must be ascertained on site.

## B. IRONMONGERY

Ironmongery shall be specified in the Bills of Quantities or equal and approved.

Prices must include for removing and re-fixing during and after painting, labeling all keys, and for fixing to hardwood, softwood, concrete or blockwork.

Catalogue references given for ironmongery are for purposes of indicating quality and size of item(s). Should the Contractor wish to substitute the specified item(s) with others of equal manufacture, he must inform the Project Manager and obtain approval in writing.

## C. STRUCTURAL STEELWORK

All structural steelwork shall comply with the Ministry of Public Works "Structural Steelwork Specification (1973) and shall be executed by an approved Sub-contractor.

## A. PLASTERWORK AND OTHER FINISHES

All finishing shall be as described in the general specifications and in these Bills of Quantities.

Prices for paving are to include for brushing concrete clean, wetting and coating with cement and sand grout 1:1.

Rates for glazed wall tiling are to include for a 12 mm cement and sand (1:4) backing screed unless otherwise specified in these Bills of Quantities.

# C. GLAZING

Where polished plate glass is specified, this refers to general glazing quality.


Prices for glazing shall include for priming of rebates before placing putty.

The Contractor will be responsible for replacing any broken or scratched glass and handing over in perfect condition.

## D. PAINTING

Painting shall be applied in accordance with the manufacturers' instructions.

Prices for painting are to include for scaffolding, preparatory work, priming coats, protection of other works and for cleaning up on completion. Prices for painting on galvanized metal are to include for mordant solution as necessary.



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	DEMOLITION WORKS				
	PRICING NOTES				
	Tenderers are strongly advised to read the following notes before pricing this section. Any querry should be refered to				
	the Project Manager				
1	The unit of billing in this section is "item" .				
2	Rates shall include the following in addition to what is described in the particular item:				
	(a)Clearing debris with speed on a daily basis as they arise, cleaning of affected surfaces as necessary, and removal of the debris from site to approved dumping sites. Accumulation of debris within the site shall not be allowed.				
	(b)All work shall be carefully executed with the particular aim of preserving the items being removed and minimizing damages to adjacent finishes ,structures , or components including providing all necessary support to the remaining part of work(walls,floors etc).				
	(c)Amounts quoted for removing components shall be deemed to be inclusive of cleaning, handling, storage on site, and disposing as directed by Project Manager.				
	(d)Amounts quoted should include for any temporary support to adjacent areas while carrying out demolition work as directed by the Project Manager.				
	(e)The Contractor will not be allowed to use any salvaged material without the express permission of the architect /engineer in which case he will be expected to give a discount for materials used at a rate to be agreed upon by the quantity surveyor.				
	Food handling washroom				
А	Carefully demolish the existing pitched roofing comprising of prepainted roofing sheets on timber purlins; timber trusses consisting of rafters, struts, ties and ceiling joist; including all rain water goods; fascia boards and eaves to roof over hangs and cart away as directed (Approx 9sm)		ITEM		
В	Carefully demolish existing 150mm thick suspended concrete slab with and including reinforcement and cart away debris as directed ( Approx 6sm )		ITEM		
С	Carefully demolish existing concrete beams with and including reinforcement and cart away debris as directed ( Approx 1cm)		ITEM		
D	Carefully demolish existing 200mm thick solid masonry walling plastered and painted on both sides and cart away debris as directed (Approx 15 sm )		ITEM		
	Carried to collection				

Demolitions DW/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Carefully remove existing single leaf flush door overall size $900 \times 2400$ mm high faced both sides with ordinary veneer complete with frames including ironmongery and cart away as directed (2 no.)		ITEM		
В	Carefully remove existing single leaf mild steel grill door overall size 900 x 2400mm high complete with frames including ironmongery and cart away as directed ( 2 no.)		ITEM		
С	Carefully remove exisiting PVC ceilings complete with brandering and cornice and cart away as directed (Approx 6sm)		ITEM		
D	Carefully remove existing mild steel window overall size 600 x 600mm high fixed and cart away as directed (2 no.)		ITEM		
E	Carefully demolish existing 150mm thick floor bed concrete slab with ceramic floor tiles finish and including reinforcement and cart away debris as directed (Approx 11sm)		ITEM		
F	Carefully demolish existing 200mm thick foundation walling and cart away debris as directed (Approx 25 sm )		ITEM		
G	Carefully demolish existing concrete strip foundations with and including reinforcement and cart away deris as directed ( Approx 3cm )		ITEM		
н	Carefully remove 300mm thick hardcore complete with 50mm blinding and cart away as directed ( Approx 11sm)		ITEM		
J	Carefully remove wall mounted urinal complete with cistern and pipework and cart away as directed (1 no.)		ITEM		
К	Carefully hack off squatting type water closet complete with cistern and pipework and cart away as directed (2 no.)		ITEM		
L	Carefully remove wash hand basin complete with pipework and cart away as directed (2 no.)		ITEM		
М	Carefully remove high level water tank approximately 2500litres complete with pipework and cart away as directed (1 no.)		ITEM		
	<u>Canteen</u>				
N	Carefully demolish the existing pitched roofing comprising of prepainted roofing sheets on timber purlins; timber trusses consisting of rafters, struts, ties and ceiling joist; including all rain water goods; fascia boards and eaves to roof over hangs and cart away as directed (Approx 133sm)		ITEM		
	Carried to collection				

Demolitions DW/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Carefully demolish existing concrete beams with and including reinforcement and cart away debris as directed (Approx 2cm)		ITEM		
В	Carefully demolish existing 200mm thick solid masonry walling plastered and painted on both sides and cart away debris as directed (Approx 70 sm )		ITEM		
С	Carefully remove exisiting PVC ceilings complete with brandering and cornice and cart away as directed (Approx 95sm)		ITEM		
D	Carefully remove existing single leaf mild steel door overall size 900 x 2400mm high complete with frames including ironmongery and cart away as directed (1 no.)		ITEM		
Е	Carefully remove existing mild steel window overall size 600 x 600mm high fixed and cart away as directed (1 no.)		ITEM		
F	Ditto size 1300 x 1200mm high (1 no.)		ITEM		
G	Ditto size 1200 x 1500mm high (1 no.)		ITEM		
н	Carefully demolish existing 150mm thick floor bed concrete slab with ceramic floor tiles finish and including reinforcement and cart away debris as directed (Approx 95sm)		ITEM		
J	Carefully demolish existing concrete strip foundations with and including reinforcement and cart away debris as directed ( Approx 6cm )		ITEM		
К	Carefully demolish existing 200mm thick foundation walling and cart away debris as directed (Approx 61 sm )		ITEM		
L	Carefully remove 300mm thick hardcore complete with 50mm blinding and cart away as directed ( Approx 95sm)		ITEM		
М	Carefully remove 100mm thick CHS mild steel columns and cart way as directed ( 21 lm)		ITEM		
N	Carefully demolish mild steel grill farbricated from 50 x 25mm RHS and cart away as directed (Approx 8sm)		ITEM		
Р	Carefully demolish existing 100mm thick insitu concrete slab paving around the canteen and cart way debris as directed (Approx 38sm)		ITEM		
Q	Carefully demolish MDF counter top complete with 20mm chrome plated pipe burglars; size 2400mm x 400mm x 1100mm high and cart away as directed (1 no.)		ITEM		
	Carried to collection				

Demolitions DW/4


ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
А	Carefully demolish existing 75mm thick worktop concrete slab with ceramic floor tiles finish and including reinforcement and cart away debris as directed ( Approx 4sm )		ITEM		
В	Carefully demolish existing cooking gas shade fabricated from 50 x 50mm thick SHS columns infilled with 25 x 25mm SHS frames complete with 1No. 800 x 1000mm high grill door;complete with mild steel sheet roofing;size 1500mm x 900mm x 1800mm high;cart away as directed (1 no.)		ITEM		
	Container relocation				
С	Allow for hiring of crane to lift and relocate 40ft container complete with existing roof to an identified placement site as directed by the Project Manager and Client (1 no.)		ITEM		
	CMR PREFARBRICATED BLOCK				
D	Carefully demolish existing 100mm thick timber prefarbricated walling and cart away debris as directed (Approx 330 sm )		ITEM		
E	Carefully demolish existing 100mm thick timber framed complete with plywood partitioning and cart away debris as directed (Approx 430 sm )		ITEM		
F	Carefully remove exisiting chipboard ceilings complete with brandering and cornice and cart away as directed (Approx 500 sm)		ITEM		
G	Carefully demolish existing 150mm thick floor bed concrete slab with ceramic floor tiles finish and including reinforcement and cart away debris as directed ( Approx 540 sm )		ITEM		
н	Carefully demolish existing concrete strip foundations with and including reinforcement and cart away debris as directed ( Approx 30cm )		ITEM		
J	Carefully remove 300mm thick hardcore complete with 50mm blinding and cart away as directed ( Approx 504 sm)		ITEM		
K	Carefully demolish existing 200mm thick foundation walling and cart away debris as directed (Approx 276sm)		ITEM		
L	Carefully demolish the existing pitched roofing comprising of asbestos roofing tiles (m/s) on timber purlins; timber trusses consisting of rafters, struts, ties and ceiling joist; including all rain water goods; fascia boards and eaves to roof over hangs and cart away as directed (Approx 720 sm)		ITEM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Carefully remove asbestos roof tiles and disposed off as per <b>NEMA regulations and including all necessary approvals</b> (Approx 702 sm)		ITEM		
В	Carefully remove existing double leaf timber door overall size 1350 x 2400mm high complete with frames including ironmongery and cart away as directed ( 4 no.)		ITEM		
С	Carefully remove existing single leaf timber door overall size 900 x 2100mm high complete with frames including ironmongery and cart away as directed ( 2 no.)		ITEM		
D	Carefully remove existing single leaf flush door overall size 900 x 2400mm high faced both sides with ordinary veneer complete with frames including ironmongery;900 x200mm fanlight infilled with 4mm clear glazing and cart away as directed (42 no.)		ITEM		
E	Carefully remove existing single leaf flush door overall size 900 x 2000mm high faced both sides with ordinary veneer complete with frames including ironmongery and cart away as directed (5 no.)		ITEM		
F	Ditto size 800 x 2400mm high (4 no.)		ITEM		
G	Carefully remove 900 $\times$ 500mm high timber framed louvre window with 3No. 150 $\times$ 5mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed ( 22 no.)		ITEM		
н	Carefully remove $900 \times 600$ mm high timber framed louvre window with $4$ No. $150 \times 5$ mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed ( $3$ no.)		ITEM		
J	Carefully remove 900 x 1000mm high timber framed louvre window with 7No. 150 x 5mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed (81 no.)		ITEM		
К	Carefully remove 900 x 1650mm high timber framed louvre window with 11No. 150 x 5mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed (1 no.)		ITEM		
L	Carefully remove 900 x 800mm high timber window complete with frames and cart away as directed (3 no.)		ITEM		
М	Carefully remove blockboard worktop complete with divisions, doors and ironmomgery; size 3600 x 600 x 900mm high; cart away as directed (1 no.)		ITEM		
N	Carefully remove blockboard high level shelves complete with divisions, doors and ironmomgery; size 1900 x 300 x 800mm high; cart away as directed (1 no.)		ITEM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	Ditto size 800 x 300 x 800mm high (1 no.)		ITEM		
В	Carefully remove water closet complete with cistern and pipework and cart away as directed (4 no.)		ITEM		
С	Carefully remove wash hand basin complete with pipework and cart away as directed (2 no.)		ITEM		
	RCTP PREFABRICATED CONTAINER OFFICES				
D	Carefully remove water closet complete with cistern and pipework and cart away as directed (4 no.)		ITEM		
Е	Carefully remove wash hand basin complete with pipework and cart away as directed (2 no.)		ITEM		
F	Carefully remove timber flooring including skirting and cartaway as ditected ( Approx 240 sm)		ITEM		
G	Carefully remove exisiting chipboard ceilings complete with brandering and cornice and cart away as directed (Approx 170 sm)		ITEM		
н	Carefully demolish existing 100mm thick timber framed complete with plywood partitioning and cart away debris as directed (Approx 370 sm )		ITEM		
J	Carefully remove existing double leaf flush door overall size 1200 x 2100mm high faced both sides with ordinary veneer complete with frames including ironmongery and cart away as directed ( 2 no.)		ITEM		
К	Ditto size 900 x 2100mm high;single leaf ( 20 no.)		ITEM		
L	Ditto size 800 x 2100mm high;single leaf ( 8 no.)		ITEM		
М	Carefully remove existing single leaf mild steel door overall size 900 x 2400mm high complete with frames including ironmongery and cart away as directed (1 no.)		ITEM		
N	Carefully remove 600 x 600mm high timber framed louvre window with 4No. 150 x 5mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed ( 4 no.)		ITEM		
Р	Carefully remove 1100 x 900mm high timber framed louvre window with 6No. 150 x 5mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed ( 24 no.)		ITEM		
Q	Carefully remove $1600 \times 900$ mm high timber framed louvre window with 6No. $150 \times 5$ mm clear louvre blades with polished edges complete with mild steel adjustale louvre set and cart away as directed ( 4 no.)		ITEM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
А	Carefully demolish the existing pitched roofing comprising of prepainted roofing sheets on timber purlins; timber trusses consisting of rafters, struts, ties and ceiling joist; including all rain water goods; fascia boards and eaves to roof over hangs and cart away as directed (Approx 250sm)		ITEM		
В	Carefully remove gauge 24 IT5 cladding complete with the support frames and cart away as directed (Approx 120 sm)		ITEM		
С	Carefully cut and remove container metal sheet walling and cart away as directed (Approx 290sm )		ITEM		
D	Carefully cut and remove container metal sheet floor base and cart away as directed (Approx 185sm )		ITEM		
Е	Ditto suspended metal suspended slab (Approx 185sm)		ITEM		
F	Ditto top metal sheet cover (Approx 185sm)		ITEM		
G	Carefully demolish existing 150mm thick floor bed concrete slab and including reinforcement and cart away debris as directed ( Approx 180 sm )		ITEM		
н	Carefully remove precast concrete paving slabs and cart away as directed (Approx 40 sm)		ITEM		
J	Carefully demolish existing concrete strip foundations with and including reinforcement and cart away debris as directed ( Approx 13cm )		ITEM		
К	Carefully demolish existing 200mm thick foundation walling and cart away debris as directed (Approx 120 sm )		ITEM		
L	Carefully remove 300mm thick hardcore complete with 50mm blinding and cart away as directed ( Approx 180 sm)		ITEM		
М	Carefully demolish steel staircase complete with 100 x 100mm SHS columns;150 x 50mm RHS staircase strings and landing support;Chequared plate landing,300mm wid treads and 150mm high risers; and cart away as directed (1 no.)		ITEM		
	External Works				
N	Carefully demolish insitu concrete drainage channels around CMR block and cart away debris as directed (Approx 140 lm)		ITEM		
Р	Carefully remove precast concrete paving slabs and cart away as directed (Approx 40 sm)		ITEM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
A	Cut down plant hedge and cart away as directed;1400mm high (Approx 100 lm)		ITEM		
В	Cut down trees overall girth 300-600mm including all necessary clearance approvals (4 no.)		ITEM		
С	Carefully demolish manholes size 600 x 450 x 1000mm deep and cart away debris as directed (Approx 10 no.)		ITEM		
D	Carefully demolish sewerline pipe and cart away as directed ( Approx 100lm)		ITEM		
	Storage				
E	Allow for purchase of 40 feet container to be used by the client to store office furniture and equipments from the buildings to be demolished, container to be fitted with mettalic shelving for storage as directed by client and will revert to the client upon completion of the project (2No.)		ITEM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE DW/1				
	FROM PAGE DW/2				
	FROM PAGE DW/3				
	FROM PAGE DW/4				
	FROM PAGE DW/5				
	FROM PAGE DW/6				
	FROM PAGE DW/7				
	FROM PAGE ABOVE				
	TOTAL FOR DEMOLITION WORKS CARRIED TO BUILDER'S WORK SUMMARY	Kshs			



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	BASEMENT (BASEMENT LEVEL ONE )				
	ELEMENT NO. 1				
	SUBSTRUCTURES (All Provisional)				
	<u>Site Clearance</u>				
A	Clear site of all shrubs and undergrowth including grubbing up of roots and dispose off as directed.	1,800	SM		
	<u>Excavations</u>				
	Excavations including maintaining and supporting sides of excavation from fallen soil, mud or sub-surface water by baling, pumping or otherwise.				
В	Bulk excavation commencing from exisiting ground level not exceeding 1.50m deep	2,700	СМ		
С	Ditto but exceeding 1.50m but not exceeding 3.00m deep	2,700	СМ		
D	Ditto but exceeding 3.00m but not exceeding 4.50m deep	1,170	СМ		
Е	Excavate for strip foundations commencing from reduced levels not exceeding 1.50m deep	45	СМ		
F	Ditto column bases commencing from reduced levels not exceeding 1.50m deep	1,401	СМ		
G	Ditto but exceeding 1.50m but not exceeding 3.00m deep	47	СМ		
н	Ditto raft foundations commencing from reduced levels not exceeding 1.50m deep	182	СМ		
J	Ditto retaining wall foundations commencing from reduced levels not exceeding 1.50m deep	76	СМ		
К	Ditto lift pit commencing from reduced levels not exceeding 1.50m deep.	19	СМ		
L	Ditto lift pit but exceeding 1.50m but not exceeding 3.00m deep	9	СМ		
М	Ditto for sump pit commencing from reduced levels not exceeding 1.50m deep.	7	СМ		
N	Ditto Sump pit but exceeding 1.50m but not exceeding 3.00m deep	3	СМ		
Р	Extra-over all excavation for excavating rock ;class I	455	СМ		
Q	Ditto class II	455	СМ		
	Conviced to collection				
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	Ditto class III	455	СМ		
В	Extra over excavation for levelling and compacting bottom of excavations.	1,800	SM		
	<u>Disposal</u>				
С	Return, fill in and ram selected excavated material around foundation walls and columns.	720	СМ		
D	Load and cart away excavated materials from site of works to areas approved by local authorities	7,639	СМ		
	Imported Filling				
E	Hardcore filling to make up levels handpacked and well compacted in 150mm thick layers to Structural Engineer's approval under water tank beams area.	66	SM		
F	50 mm selected fine material to hardcore surfaces, well rolled and leveled to receive concrete	1,800	SM		
	Anti-termite treatment				
G	Chemical anti- termite treatment as "Gladiator TC" or other equal and approved termicide sprayed over surfaces of hardcore bed and walls applied as per manufacturer's instruction with a 10 year guarantee.	1,800	SM		
	Damp proof membrane.				
н	1000 Gauge polythene sheeting damp proof membrane spread over hardcore bed and walls with 300mm side laps and end laps (measured nett with no allowance for overlaps).	1,800	SM		
	Concrete Works				
	Mass concrete class 15/20 aggregates as described in:-				
J	50mm thick blinding under strip foundations	18	SM		
К	50mm thick blinding under raft foundations	121	SM		
L	Ditto under column bases	862	SM		
М	Ditto under retaining wall foundations	348	SM		
N	Ditto under lift pit base	13	SM		
Р	Ditto under sump pit	5	SM		
	Insitu reinforced concrete: grade 25/20 (1:1.5:3): vibrated in:-				
Q	Strip foundations	4	СМ		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	Raft foundation;1000mm thick	121	СМ		
В	150mm thick floor bed slab	1,800	SM		
С	Extra-over 150mm thick thicknessing under water tank beam area	66	SM		
D	Column bases	1,142	СМ		
Е	Columns	6	СМ		
F	Retaining wall foundations;300mm thick	348	SM		
G	Lift shaft walls;250mm thick	32	SM		
Н	Lift base;250mm thick	13	SM		
J	Sump pit walls;250mm thick	13	SM		
К	Sump pit base;250mm thick	5	SM		
L	Sump pit top slab;150mm thick	4	SM		
М	Water tank beams	30	СМ		
N	Extra over for forming 450 x 300mm deep cut off drain channel in basement floor slab; rebated for channel grating and frame; to structural/civil Engineer's detail	100	LM		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
Р	Sides of strip foundations	12	SM		
Q	Sides of raft foundations	44	SM		
R	Sides of retaining wall foundations	26	SM		
S	Edges of floor bed slab;75-150mm high	174	LM		
Т	Sides of column bases	916	SM		
υ	Sides of columns	51	SM		
ν	Sides of lift shaft walls	64	SM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	Sides of lift base	6	SM		
В	Ditto sump pit walls	26	SM		
С	Sides of sump pit base	2	SM		
D	Soffits of sump pit top slab	4	SM		
Е	Sides of water tank beams	70	SM		
F	Sides of drain channel including formation of rebate frame (for channel grating)	90	SM		
	Reinforcement Steel (Provisional):				
	Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools				
G	8mm diameter bars	1,962	KG		
н	10mm diameter bars	126	KG		
J	12mm diameter bars	10,829	KG		
K	16mm diameter bars	5,572	KG		
L	20mm diameter bars	28,131	KG		
М	25mm diameter bars	46,806	KG		
	Foundation walling				
	Approved natural load bearing square shaped quarry stone wall of minimum crushing strength of 7.5/mm² built to courses of cement/sand (1:3) mortar mix as described in:-				
N	200mm thick coral block walling reinforced at each alternate course with and including 24 gauge galvanized mild steel hoop iron and staggered.	38	SM		
	B.R.C Mesh Reinforcement				
Р	Fabric Mesh reinforcement to Ref. A142 laid in slab with minimum 300mm side and end laps (measured nett with no allowance for overlaps)	1,800	SM		
	Camical to collection				
L	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Waterproofing				
	Prepare and apply penetron/hyseal waterproofing or other equal and approved to vertical or horizontal surfaces crystalline (capillary) waterproofing system prepared and applied by an approved specialist an in accoradance with manufacturers instruction catalougue including provision of written ten year anti-leak guarantee.Rate to include all necessary surface preparation chasing,formimg,skirting,fillets,works over outlets;to				
Α	Basement floor bases	1,800	SM		
В	Lift bases	13	SM		
С	Lift shaft walls	32	SM		
D	Sump pit bases	5	SM		
Е	Sump pit walls	15	SM		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
F	25 mm Thick polyethylene form at expansion joint	36	SM		
	23 mm Thick polyethylene form at expansion joint	30	3/41		
	Carried to Collection below				
	COLLECTION				
	FROM PAGE BS/1				
	FROM PAGE BS/2				
	FROM PAGE BS/3				
	FROM PAGE BS/4				
	FROM PAGE ABOVE				
	FROM PAGE ABOVE				
	TOTAL FOR ELEMENT NO. 1 (SUBSTRUCTURES) CARRIED TO SUMMARY	Kshs.			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	ELEMENT NO. 2				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	117	СМ		
В	Columns	82	СМ		
С	175mm thick Suspended floor slab	1,560	SM		
D	Retaining walls;250mm thick	597	SM		
Е	Lift shaft walls;250mm thick	103	SM		
F	Shear walls;250mm thick	92	SM		
G	Ramps;175mm thick	288	SM		
Н	150mm thick slab;staircase landings	60	SM		
J	150mm thick slab to ramp landings	16	SM		
К	Staircase steps and stringers	22	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all				
	heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
L	Sides and Soffits of beam	1,116	SM		
М	Sides of columns	593	SM		
N	Soffits of suspended slab	1,315	SM		
Р	Sides of shear wall	184	SM		
Q	Sides of lift shaft wall	206	SM		
R	Sides of retaining wall	1,194	SM		
S	Sloping soffits staircase	88	SM		
	Carried to collection				

Basment Level One

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
Α	Sloping soffits of ramps	288	SM		
В	Soffits of landings;staircase and ramps	76	SM		
С	Edges of landings;staircase;75-150mm high	10	LM		
D	Ditto ramps;150-225mm high	16	LM		
Е	Edges of suspended slab 75-150mm high	390	LM		
F	Ditto risers;150-225mm high	216	LM		
G	Edges of staircase strings;150-225mm high	14	LM		
Н	Edges of ramp strings;150-225mm high	121	LM		
	Reinforcement Steel (Provisional):				
	Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools				
J	8mm diameter bars	4,522	KG		
Κ	10mm diameter bars	27,741	KG		
L	12mm diameter bars	23,183	KG		
М	16mm diameter bars	4,063	KG		
N	20mm diameter bars	13,972	KG		
Р	25mm diameter bars	44,140	KG		
	<u>Waterproofing</u>				
	Prepare and apply penetron/hyseal waterproofing or other equal and approved to vertical or horizontal surfaces crystalline (capillary) waterproofing system prepared and applied by an approved specialist an in accoradance with manufacturers instruction catalougue including provision of written ten year anti-leak guarantee.Rate to include all necessary surface preparation chasing,formimg,skirting,fillets,works over outlets;to				
Q	Retaining wall surfaces	597	SM		
R	Suspended slab surfaces	544	SM		
	Carried to collection				

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Expansion Joint				
	Expansion joint filler or other equal and approved as				
А	25 mm Thick polyethylene form at expansion joint	32	SM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE BS/6				
	FROM PAGE BS/7				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 2 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	BASEMENT FLOOR SUMMARY				
Α	substructures	BS/5			
В	REINFORCED CONCRETE SUPERSTRUCTURE	BS/8			
	TOTAL FOR SUBSTRUCTURES AND REINFORCED CONCRETE SUPERSTRUCTURE (BASEMENT) CARRIED TO	Kshs.			
	MAIN BLOCK SUMMARY				

Basment Level One BS/10



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	GROUND FLOOR (STORAGE LEVEL)				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	74	СМ		
В	Columns	50	СМ		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls:250mm thick	75	SM		
Е	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
К	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				


Ground Floor GF/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Reinforcement Steel (Provisional):				
	Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing				
	including all necessary tying wires, distance blocks, spacers, templates and stools				
١.		0.007			
Α	8mm diameter bars	2,237	KG		
В	10mm diameter bars	13,726	KG		
C	12mm diameter bars	11,471	KG		
D	16mm diameter bars	2,010	KG		
Е	20mm diameter bars	6,913	KG		
F	25mm diameter bars	21,430	KG		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
G	25 mm Thick polyethylene form at expansion joint	14	SM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE GF/1				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 1 (REINFORCED				
	CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

Ground Floor GF/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	GROUND FLOOR SUMMARY				
А	REINFORCED CONCRETE SUPERSTRUCTURE	GF/2			
		3.72			
	TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE (GROUND FLOOR ) CARRIED TO MAIN BLOCK SUMMARY	Kshs.			

Ground Floor GF/4



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	FIRST FLOOR LEVEL				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
	•				
Α	Beams	74	CM		
В	Columns	50	CM		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls:250mm thick	75	SM		
E	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
К	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				

First Floor FF/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Reinforcement Steel (Provisional):  Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks,				
	spacers, templates and stools				
Α	8mm diameter bars	2,237	KG		
В	10mm diameter bars	13,726	KG		
C	12mm diameter bars	11,471	KG		
D	16mm diameter bars	2,010	KG		
Е	20mm diameter bars	6,913	KG		
F	25mm diameter bars	21,430	KG		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
G	25 mm Thick polyethylene form at expansion joint	14	SM		
	Carried to collection below				
	<u>COLLECTION</u>				
	FROM PAGE FF/1				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 1 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

First Floor FF/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	FIRST FLOOR SUMMARY				
А	REINFORCED CONCRETE SUPERSTRUCTURE	FF/2			
		,			
	TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE (FIRST FLOOR ) CARRIED TO MAIN BLOCK SUMMARY	Kshs.			

First Floor FF/4



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SECOND FLOOR ( CMR LABORATORY FLOOR)				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	74	СМ		
В	Columns	50	СМ		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls;250mm thick	75	SM		
Е	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
K	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				

Second Floor SF/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Reinforcement Steel (Provisional):  Deformed high yield steel ribbed bars reinforcement to KS				
	573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks,				
	spacers, templates and stools				
A	8mm diameter bars	2,237	KG		
В	10mm diameter bars	13,726	KG		
С	12mm diameter bars	11,471	KG		
D	16mm diameter bars	2,010	KG		
Е	20mm diameter bars	6,913	KG		
F	25mm diameter bars	21,430	KG		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
G	25 mm Thick polyethylene form at expansion joint	14	SM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE SF/1				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 1 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

Second Floor SF/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	SECOND FLOOR SUMMARY				
А	REINFORCED CONCRETE SUPERSTRUCTURE	SF/2			
	TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE (SECOND FLOOR ) CARRIED TO MAIN BLOCK SUMMARY	Kshs.			

Second Floor SF/4



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	THIRD FLOOR (NIUTM & RCTP LABORATORY FLOOR)				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	74	СМ		
В	Columns	50	СМ		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls;250mm thick	75	SM		
Е	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
Н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
K	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				

Third Floor TF/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Reinforcement Steel (Provisional):				
	Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools				
Α	8mm diameter bars	2,237	KG		
В	10mm diameter bars	13,726	KG		
C	12mm diameter bars	11,471	KG		
D	16mm diameter bars	2,010	KG		
Е	20mm diameter bars	6,913	KG		
F	25mm diameter bars	21,430	KG		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
G	25 mm Thick polyethylene form at expansion joint	14	SM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE TF/1				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 1 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

Third Floor TF/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	THIRD FLOOR SUMMARY				
Α	REINFORCED CONCRETE SUPERSTRUCTURE	TF/2			
	TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE				
	(THIRD FLOOR) CARRIED TO MAIN BLOCK SUMMARY	Kshs.			

Third Floor TF/4



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	FOURTH FLOOR ( CMR OFFICE FLOOR)				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	74	СМ		
В	Columns	50	СМ		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls;250mm thick	75	SM		
Е	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical releasing agent to avoid sticking of cement; at all heights, levels to cast the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
Н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
K	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				


Fourth Floor FO/2

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	Reinforcement Steel (Provisional):				
	Deformed high yield steel ribbed bars reinforcement to KS 573:  2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools				
А	8mm diameter bars	2,237	KG		
В	10mm diameter bars	13,726	KG		
C	12mm diameter bars	11,471	KG		
D	16mm diameter bars	2,010	KG		
Е	20mm diameter bars	6,913	KG		
F	25mm diameter bars	21,430	KG		
	Expansion Joint				
	Expansion joint filler or other equal and approved as described to:				
			<b>.</b>		
G	25 mm Thick polyethylene form at expansion joint	14	SM		
	Carried to collection below				
	COLLECTION				
	FROM PAGE FO/1				
	FROM ABOVE				
	TOTAL FOR ELEMENT NO. 1 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	Kshs.			

Fourth Floor FO/3

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	FOURTH FLOOR SUMMARY				
Α	REINFORCED CONCRETE SUPERSTRUCTURE	FO/2			
	TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE (FOURTH FLOOR ) CARRIED TO MAIN BLOCK SUMMARY	Kshs.			

Fourth Floor FO/4



ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	FIFTH FLOOR ( NIUTM & RCTP OFFICE FLOOR)				
	ELEMENT NO. 1				
	REINFORCED CONCRETE SUPERSTRUCTURE				
	Vibrated reinforced concrete grade 25/20 (1:1.5:3) in:				
Α	Beams	74	СМ		
В	Columns	50	СМ		
С	175mm thick Suspended floor slab	1,170	SM		
D	Lift shaft walls;250mm thick	75	SM		
Е	Shear walls;250mm thick	72	SM		
F	150mm thick slab to landings	10	SM		
G	Staircase steps and stringers	6	СМ		
	<u>Formwork</u>				
	Wrot/Fair faced formwork to :				
	Supplying, fixing and removing with necessary frame work bolts, nuts, props etc with necessary supports including chemical				
	releasing agent to avoid sticking of cement; at all heights, levels to cast				
	the member of any shape, size and thickness including strutting, propping, scaffloding etc complete				
Н	Sides and Soffits of beam	710	SM		
J	Sides of columns	331	SM		
Κ	Soffits of suspended slab	1,004	SM		
L	Sides of shear walls	144	SM		
М	Sides of lift shaft walls	150	SM		
N	Sloping soffits staircase	37	SM		
Р	Soffits of landings	10	SM		
Q	Edges of suspended slab 75-150mm high	280	LM		
R	Ditto risers;150-225mm high	80	LM		
S	Edges of staircase strings;150-225mm high	14	LM		
	Carried to collection				


Fifth Floor FTH/2

Reinforcement Steel (Provisional):  Deformed high yield steel ribbed bars reinforcement to KS 573: 2014 for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools  A 8mm diameter bars  Dimm diameter bars  13,726 KG  Limm diameter bars  11,471 KG  Diffirm diameter bars  Expansion Joint  Expansion Joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint  Carried to collection below  COLLECTION  FROM PAGE FTH/1  FROM ABOVE	
for cutting, bending, hoisting and fixing including all necessary tying wires, distance blocks, spacers, templates and stools  A 8mm diameter bars 2.237 KG  B 10mm diameter bars 13,726 KG  C 12mm diameter bars 111,471 KG  D 16mm diameter bars 2.010 KG  E 20mm diameter bars 6.913 KG  F 25mm diameter bars 21,430 KG  Expansion Joint Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION  FROM PAGE FTH/1	
B 10mm diameter bars 13,726 KG C 12mm diameter bars 11,471 KG D 16mm diameter bars 2,010 KG E 20mm diameter bars 6,913 KG F 25mm diameter bars 21,430 KG Expansion Joint Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION FROM PAGE FTH/1	
C 12mm diameter bars 11,471 KG D 16mm diameter bars 2,010 KG E 20mm diameter bars 6,913 KG F 25mm diameter bars 21,430 KG  Expansion Joint Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION FROM PAGE FTH/1	
D 16mm diameter bars 2,010 KG E 20mm diameter bars 6,913 KG F 25mm diameter bars 21,430 KG  Expansion Joint Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION FROM PAGE FTH/1	
E 20mm diameter bars 6,913 KG F 25mm diameter bars 21,430 KG  Expansion Joint  Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION  FROM PAGE FTH/1	
F 25mm diameter bars 21,430 KG  Expansion Joint  Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION  FROM PAGE FTH/1	
Expansion Joint Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION FROM PAGE FTH/1	
Expansion joint filler or other equal and approved as described to:  G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION  FROM PAGE FTH/1	
G 25 mm Thick polyethylene form at expansion joint 14 SM  Carried to collection below  COLLECTION  FROM PAGE FTH/1	
Carried to collection below  COLLECTION  FROM PAGE FTH/1	
Carried to collection below  COLLECTION  FROM PAGE FTH/1	
COLLECTION FROM PAGE FTH/1	
FROM PAGE FTH/1	
FROM ABOVE	
TOTAL FOR ELEMENT NO. 1 (REINFORCED CONCRETE SUPERSTRUCTURE) CARRIED TO SUMMARY	

Fifth Floor FTH/3


FIFTH FLOOR SUMMARY  A REINFORCED CONCRETE SUPERSTRUCTURE  FTH/2	TNUC
A REINFORCED CONCRETE SUPERSTRUCTURE  FTH/2	
TOTAL FOR REINFORCED CONCRETE SUPERSTRUCTURE (FIFTH FLOOR ) CARRIED TO MAIN BLOCK SUMMARY  Kshs.	

Fifth Floor FTH/4




# MAIN BLOCK SUMMARY

ITEM	DESCRIPTION	PAGE	OFFICIAL USE (KSHS)
1	SUBSTRUCTURES & REINFORCED CONCRETE SUPERSTRUCTURE (BASEMENT LEVEL ONE)	BS/9	
2	REINFORCED CONCRETE SUPERSTRUCTURE (GROUND FLOOR)	GF/4	
3	REINFORCED CONCRETE SUPERSTRUCTURE (FIRST FLOOR)	FF/3	
4	REINFORCED CONCRETE SUPERSTRUCTURE (SECOND FLOOR)	SF/3	
5	REINFORCED CONCRETE SUPERSTRUCTURE (THIRD FLOOR)	TF/3	
6	REINFORCED CONCRETE SUPERSTRUCTURE (FOURTH FLOOR)	FO/3	
7	REINFORCED CONCRETE SUPERSTRUCTURE (FIFTH FLOOR)	FTH/3	
	TOTAL FOR SUBSTRUCTURES AND REINFORCED CONCRETE SUPERSTRUCTURE FOR MAIN BLOCK CARRIED TO GRAND SUMMARY		



# **BUILDER'S WORK SUMMARY**

ITEM	DESCRIPTION	PAGE	OFFICIAL USE (KSHS)
1	demolition works	DW/8	
2	MAIN BLOCK	MBS/1	
	TOTAL FOR BUILDER'S WORK CARRIED TO GRAND SUMMARY		



ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	PARKING AREA				
A	Excavate over site to remove vegetation soil average 150mm deep.	SM	750		
В	Excavate, trim and compact for formation level to a depth not exceeding 650mm	СМ	488		
С	Scarify, water, spread and compact the top 200 mm of the sub grade	СМ	150		
	Provide lay and compact approved granular material consolidated in 200mm thick layer for Sub base	СМ	150		
	Provide lay and compact handpacked stones in a 200mm thick layer for base	СМ	150		
Е	Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.	SM	750		
G	Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.	SM	750		
Н	Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)	SM	750		
	KERBS AND CHANNELS				
J	Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.	СМ	3		
K	Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.	LM	57		
L	Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.	СМ	2		
M	Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.	LM	57		
N	Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	СМ	2		
О	Provide, lay and joint in cement mortar pre-cast concrete 125x100 channels as per Drawing detail (50)5332 'C'.	LM	15		
	TOTAL CARRIED TO SUMMARY PAGE				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	ROAD MARKING				
U	Provide and apply three coats of approved reflective road marking paint white in colour in strips of 100mm wide as directed by the Engineer.	SM	11		
V	Ditto item H above but yellow in colour.	SM	6		
W	Ditto but alternate black and white colours to kerbs	SM	11		
	<u>FOOTPATHS</u>				
A	Excavate over site to remove vegetation soil average 100mm deep.	SM	98.8		
В	Excavate to reduced levels not exceeding 200mm deep starting from the stripped level.	СМ	19.8		
С	Provide lay and compact 100mm thick approved murrum to make up levels	СМ	9.9		
D	Provide lay and compact 150mm thick approved hand packed stone including 50mm quarry dust blinding rolled as per drawing detail (50) 5357	СМ	14.8		
Е	Treat surface of formation with approved persistent herbicide	SM	98.8		
G	Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.	SM	99		
Н	Provide and lay 80mm thick medium duty precast concrete paving blocks (minimum strength 45 N/mm²)	SM	99		
G	Excavate trench for 125x100mm pre-cast concrete channels as per Drawing detail (50)5332 'A'.	СМ	0.9		
Н	Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6). Include for all necessary formwork as per Drawing detail (50)5332 'A'.	СМ	3.0		
I	Provide, lay and joint 125x100mm precast concrete channels in cement mortar as per Drawing detail (50)5332 'A'.	LM	38.0		
	TOTAL CARRIED TO SUMMARY PAGE				
	Summary				
	Page 2				
	Page 3				
	Parking Area Subtotal Carried to summary page				


ACCESS ROAD  A Excavate over site to remove vegetation soil average 150mm deep.  B Excavate, trim and compact for formation level to a depth not exceeding 650mm  C Scarify, water, spread and compact the top 200 mm of the sub grade  CM 150  Provide lay and compact approved granular material consolidated in 200mm thick layer for Sub base  Provide lay and compact handpacked stones in a 200mm thick layer for base  E Provide and apply persistent herbicide as HYVARX 80WP or equal and sproved.  G Provide and apply presistent herbicide as HYVARX 80WP or equal and sproved.  G Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide and place 35x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs and 122x100mm channel in coment mortar as per Drawing detail (50)5332 'B'.  L Provide and place 32x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide and place 32x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 13:6) for precast concrete kerbs. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
Excavate, trim and compact for formation level to a depth not exceeding 650mm  C Scarify, water, spread and compact the top 200 mm of the sub grade  Provide lay and compact approved granular material consolidated in 200mm thick layer for Sub base  Provide lay and compact handpacked stones in a 200mm thick layer for base.  E Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.  G Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:36) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 1:25x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:36) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  N Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide, lay and joint comment mortar pre-cast concrete kerbs in cement mortar as per Drawing detail (50)5332 'C.		ACCESS ROAD				
CS Carify, water, spread and compact the top 200 mm of the sub grade  Provide lay and compact approved granular material consolidated in 200mm thick layer for Sub base  Provide lay and compact handpacked stones in a 200mm thick layer for base  E Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.  G Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 1:25x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O Provide, lay and joint in cement mortar pre-cast concrete (125x100 LM 21	A	Excavate over site to remove vegetation soil average 150mm deep.	SM	750		
Provide lay and compact approved granular material consolidated in 200mm thick layer for Sub base  Provide lay and compact handpacked stones in a 200mm thick layer for base  E Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.  G Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kebs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	В		СМ	488		
200mm thick layer for Sub base  Provide lay and compact handpacked stones in a 200mm thick layer for base  E. Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.  G. Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H. Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J. Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K. Provide, lay and joint 250x125mm precast concrete kerbs and 1:25x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L. Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M. Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N. Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O. Provide, lay and joint in cement mortar pre-cast concrete 125x100  L.M. 21	С	Scarify, water, spread and compact the top 200 mm of the sub grade	СМ	150		
E Provide and apply persistent herbicide as HYVARX 80WP or equal and approved.  G Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125			СМ	150		
approved.  G Provide lay and compact 50mm thick sand or quarry dust bedding to receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete l25x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O Provide, lay and joint in cement mortar pre-cast concrete 125x100 LM 21			СМ	150		
receive heavy duty precast concrete paving blocks.  H Provide and lay 80mm thick heavy duty precast concrete paving blocks (minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	Е		SM	750		
(minimum strength 49 N/mm²)  KERBS AND CHANNELS  J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	G		SM	750		
J Provide and place 450x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O Provide, lay and joint in cement mortar pre-cast concrete 125x100  LM 21	Н		SM	750		
1:3:6) for precast concrete kerbs and channels. Include for all necessary formwork as per Drawing detail (50)5332 'B'.  K Provide, lay and joint 250x125mm precast concrete kerbs and 125x100mm channel in cement mortar as per Drawing detail (50)5332 'B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O Provide, lay and joint in cement mortar pre-cast concrete 125x100 LM 21		KERBS AND CHANNELS				
125x100mm channel in cement mortar as per Drawing detail (50)5332  B'.  L Provide and place 325x100 concrete bed and haunch in concrete (mix 1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.  O Provide, lay and joint in cement mortar pre-cast concrete 125x100  LM 21	J	1:3:6) for precast concrete kerbs and channels. Include for all necessary	СМ	5		
1:3:6) for precast concrete kerbs. Include for all necessary formwork as per Drawing detail (50)5332 'A'.  M Provide, lay and joint 250x125mm precast concrete kerbs in cement mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	K	125x100mm channel in cement mortar as per Drawing detail (50)5332	LM	103		
mortar as per Drawing detail (50)5332 'A'.  N Provide and place 475x100 concrete bed and haunch in concrete (mix 1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 'C'.	L	1:3:6) for precast concrete kerbs. Include for all necessary formwork as	СМ	4		
1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary excavation and formwork as per Drawing detail (50)5332 °C'.  O Provide, lay and joint in cement mortar pre-cast concrete 125x100 LM 21	M		LM	103		
, , , ,	N	1:3:6) for pre-cast concrete 125x100 channels. Include for all necessary	СМ	2		
	О		LM	21		
TOTAL CARRIED TO SUMMARY PAGE		TOTAL CARRIED TO SUMMARY PAGE				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
U	ROAD MARKING  Provide and apply three coats of approved reflective road marking paint white in colour in strips of 100mm wide as directed by the Engineer.	SM	21		
V	Ditto item H above but yellow in colour.	SM	10		
W	Ditto but alternate black and white colours to kerbs	SM	21		
	TOTAL CARRIED TO SUMMARY PAGE				
	Summary				
	Page 9				
	Page 10				
	Access road Subtotal Carried to summary page				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	STORM WATER DRAINAGE				
A	OPEN STORM WATER DRAIN  Excavate trench for 450x600x225mm external dimensions precast concrete IBD trim sides to slope and cart away excavated material depth not exceeding 1.2m (average depth 1.0m.)	СМ	198.0		
В	Ditto but rock class I.	СМ	20.0		
С	Ditto but class III	СМ	50.0		
D	Provide, lay and compact approved murram 100mm thick at the base and side slopes of the trench as per drawing detail (50)5329 B	SM	700.0		
Е	Provide, lay and joint 450x225mmx600mm external dimensions precast concrete IBD as per drawing detail (50)5329 B	LM	180		
F	Provide, lay and joint two side slab as per drawing detail (50)5329 B	SM	180		
Н	Excavate trench for precast concrete shallow IBD (800x500x175mm) to a depth not exceeding 300mm.	СМ	28		
I	Provide, place and compact 70mm thick imported approved hardcore as per Drawing detail (50) 5353.	СМ	4		
J	Provide all materials, mix and place 50mm thick concrete blinding for the shallow IBD (Mix 1:4:8).	СМ	3		
K	Provide, lay and joint precast concrete shallow IBD as per drawing detail (50) 5353	LM	56		
K	Ditto but for IBD 125mmx250mm (150mm internal diameter)	LM	48		
L	Provide and place 100mm thick concrete grade Q (1:3:6 mix) base for 50mm cobbles as per Drawing detail (50) 5353	СМ	3		
Т	SERVICE DUCTS  Excavate trench for 160mmØ UPVC pipe (ISO class 41) as directed by the Engineer from ground level to a depth n.e. 0.5m.	СМ	2		
W	Provide, lay and joint 160mm diameter UPVC pipes (ISO class 41) to BS 4660 for services across and along the road	LM	40		
Z	Back fill and compact selected material after laying pipes.	СМ	8		
	TOTAL CARRIED TO SUMMARY PAGE				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	CULVERT & HEADWALL				
	<u>Headwalls</u>				
G	Excavate trench for 200mm width headwall starting from ground level to depth not exceeding 1.5m	CM	45.0		
Н	Provide all materials, mix and place 50mm thick concrete class P as blinding for headwall base (Mix 1:4:8).	СМ	1.0		
I	Provide and place in trench 150mm thick concrete grade Q (1:3:6 mix) as foundation for headwalls.	СМ	1.0		
J	Provide materials for and erect 225mm thick masonry walling for headwall as per Drawing detail No. (50) 5319.	SM	30.0		
K	Provide, mix and place 12mm thick cement and sand rendering to both sides of walls.	SM	30.0		
	Culvert Storm Drain				
L	Excavate trench for 915mm dia. Culvert starting from ground level to a depth not exceeding 1.0m	СМ	18.0		
М	Provide, lay and joint 915mm dia. precast concrete pipes on gravel bedding to correct fall	LM	18.0		
N	Provide and place 150mm thick concrete surround around pipes, (mix 1:3:6). Including all the necessary formwork.	СМ	3.0		
Р	Backfill and compact after laying, jointing and surrounding of the pipes.	СМ	14.0		
Q	Load and cart away all surplus excavated materials from site.	СМ	10.0		
	OPEN STORM WATER DRAINAGE				
	Clean the existing storm drainage system of debris and cart away debris from site	LM	300.0		
	TOTAL CARRIED TO SUMMARY PAGE				
	Summary				
	Page 11				
	Page 112				
	Storm Drainage Subtotal Carried to summary page				

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SUMMARY PAGE				
	Parking				
	Access Road				
	Storm water drainage				
	CHE TOTAL FOR CIVIL WORKS				
	SUB-TOTAL FOR CIVIL WORKS				l l



# PROPOSED CONSTRUCTION OF LABORATORIES, GRADUATE SCHOOL AND OFFICE BLOCK AT KEMRI CMR/CPHR SITE AT KENYATTA NATIONAL HOSPITAL; NAIROBI COUNTY-PHASE I

## W.P. ITEM NO. D108 NB/NB/2021 JOB NO. 10939A

ITEM	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
	<u>PROVISIONAL SUMS</u>				
A	Provide a Provisional sum of Kshs One Million Five Hundred Thousand (Kshs. 1,500,000.00) Only for Electrical Installation Works		SUM		1,500,000.00
В	Provide a Provisional sum of Kshs One Million Five Hundred Thousand (Kshs. 1,500,000.00) Only for Mechanical Installation Works		SUM		1,500,000.00
С	Provide a Provisional sum of Kshs. Ten Millon (Kshs. 10,000,000.00) Only for contingencies to be omitted or expended in whole or part at the discretion of the Project Manager in consultation with the client.		SUM		10,000,000.00
	PROVISIONAL SUMS CARRIED TO GRAND SUMMARY				13,000,000.00



#### W.P. ITEM NO. D108 NB/NB/2021 JOB NO. 10939A

### **GRAND SUMMARY**

ITEM	DESCRIPTION	PAGE	CONTRACTOR'S USE (KSHS)	OFFICIAL USE ONLY (KSHS)
1	PARTICULAR PRELIMINARIES	PP/8		
2	GENERAL PRELIMINARIES	GP/9		
3	BUILDER'S WORK	BWS/1		
4	CIVIL WORKS	cw		
5	PROVISIONAL SUMS	PS/1		
	TOTAL CARRIED TO FORM OF TENDER ( VAT INCL.)			

Amount in words: Kenya Shilings
Tenderer's signature and stamp
Address
Date
Witness: Name and signature
Address
Date